

NAMP DATA FOR THE MONTH OF MARCH 2024 - PLAMOOD (TRIVANDRUM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
								MonitoringAgency	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	
358	04-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	4.5	5.7	6.2	9.7	6.8	4.5
358	06-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	5.1	6.8	8.0	9.7	8.5	4.5
358	11-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	4.0	7.4	8.0	9.1	8.5	4.0
358	13-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	4.0	5.7	8.0	9.1	6.2	5.1
358	15-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	2.0	5.1	7.4	8.5	6.8	5.7
358	18-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	5.1	5.7	6.2	7.4	8.5	4.5
358	20-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	5.1	5.7	6.8	8.0	5.1	4.0
358	22-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	5.1	5.7	6.8	8.0	9.1	5.7
358	25-03-24	PLAMOODU	8°30'49.2"N	76°56'45.2"E	Residential	Trivandrum	Kerala	KSPCB	4.0	5.7	6.8	8.0	6.8	5.1
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	9.1	4.5	4.5	4.5	38.8	46.4	29.6	34	Partially Cloudy				
4.5	4.5	9.1	4.5	4.5	4.5	27.1	38.1	27.5	33	Partially Rainy				
4.5	4.5	9.1	9.4	4.5	4.5	29.8	35.3	23.9	34	Partially Cloudy				
4.5	4.5	4.5	4.5	9.1	4.5	19.7	39.7	21.9	34	Partially Rainy				
4.5	4.5	4.5	9.4	4.5	4.5	22.4	36.0	19.6	34	Partially Rainy				
4.5	4.5	4.5	9.1	4.5	4.5	25.6	33.5	18.3	34	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	28.4	37.5	22.9	33	Partially Cloudy				
4.5	4.5	9.1	4.5	4.5	4.5	26.5	45.3	21.0	34	Partially Cloudy				
4.5	4.5	4.5	9.1	4.5	4.5	25.7	34.8	23.9	33	Sunny				

NAMP DATA FOR THE MONTH OF MARCH 2024 - COSMO (TRIVANDRUM)

STNCode	Sampling Date	Monitoring Station	Latitude	Longitude	TypeOfLocation	City	StateName	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
419	04-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	5.1	7.4	8.0	5.7	5.1
419	06-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	5.1	8.0	9.1	5.7	5.1
419	11-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	4.5	5.1	8.0	6.8	5.7
419	13-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	8.5	9.1	6.8	5.7
419	15-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	5.7	8.0	6.8	5.7
419	18-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	6.8	8.0	5.7	5.1
419	20-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.7	6.8	8.0	6.8	5.1
419	22-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	8.0	8.5	6.8	5.1
419	25-03-24	COSMO	8°31'00.3"N	76°56'08.4"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	4.5	6.8	8.5	7.4	5.1
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	9.1	4.5	4.5	24.1	38.4	20.1	33	Partially Rainy				
4.5	4.5	4.5	4.5	4.5	4.5	19.6	38.6	17.9	34	Partially Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	21.1	25.3	20.3	34	Partially Rainy				
4.5	4.5	4.5	4.5	9.1	4.5	22.8	26.0	20.9	34	Partially Rainy				
4.5	4.5	4.5	9.1	4.5	4.5	23.3	38.4	20.8	34	Sunny				
4.5	4.5	4.5	9.1	4.5	4.5	28.6	33.4	22.8	33	Partially Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	26.1	36.5	22.0	34	Partially Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	28.6	33.5	27.1	33	Sunny				
4.5	4.5	4.5	9.1	4.5	4.5	28.2	30.1	22.0	34	Partially Cloudy				

NAMP DATA FOR THE MONTH OF MARCH 2024 - SMV (TRIVANDRUM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
181	04-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	2.0	5.1	8.0	8.5	5.7	5.1
181	06-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.7	6.8	9.1	6.8	4.5
181	11-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	7.4	8.5	7.4	2.0
181	13-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	5.7	7.4	9.1	6.8	5.1
181	15-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	5.1	5.7	6.2	7.4	5.1
181	18-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.0	5.1	6.8	8.0	5.1	4.0
181	20-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	4.5	5.1	8.0	7.4	5.7	5.1
181	22-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	2.0	4.0	5.1	8.5	6.8	5.7
181	25-03-24	SMV	8°29'20.0"N	76°56'53.3"E	Sensitive	Trivandrum	Kerala	KSPCB	2.0	4.5	6.8	8.5	5.1	4.5
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	4.5	9.1	4.5	4.5	4.5	23.3	35.9	20.8	30	34	Partially Cloudy			
4.5	4.5	4.5	9.1	4.5	4.5	24.4	35.8	19.5	32	33	Partially Rainy			
4.5	4.5	4.5	4.5	9.1	4.5	27.2	31.9	18.8	38	34	Partially Cloudy			
4.5	4.5	4.5	4.5	9.1	4.5	29.0	42.1	24.6	39	34	Partially Rainy			
4.5	4.5	4.5	4.5	9.1	4.5	16.4	28.0	17.3	36	34	Partially Rainy			
4.5	4.5	4.5	4.5	4.5	4.5	21.9	32.1	20.9	34	34	Sunny			
4.5	4.5	4.5	4.5	9.1	4.5	26.0	33.8	17.9	33	33	Partially Cloudy			
4.5	4.5	4.5	4.5	9.1	4.5	24.9	42.3	22.6	40	34	Partially Cloudy			
4.5	4.5	4.5	4.5	4.5	4.5	21.2	28.7	20.8	30	33	Sunny			

NAMP DATA FOR THE MONTH OF MARCH 2024 - VELI (TRIVANDRUM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
358	04-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB	Power supply interruption					
358	06-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	11-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	13-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	15-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	18-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	20-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	22-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
358	25-03-24	VELI	8°30'16.7"N	76°53'47.0"E	Industrial	Trivandrum	Kerala	KSPCB						
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
Power supply interruption									34	Partially Cloudy				
									33	Partially Rainy				
									34	Partially Cloudy				
									34	Partially Rainy				
									34	Partially Rainy				
									34	Sunny				
									33	Partially Cloudy				
									34	Partially Cloudy				
									33	Sunny				

NAMP DATA FOR THE MONTH OF MARCH 2024 - KADAPPAKADA (KOLLAM)

STNCod e	Sampling date*:	MonitoringSta tion	Latitude	Longitude	TypeOfLocat ion	City	StateNa me	Monitori ngAgenc y	SO2_6A M_10AM	SO2_10AM _14PM	SO2_14 PM_18P M	SO2_18P M_22P M	SO2_2 2PM_2 AM	SO2_2 AM_6 AM	NO2_6 AM_10AM	
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2		
621	01-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	2	5.4	6.2	6.7	2	2	4.5	
621	04-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.5	4.9	5.4	5.8	4.1	4.2	4.5	
621	06-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	2	5.7	6.2	6.7	4.3	4.1	9.1	
621	11-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.4	5.6	6.2	6.7	4.2	2	9.2	
621	13-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.9	5.7	6.7	7	2	4.1	9	
621	15-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.8	5.4	5.8	6.2	4.3	4.1	4.5	
621	18-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.1	4.2	6.8	6.7	2	4.6	9.8	
621	20-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	4.9	5.3	5.7	6.1	2	4.3	9	
621	26-03-2024	Kadapakkada	8.884458	76.583476	Industrial	Kollam	Kerala	KSPCB	2	5.2	6.2	6.7	2	4.1	4.5	
NO2_14 PM_18 PM	NO2_18PM _22PM	NO2_22PM_2 AM	NO2_2AM_6 AM	PM10_6_14	PM10_14_2 2	PM10_22 _6	PM2.5 (24Hourly)	Tempera ture	Remarks							
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5									
9.2	9.4	9.1	4.5	45	51	48	31	26	CLEAR							
9.6	9.9	4.5	9.2	58	62	60	36	26	CLEAR							
10.3	10.9	9.6	4.5	54	58	56	33	27	CLEAR							
9.9	10.3	9.6	9.3	51	55	54	35	27	CLEAR							
9.9	10.2	9.9	9.2	48	51	49	30	27	CLEAR							
9.4	9.8	9.4	4.5	53	57	55	33	28	CLEAR							
10.2	10.9	9.8	4.5	52	56	53	24	27	CLEAR							
9.9	10.2	4.5	9.3	45	49	42	30	26	CLEAR							
9.4	10.2	9.7	9.4	46	48	47	31	26	CLEAR							

NAMP DATA FOR THE MONTH OF MARCH 2024 - KMML CHAVARA (KOLLAM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
620	01-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	5.7	6.2	6.3	6.7	6.6	5.8
620	04-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	5.4	5.8	6.2	6.6	6.2	5.8
620	06-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.9	5.8	6.3	6.6	5.8	5.8
620	11-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	5.4	5.8	6.1	6.7	6.5	5.8
620	13-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.3	5.2	5.4	5.8	4.9	4.5
620	15-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.1	5.7	5.8	6.2	5.8	5.3
620	18-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.3	5.9	5.4	5.8	4.9	4.4
620	20-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.1	5.6	6.5	6.7	6.2	5.8
620	26-03-2024	Chavara	9.001898	76.533474	Industrial	Kollam	Kerala	KSPCB	4.9	5.3	5.8	6.2	5.8	5.3
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	9.1	9.9	9.4	9.2	9.1	42	48	46	22	27	CLEAR			
4.5	9.2	10.8	10.3	9.9	9.4	39	46	42	24	26	CLEAR			
4.5	9.8	10.8	10.4	9.1	9.2	38	42	40	21	27	CLEAR			
9.1	9.6	9.9	10.1	9.9	9.5	42	44	38	20	27	CLEAR			
9.4	9.5	9.2	10.9	10.6	9.8	41	44	42	24	27	CLEAR			
4.5	9.4	9.6	9.9	9.6	9.3	42	51	48	26	28	CLEAR			
9.1	9.9	10.3	10.6	9.9	9.4	41	48	41	21	27	CLEAR			
9.3	9.8	10.6	10.1	10.3	9.8	45	50	46	23	27	CLEAR			
9.4	9.6	9.9	10.3	9.6	9.6	42	49	43	24	28	CLEAR			

NAMP DATA FOR THE MONTH OF MARCH 2024 - KARIKKODE (KOLLAM)

Station Code	Sampling Date	Monitoring Station	Latitude	Longitude	TypeOfLocation	City	StateName	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	
New Station	01-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	2	5.2	5.8	6.2	4.9	2
	04-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	4.4	4.9	5.4	5.8	4.9	4.5
	06-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	2	2	4.7	4.8	4.3	4.1
	11-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	4.2	4.4	4.7	5.1	4.4	4.4
	13-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	4.4	4.7	4.9	5.5	4.7	2
	15-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	2	4.2	4.7	5.1	4.4	4.1
	18-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	4.9	5.4	5.9	6.1	5.4	2
	20-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	4.4	5.3	6.2	6.8	5.3	4.3
26-03-2024	Karikode	8.918208	76.635636	Residential	Kollam	Kerala	KSPCB	2	5.6	5.8	6.2	4.9	2	
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_2_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	9.3	9.4	9.6	9.2	9.1	32	45	39	20			26	CLEAR	
9.1	9.4	10.2	10.6	10.2	9.9	39	49	43	24			26	CLEAR	
4.5	9.4	9.4	9.8	9.2	9.1	36	40	39	22			27	CLEAR	
4.5	4.5	9.4	9.8	9.3	9.1	32	40	38	26			27	CLEAR	
9	9.2	9.3	9.4	9.3	9.2	38	44	41	24			27	CLEAR	
4.5	9.4	9.2	10.9	10.6	10.2	40	49	46	22			28	CLEAR	
9	9.2	9.6	9.9	9.6	9.2	35	48	43	26			27	CLEAR	
4.5	9	9.4	9.9	10.2	9.4	36	45	41	23			26	CLEAR	
4.5	9.5	9.4	9.8	9.4	9	33	39	36	24	26	CLEAR			

NAMP DATA FOR THE MONTH OF MARCH 2024 - DO ALAPPUZHA (ALAPPUZHA)

STNCod e	SamplingDat e	MonitoringStati on	Latitude	Longitude	TypeOfLo cation	City	StateNa me	Monitorin gAgency	SO2_6AM _10AM	SO2_10A M_14PM	SO2_14P M_18PM	SO2_18P M_22PM	SO2_22P M_2AM	SO2_2AM_ 6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
618	01-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	04-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	06-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	11-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	13-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	15-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	18-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	20-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
618	26-03-2024	DO Alappuzha	9.506506	76.34303	R	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
NO2_6A M_10A M	NO2_10AM_ 14PM	NO2_14PM_18P M	NO2_18PM _22PM	NO2_22PM _2AM	NO2_2A M_6AM	PM10_6_14	PM10_1 4_22	PM10_22 _6	Temperat ure	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	40	38	32	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	42	42	35	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	25	40	21	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	56	27	45	32	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	49	39	44	34	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	45	37	23	34	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	48	45	44	33	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	44	43	29	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	44	45	29	33	Cloudy				

NAMP DATA FOR THE MONTH OF MARCH 2024 - PALM FIBRE (ALAPPUZHA)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
	01-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	04-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	06-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	11-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	13-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	15-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	18-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
	20-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
26-03-2024	Palm Fibre	9.49866	76.3284	Industrial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2	
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	44	70	79	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	44	69	79	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	50	63	60	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	65	66	56	32	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	55	68	64	34	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	67	54	32	34	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	74	70	72	33	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	70	79	64	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	79	75	80	33	Cloudy				

NAMP DATA FOR THE MONTH OF MARCH 2024 - WILLIAM GOODACRE (ALAPPUZHA)

STNCod e	SamplingDate	Monitoring Station	Latitude	Longitude	TypeOfLocat ion	City	StateNa me	Monitoring Agency	SO2_6AM_1 0AM	SO2_10AM_ 14PM	SO2_14PM_ 18PM	SO2_18PM_ 22PM	SO2_22PM_ 2AM	SO2_2AM_ 6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
1002	01-03-2024	William Gooda	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	04-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	06-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	11-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	13-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	15-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	18-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	20-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
1002	26-03-2024	Goodacre,Al	9.498658	76.32838	Commercial	Alappuzha	Kerala	KSPCB	2	2	2	2	2	2
NO2_6 AM_10 AM	NO2_10AM_1 4PM	NO2_14PM_ 18PM	NO2_18PM_ 22PM	NO2_22PM_ 2AM	NO2_2AM_6 AM	PM10_6_14	PM10_14_ 22	PM10_22_ 6	Temperatur e	Remarks				
4- Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	47	60	61	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	51	65	66	32	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	45	42	37	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	60	45	45	32	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	48	49	36	34	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	63	43	29	34	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	73	47	46	33	Cloudy				
4.5	4.5	4.5	4.5	4.5	4.5	51	59	58	33	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	66	61	46	33	Cloudy				

NAMP DATA FOR THE MONTH OF MARCH 2024 - PATHANAMTHITTA (PATHANAMTHITTA)

STNCod e	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6A M_10AM	SO2_6A M_10A M	SO2_10A M_14PM	SO2_1 4PM_1 8PM	SO2_18 PM_22P M	SO2_22 PM_2A M
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4- Hourly Value of S2	4-Hourly Value of S2	4- Hourly Value of S2
619	01-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	04-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	06-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	11-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	13-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	15-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	18-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	20-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
619	26-03-2024	Pathanamthitta	9.267087	76.78257	Municipality	Pathanamthitta	Kerala	KSPCB	2	2	2	2	2	2
NO2_6A M_10A M	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	31	34	32	29	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	30	33	32	28	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	29	32	30	29	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	31	32	31	30	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	32	35	34	29	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	28	30	30	28	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	28	30	28	29	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	31	33	30	28	Sunny				
4.5	4.5	4.5	4.5	4.5	4.5	30	33	31	27	Sunny				

NAMP DATA FOR THE MONTH OF MARCH 2024 - THIRUVALLA (PATHANAMTHITTA)

STNCode	SamplingDate	Monitoring Station	Latitude	Longitude	TypeOfLocation	City	StateName	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
New Station	01-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	04-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	06-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	11-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	13-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	15-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	18-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	20-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
New Station	26-03-2024	Thiruvalla	9.383452	76.574059	Municipality	Thiruvalla	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Remarks					
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	62	57	45	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	45	71	40	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	44	51	43	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	50	56	51	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	56	59	57	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	49	51	49	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	58	59	55	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	44	53	47	Sunny					
4.5	4.5	4.5	4.5	4.5	4.5	46	55	52	Sunny					

NAMP DATA FOR THE MONTH OF MARCH 2024 - KOTTAYAM DO (KOTTAYAM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
187	01-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	04-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	06-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	11-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	13-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	15-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	4.0	2.0	2.0	2.0
187	18-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	20-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
187	26-03-2024	KOTTAYAM	9.594568	76.51973	R	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10					
4.5	4.5	4.5	4.5	4.5	4.5	46	60	58	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	43	56	44	31	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	55	54	49	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	48	65	52	32	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	50	50	52	32	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	44	64	55	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	44	62	44	31	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	54	59	62	34	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	48	57	48	32	Clear			

NAMP DATA FOR THE MONTH OF MARCH 2024 - VADAVATHOOR (KOTTAYAM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
361	01-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	04-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	06-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	11-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	13-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	15-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	18-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	20-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
361	26-03-2024	VADAVATHOOR	9.597192	76.563995	I	Kottayam	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	44	59	58	32	clear				
4.5	4.5	4.5	4.5	4.5	4.5	41	54	44	32	clear				
4.5	4.5	4.5	4.5	4.5	4.5	54	57	49	31	clear				
4.5	4.5	4.5	4.5	4.5	4.5	49	66	52	31	clear				
2.0	4.5	4.5	4.5	4.5	4.5	49	55	52	33	clear				
4.5	4.5	4.5	4.5	4.5	4.5	43	65	55	34	clear				
4.5	4.5	4.5	4.5	4.5	4.5	44	62	44	32	clear				
4.5	4.5	4.5	4.5	4.5	4.5	54	59	62	35	clear				
4.5	4.5	4.5	4.5	4.5	4.5	45	56	48	33	clear				

NAMP DATA FOR THE MONTH OF MARCH 2024 - MG ROAD (ERNAKULAM)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average	Weather		
					Area class :					4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2					
545	01-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	04-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	06-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	11-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	13-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	15-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	18-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
545	26-03-2024	M G ROAD	9.962906	76.285912	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
NO2 - 6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5		Temperature		
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		24-hourly value	Min	Max		
4.5	12.3	30.1	4.5	4.5	4.5	10.1	104	21	81	89	128	31	83	81	39	24	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	30.6	8.9	99	22	59	60	108	74	417	200	42	25	32	CLEAR	
4.5	4.5	4.5	4.5	12.3	14.1	7.4	109	23	41	58	117	28	43	63	38	24	32	CLEAR	
11	4.5	4.5	4.5	4.5	4.5	5.6	48	23	38	36	56	32	46	45	35	24	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	39	31	61	44	56	48	69	58	14	25	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	53	26	45	98	66	32	47	48	26	25	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	37	35	58	43	53	38	71	54	9	26	33	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	15	46	40	68	23	60	50	16	21	32	CLEAR	

NAMP DATA FOR THE MONTH OF MARCH 2024 - ERNAKULAM SOUTH (ERNAKULAM)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average			
					Area class :					4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		Temperature°C		Weather
338	01-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	04-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	06-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	11-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	13-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	15-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	18-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	08-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	09-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
338	26-03-2024	EKM SOUTH	9.965189	76.292035	C	Kochi	EKM	Kerala	KSPCB	*	*	*	*	*	*	*			
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5	Temperature°C		Weather	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		24-hourly value	Min	Max		
4.5	4.5	4.5	4.5	4.5	4.5	4.5	96	31	130	86	153	87	171	137	55	24	31	CLEAR	
31.9	22.1	14.7	4.5	4.5	46.6	20.7	57	57	89	68	189	201	105	165	50	25	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	80	79	59	73	233	378	85	232	32	24	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	71	31	61	54	233	60	78	124	46	24	31	CLEAR	
22.6	4.5	4.5	21.4	4.5	15.9	12.2	98	54	89	80	117	75	106	99	28	25	31	CLEAR	
9.8	4.5	4.5	4.5	9.2	18.4	8.5	72	33	61	55	204	77	75	119	26	25	31	CLEAR	
15.9	4.5	4.5	4.5	4.5	14	8.0	92	17	77	62	107	31	94	77	22	26	33	CLEAR	
*	*	*	*	*	*	*	*	*	*		*	*	*	*	*	21	32	CLEAR	

NAMP DATA FOR THE MONTH OF MARCH 2024 - VYTTILA (ERNAKULAM)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average			
										4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		Weather		
544	01-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	04-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	06-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	11-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	13-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	15-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	18-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
544	26-03-2024	VYTTILA	9.958233	76.325229	R	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5 24-hourly value	Temperature		Weather	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM			8-Hourly Value of SPM	Min		Max
4.5	4.5	4.5	4.5	4.5	4.5	4.5	128	40	90	86	216	51	109	125	50	24	31	CLEAR	
4.5	22.1	4.5	15.9	4.5	4.5	9.3	75	86	41	67	124	90	73	96	28	25	32	CLEAR	
4.5	4.5	4.5	4.5	30.6	4.5	8.9	36	20	69	42	65	25	93	61	34	24	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	55	26	62	48	104	34	103	80	46	24	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	87	59	85	77	105	81	105	97	43	25	31	CLEAR	
12.3	4.5	4.5	4.5	4.5	4.5	5.8	58	21	60	46	90	29	104	74	15	25	31	CLEAR	
9.8	4.5	4.5	4.5	4.5	15.9	7.3	54	39	79	57	82	49	131	87	27	26	28	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	72	86	29	62	102	91	52	82	8	24	28	CLEAR	

NAMP DATA FOR THE MONTH OF MARCH 2024 - KALAMASSERY (ERNAKULAM)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average			
					Area class :					4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		Temperature		Weather
546	01-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	04-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	06-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	11-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	13-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	15-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	18-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
546	26-03-2024	KALAMASSERY	10.050212	76.31237	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5 24-hourly value	Temperature		Weather	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	hourly average	8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM	hourly average	8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM	hourly average	24-hourly value	Min.	Max.		
4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	64	145	81	64	87	189	113	19	24	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	57	22	108	62	102	43	151	99	34	24	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	42	43	95	60	53	66	152	90	21	25	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	62	39	80	60	93	46	132	90	*	25	31	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	69	50	102	74	87	72	114	91	9	26	33	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	60	29	95	61	82	50	128	87	*	21	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	56	36	97	63	138	60	111	103	26	24	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	58	51	78	62	92	65	94	84	44	21	32	CLEAR	

NAMP DATA FOR THE MONTH OF MARCH 2024 - METHANAM, ELOOR I, (ERNAKULAM)

Station Code	Sampling Date	Name of monitoring station :	Latitude	Longitude	Type of Location	City	State Name	Monitoring Agency	SO2_6A M_10AM	SO2_10AM _14PM	SO2_14PM _18PM	SO2_18PM _22PM	SO2_22P M_2AM	SO2_2AM_ 6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
149	01-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	04-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	06-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	11-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	13-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	15-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	18-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	20-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
149	26-03-2024	Eloor I	10.079692	76.296766	R	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
NO2_6A M_10AM	NO2_10AM _14PM	NO2_14PM _18PM	NO2_18PM _22PM	NO2_22PM _2AM	NO2_2AM _6AM	Temperature	Remarks							
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2									
4.50	18.19	4.50	4.50	10.20	4.50	33	CLEAR							
18.31	15.80	23.16	11.07	9.19	11.85	32	CLEAR							
18.69	16.82	4.50	16.66	16.62	12.05	32	CLEAR							
23.27	11.23	17.84	4.50	14.47	9.62	33	CLEAR							
11.97	10.52	16.94	10.91	24.76	11.62	33	CLEAR							
11.07	4.50	4.50	13.69	4.50	4.50	32	CLEAR							
12.83	12.99	16.74	17.05	4.50	12.56	33	CLEAR							
9.47	11.27	11.70	12.83	15.49	13.61	33	CLEAR							
8.57	11.03	10.68	10.76	4.50	12.44	33	CLEAR							

NAMP DATA FOR THE MONTH OF MARCH 2024 - ELOOR II (ERNAKULAM)

Station Code	Sampling Date	Name of monitoring station :	Latitude	Longitude	Type of Location	City	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
29	01-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	*	*	*	*	*	*
29	04-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	*	*	*	*	*	*
29	06-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	*	*	*	*	*	*
29	11-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
29	13-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
29	15-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
29	18-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
29	20-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
29	26-03-2024	Eloor II	10.074350	76.303942	I	Ernakulam	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM2.5 (24Hourly)	Temperature	Remarks						
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	24-Hourly Value of PM2.5								
*	*	*	*	*	*	30	33	CLEAR						
*	*	*	*	*	*	34	32	CLEAR						
*	*	*	*	*	*	25	32	CLEAR						
12.83	20.42	9.93	14.24	16.78	9.82	24	33	CLEAR						
10.44	15.06	10.17	11.38	10.21	4.50	38	33	CLEAR						
9.90	11.07	11.23	12.87	21.08	9.39	28	32	CLEAR						
11.19	15.33	13.14	12.44	15.10	12.99	34	33	CLEAR						
12.55	13.26	16.04	15.72	13.85	15.61	23	33	CLEAR						
14.94	18.34	16.74	9.93	10.29	4.50	43	33	CLEAR						

NAMP DATA FOR THE MONTH OF MARCH 2024 - IRUMPANAM (ERNAKULAM)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2_24 hourly average	Weather		
					Area class :					4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2				
30	01-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	04-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	06-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	11-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	13-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	15-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	18-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
30	26-03-2024	Irumpanam	9.987925	76.350686	I	Kochi	EKM	Kerala	KSPCB	2	2	2	2	2	2	2.0			
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5	Temperature			
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		24-hourly value	Min	Max		
4.5	4.5	4.5	4.5	4.5	4.5	4.5	149	65	75	96	206	78	108	131	29	24	31	CLEAR	
22.7	4.5	4.5	4.5	15.9	34.3	14.4	121	30	108	86	149	45	124	106	39	25	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	21	74	42	36	28	90	51	35	24	32	CLEAR	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	61	27	59	49	84	64	77	75	33	24	31	CLEAR	
14.7	4.5	4.5	4.5	4.5	4.5	6.2	50	37	89	59	75	60	97	77	50	25	31	CLEAR	
4.5	30	4.5	4.5	4.5	4.5	8.8	55	24	74	51	93	26	86	68	50	25	31	CLEAR	
9.1	4.5	4.5	4.5	4.5	4.5	5.3	37	53	91	60	55	63	143	87	57	26	33	CLEAR	
14.1	4.5	4.5	4.5	4.5	4.5	6.1	66	34	84	61	91	41	123	85	36	21	32	CLEAR	

NAMP DATA FOR THE MONTH OF MARCH 2024 - KUTTIPADAM (ERNAKULAM)

Station Code	Sampling Date	Monitoring Station	District Name	Latitude	Longitude	Type Of Location	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_2PM	SO2_2PM_6PM	SO2_6PM_10PM	SO2_10PM_2AM	SO2_2AM_6AM	SO2 24 hourly average	NO2_6AM_10AM
									4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		4-Hourly Value of NO2
999	01-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	2	2	2	2	2	2	2.0	23.8
999	04-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	4	2	2	2	2	5	2.8	15.5
999	06-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	5	2	5	4	2	2	3.3	10.4
999	11-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	2	4	2	4	2	2	2.7	23.2
999	13-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	4	2	5	6	2	2	3.5	18.6
999	15-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	5	4	2	2	2	4	3.2	17.1
999	18-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	2	2	2	2	2	2	2.0	10.4
999	26-03-2024	KUTTIPPADAM	EKM	10.093326	76.460609	Industrial	Kerala	KSPCB	4	2	2	2	2	2	2.3	7.3
NO2_10AM_2PM	NO2_2PM_6PM	NO2_6PM_10PM	NO2_10PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_2PM	RSPM_2PM_10PM	RSPM_10PM_6AM	RSPM 24 hourly average	SPM_6AM_2PM	SPM_2PM_10PM	SPM_10PM_6AM	SPM 24 hourly average	Temperature		Remarks
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		Min	Max	
11.3	14.6	9.8	15.9	4.5	11.2	108	123	158	130	212	173	196	194	27	33	sunny
12.8	4.5	9.1	9.5	4.5	6.9	140	80	71	97	260	130	100	163	27	32	sunny
14.6	9.5	4.5	4.5	4.5	5.8	133	61	108	101	282	112	153	182	27	32	sunny
20.7	13.1	4.5	4.5	4.5	6.7	92	119	96	102	149	199	151	166	26	33	sunny
22	25.6	12.5	4.5	4.5	11.8	81	104	95	93	150	153	121	141	28	33	sunny
22.6	12.2	4.5	4.5	4.5	6.4	98	112	86	99	159	178	122	153	27	32	sunny
13.4	9.5	4.5	4.5	4.5	5.8	160	99	69	109	215	169	93	159	27	33	sunny
11.9	12.8	4.5	4.5	4.5	6.6	66	62	68	65	109	85	86	93	27	33	sunny

NAMP DATA FOR THE MONTH OF MARCH 2024 - AYYANTHOLE(THRISSUR)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
New Station	03-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	4.1	4.5	2	2	2
	06-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	4.9	5.8	2
	11-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	2	6.2	2
	13-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	4.5	2	4.9	2	2
	15-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	6.6	2	2
	18-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	4.5	2	5.8	2	2
	20-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	5.8	4.5	2	4.1
	22-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	6.2	6.6	2
26-03-2024	Ayyanthole	10.52469	76.18914	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	5.8	5.3	2	
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	42	43	37	32	clear				
4.5	4.5	4.5	9.5	4.5	4.5	42	42	36	2	clear				
4.5	4.5	9.5	10.1	4.5	4.5	43	45	38	33	clear				
4.5	4.5	4.5	4.5	9.5	4.5	42	44	39	33	clear				
4.5	4.5	9.5	9.5	4.5	4.5	43	45	37	32	clear				
4.5	9.5	4.5	9.5	10.1	4.5	45	46	39	33	clear				
4.5	4.5	9.5	4.5	10.1	4.5	46	45	36	33	clear				
4.5	4.5	4.5	10.1	4.5	4.5	43	44	39	33	clear				
4.5	10.1	4.5	10.7	4.5	4.5	42	44	38	33	clear				

NAMP DATA FOR THE MONTH OF MARCH 2024 - PERINGANDOOR (THRISSUR)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
1000	03-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	4.1	2	4.5	4.9	2	2
1000	06-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	2	2	2	2	2
1000	11-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	4.1	2	4.5	2	2
1000	13-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	2	6.6	4.5	2	4.1
1000	15-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	2	4.1	5.3	6.2	2
1000	18-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	4.4	4.9	5.8	6.6	2
1000	20-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	2	2	4.1	5.8	2
1000	22-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	2	4.1	6.6	7.1	2
1000	26-03-2024	Peringandoor	10.605151	76.21188	I	Thrissur	Kerala	KeralaPCB	2	5.8	6.6	2	4.9	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	4.5	4.5	9.5	4.5	4.5	43	44	39	46	32	clear			
4.5	4.5	4.5	4.5	4.5	4.5	44	45	38	48	32	clear			
4.5	4.5	4.5	4.5	9.5	4.5	44	46	39	52	33	clear			
4.5	9.5	4.5	9.5	4.5	4.5	45	45	37	54	33	clear			
4.5	9.5	4.5	10.1	4.5	4.5	43	44	38	42	32	clear			
4.5	4.5	4.5	9.5	4.5	4.5	44	45	38	47	33	clear			
4.5	4.5	4.5	9.5	10.1	4.5	45	44	37	50	33	clear			
4.5	10.1	9.5	10.7	4.5	10.1	45	44	38	47	33	clear			
4.5	4.5	9.5	10.7	4.5	4.5	44	43	38	52	33	clear			

NAMP DATA FOR THE MONTH OF MARCH 2024 - PUNKUNNAM (THRISSUR)

STNCod e	SamplingDat e	MonitoringS tation	Latitude	Longitude	Type OfLoc ation	City	StateNa me	Monitorin gAgency	SO2_6AM _10AM	SO2_10 AM_14P M	SO2_14P M_18PM	SO2_18P M_22PM	SO2_22P M_2AM	SO2_2A M_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
624	03-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	4.1	4.1	5.8	2	4.1	2
624	06-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	2	4.1	4.9	2	2
624	11-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	4.1	4.9	5.3	2	2	2
624	13-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	6.2	6.2	2	5.8	2
624	15-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	4.1	2	5.8	4.9	2
624	18-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	4.5	4.92	2	2	2
624	20-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	6.2	6.6	2	7.1	2
624	22-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	5.3	4.1	4.9	2	4.5
624	26-03-2024	Punkunnam	10.5343	76.21557	R	Thrissur	Kerala	KeralaPCB	2	5.3	4.1	4.9	2	4.5
NO2_6 AM_10 AM	NO2_10AM_ 14PM	NO2_14PM _18PM	NO2_18P M_22PM	NO2_22P M_2AM	NO2_ 2AM_ 6AM	PM10_ 6_14	PM10_1 4_22	PM10_22 _6	Temperat ure	Remarks				
4- Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4- Hourly Value of N2	8- Hourly Value of PM10	8- Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	9.5	4.5	45	46	39	32	clear				
4.5	4.5	10.7	4.5	4.5	4.5	47	46	40	32	clear				
4.5	4.5	10.1	4.5	4.5	4.5	47	46	39	33	clear				
4.5	9.5	10.1	4.5	10.7	4.5	45	44	37	33	clear				
4.5	9.5	4.5	4.5	10.1	4.5	46	48	40	32	clear				
4.5	4.5	9.5	4.5	4.5	4.5	44	46	38	33	clear				
4.5	4.5	9.5	4.5	10.1	4.5	46	45	39	33	clear				
4.5	9.5	4.5	4.5	9.5	4.5	44	47	38	33	clear				
4.5	4.5	4.5	9.5	4.5	4.5	44	43	39	33	clear				

NAMP DATA FOR THE MONTH OF MARCH 2024 - KAKKANCHERY (MALAPPURAM)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
623	01.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	04.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	06.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	11.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	13.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	15.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	18.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	20.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
623	26.03.2024	Kakkanchery	11.153859	75.892871	I	Kakkanchery	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
9	9	12.9	9.5	9	9	31	32	29	24.5	30°C	Clear			
19.2	15.2	22.8	19.2	18.9	22.3	31	32	30	26.1	30°C	Clear			
28.4	21.8	31.2	19.2	15.5	22.6	29	32	29	25.5	30°C	Clear			
18.1	16.3	13.1	10.2	12.3	17.1	30	30	30	27.1	29°C	Clear			
10.5	9.7	9	9	4.5	9.9	31	32	29	24.3	29°C	Clear			
9	9	10.5	10.8	11	22.1	30	31	30	21.7	29°C	Clear			
11.8	9	9	9	9	9	30	34	31	22.6	30°C	Clear			
9	9	9	9	14.2	4.5	29	29	30	22.5	30°C	Clear			
25.2	21	10.2	14.7	22.8	25.2	30	31	29	23.3	30°C	Clear			

NAMP DATA FOR THE MONTH OF MARCH 2024 - KOZHIKODE CITY (KOZHIKODE)

STNCode	SamplingDate	Monitoring Station	Latitude	Longitude	TypeOfLocation	City	StateName	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
360	01-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	04-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	06-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	11-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	13-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	15-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	18-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	20-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	26-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
360	28-03-2024	Kozhikode	11.2506	75.7830	C	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	70	55	68	29.5	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	54	38	39	30	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	44	47	27	30.5	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	89	41	73	30	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	74	43	67	31	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	70	31	42	30.5	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	50	28	37	30.5	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	41	38	62	30.5	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	54	25	52	31	CLEAR				
4.5	4.5	4.5	4.5	4.5	4.5	64	33	32	31	CLEAR				

NAMP DATA FOR THE MONTH OF MARCH 2024 - NALLALAM (KOZHICODE)

STNCode	SamplingDate	Monitoring Station	Latitude	Longitude	TypeOfLocation	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
359	01-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	04-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	06-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	11-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	13-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	15-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	18-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	20-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	26-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
359	28-03-2024	Nallalam	11.2060	75.8108	I	Kozhikode	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.5	4.5	4.5	4.5	4.5	4.5	68	31	49	29.5	clear				
4.5	4.5	4.5	4.5	4.5	4.5	67	*	36	30	clear				
4.5	4.5	4.5	4.5	4.5	4.5	43	*	35	30.5	clear				
4.5	4.5	4.5	4.5	4.5	4.5	63	49	52	30	clear				
4.5	4.5	4.5	4.5	4.5	4.5	59	19	53	31	clear				
4.5	4.5	4.5	4.5	4.5	4.5	55	31	29	30.5	clear				
4.5	4.5	4.5	4.5	4.5	4.5	57	26	33	30.5	clear				
4.5	4.5	4.5	4.5	4.5	4.5	46	45	*	30.5	clear				
4.5	4.5	4.5	4.5	4.5	4.5	49	*	30	31	clear				
4.5	4.5	4.5	4.5	4.5	4.5	51	*	32	31	clear				

NAMP DATA FOR THE MONTH OF MARCH 2024 - KANJIKODE (PALAKKAD)

STNCode	SamplingDate	MonitoringStation	Latitude	Longitude	TypeOf Location	City	StateName	MonitoringAgency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2	4-Hourly Value of S2
311	01-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	04-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	06-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	11-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	13-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	15-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	18-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	20-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
311	26-03-2024	SEPR Kanjikode	10.79312	76.741485	Industrial	Palakkad	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	Temperature	Remarks				
4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	4-Hourly Value of N2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10						
4.50	4.50	4.50	4.50	4.50	4.50	45	47	45	28	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	71	62	48	27	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	53	33	51	28	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	31	35	72	29	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	42	52	29	28	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	15	24	71	28	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	37	69	62	28	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	73	56	22	27	Clear				
4.50	4.50	4.50	4.50	4.50	4.50	15	33	26	27	Clear				

NAMP DATA FOR THE MONTH OF MARCH 2024 - SEPR REFRACTORIES (PALAKKAD)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average		
					M					M	8PM	PM	M	M	4-Hourly Value of SO2		4-Hourly Value of SO2	4-Hourly Value of SO2
311	01-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2		
311	04-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2		
311	06-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2		
311	11-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
311	13-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
311	15-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
311	18-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
312	20-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
312	26-03-2024	SEPR Refractories India Ltd	10.79312	76.741485	Industry	Palakkad	Palakkad	Kerala	KSPCB	2	2	2	2	2	2	2.0		
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5		Temperature	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		8-Hourly Value of SPM	24-hourly value	Min	Max
4.50	4.50	4.50	4.50	4.50	4.50	4.50	45	47	45	46	86	118	108	104	29	22	35	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	71	62	48	60	94	65	49	69	13	21	34	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	53	33	51	46	90	103	117	103	17	23	36	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	31	35	72	46	65	103	134	101	29	23	36	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	42	52	29	41	67	53	29	50	50	23	38	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	15	24	71	37	305	136	109	183	34	25	37	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	37	69	62	56	62	72	62	65	34	23	36	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	73	56	22	50	87	96	68	84	34	23	37	
4.50	4.50	4.50	4.50	4.50	4.50	4.50	15	33	26	25	32	91	74	66	13	23	37	

NAMP DATA FOR THE MONTH OF MARCH 2024 - KALPETTA (WAYANAD)

Station Code	Sampling date*:	Name of monitoring station :	Latitude	Longitude	Type Of Location	City	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2
1001	01-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	05-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	08-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	PF	2	2	2	2	2
1001	12-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	15-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	19-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	22-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	PF	PF	2	2	2	2
1001	26-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
1001	28-02-2024	Kalpetta	11.6094476	76.0816602	S	Kalpetta	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	4.5	4.5	4.5	4.5	4.5	45	52	40	24.85	34	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	46	42	49	34.16	34	Clear			
PF	4.5	4.5	4.5	4.5	4.5	34	46	47	27.04	36	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	44	53	21	39.14	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	31	38	30	26.25	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	49	48	29	35.33	35	Clear			
PF	PF	4.5	4.5	4.5	4.5	PF	34	29	43.08	35	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	49	51	40	40.75	34	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	56	66	33	34.81	35	Clear			

NAMP DATA FOR THE MONTH OF MARCH 2024 - SULTHAN BATHERY (WAYANAD)

Station Code	Sampling date*:	Name of monitoring station :	Latitude	Longitude	Type Of Location	City	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM
									4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2
622	01-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	04-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	06-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	PF	PF	2	2	2	2
622	11-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	13-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	15-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	18-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	20-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
622	26-03-2024	Sulthan Bathery	11.658704	76.263306	S	Sulthan Bathery	Kerala	KSPCB	2	2	2	2	2	2
NO2_6AM_10AM	NO2_10AM_14PM	NO2_14PM_18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	PM10_6_14	PM10_14_22	PM10_22_6	PM2.5 (24Hourly)	Temperature	Remarks			
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	8-Hourly Value of PM10	8-Hourly Value of PM10	8-Hourly Value of PM10	24-Hourly Value of PM2.5					
4.5	4.5	4.5	4.5	4.5	4.5	41	45	41	ME	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	39	52	33	ME	34	Clear			
PF	PF	4.5	4.5	4.5	4.5	PF	53	40	ME	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	35	51	31	ME	37	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	45	60	33	ME	34	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	58	49	45	ME	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	48	63	47	ME	35	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	46	55	50	ME	33	Clear			
4.5	4.5	4.5	4.5	4.5	4.5	56	60	49	ME	35	Clear			

NAMP DATA FOR THE MONTH OF MARCH 2024 - KASARGOD TOWN (KASARGOD)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2_6AM_10AM	SO2_10AM_14PM	SO2_14PM_18PM	SO2_18PM_22PM	SO2_22PM_2AM	SO2_2AM_6AM	SO2 24 hourly average	
										4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		
New Station	01-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	05-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	08-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	12-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	15-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	19-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	22-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	26-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	28-02-2024	Kasaragod Town	12.512417	74.991028	Residential	Kasaragod	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
NO2_6AM_10AM	NO2_10PM14PM	NO2_14PM18PM	NO2_18PM_22PM	NO2_22PM_2AM	NO2_2AM_6AM	NO2 24 hourly average	RSPM_6AM_14PM	RSPM_14PM_22PM	RSPM_22PM_6AM	RSPM 24 hourly average	SPM_6AM_14PM	SPM_14PM_22PM	SPM_22PM_6AM	SPM 24 hourly average	PM 2.5	Temperature	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	8-Hourly Value of RSPM		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of SPM		8-Hourly Value of SPM	8-Hourly Value of SPM	24-hourly value		Min	Max	
4.5	4.5	4.5	4.5	4.5	4.5	4.5	34	33	33	34	80	80	82	80	26	25	34
4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	31	37	33	75	71	78	75	27	25	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	31	31	33	77	71	72	73	25	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	38	29	34	79	82	71	77	25	26	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	31	32	31	74	74	74	74	22	25	34
4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	31	32	32	74	72	79	75	21	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	39	34	34	70	86	78	78	27	25	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	35	38	29	34	79	82	71	77	25	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	37	32	34	78	81	74	78	24	25	34

NAMP DATA FOR THE MONTH OF MARCH 2024 - KANHANGAD TOWN (KASARGOD)

STN Code	Sampling Date	Monitoring Station	Latitude	Longitude	Type Of Location	City	District	State Name	Monitoring Agency	SO2 6AM_10AM M	SO2 10AM_14 PM	SO2_14P M_18PM	SO2 18PM_22P M	SO2 22PM_2A M	SO2 2AM_6AM	SO2 24 hourly average	
										4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2	4-Hourly Value of SO2		
	01-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	05-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	08-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	12-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	15-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	19-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	22-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	26-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
	28-02-2024	Kanhangad Town	12.321222	75.083611	Residential	Kanhangad	Kasaragod	Kerala	KSPCB	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
NO2 6AM_10AM	NO2 10AM-14PM	NO2 14PM18PM	NO2 18PM_22PM	NO2 22PM_2AM	NO2 2AM_6AM	NO2 24 hourly average	RSPM 6AM_14PM	RSPM14 PM_22P M	RSPM 22PM_6 AM	RSPM 24 hourly average	SPM 6AM_14P M	SPM14PM _22PM	SPM 22PM_6A M	SPM 24 hourly average	PM 2.5	Temperature	
4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2	4-Hourly Value of NO2		8-Hourly Value of RSPM	8-Hourly Value of RSPM	8-Hourly Value of RSPM		8-Hourly Value of SPM	8-Hourly Value of SPM	8-Hourly Value of SPM		8-Hourly Value of SPM	24-hourly value	Min
4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	36	32	33	66	79	71	72	24	25	34
4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	29	25	27	63	63	58	61	25	25	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	32	31	31	31	73	67	67	69	26	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	30	36	32	69	63	80	71	26	26	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	30	31	30	30	65	67	63	65	23	25	34
4.5	4.5	4.5	4.5	4.5	4.5	4.5	24	26	29	26	49	64	69	61	23	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	31	36	32	33	69	84	76	76	29	25	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	33	29	28	30	73	67	67	69	26	24	33
4.5	4.5	4.5	4.5	4.5	4.5	4.5	29	30	32	30	73	73	73	73	27	25	34