

NWMP DATA-SEPTEMBER 2023

STN Code"	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	State Name
17	06-09-2023	12:26	RIVER PERIYAR AT ALUVA-ELOOR		RIVER	PERIYAR	KERALA
18	08-09-2023	11:40	RIVER PERIYAR AT KALADY		RIVER	PERIYAR	KERALA
20	13-09-2023	10:00	RIVER CHALIYAR AT KOOLIMADU		RIVER	CHALIYAR	KERALA
21	13-09-2023	10:55	RIVER CHALIYAR AT CHUNGAPALLY		RIVER	CHALIYAR	KERALA
42	08-09-2023	09:30	RIVER KALLADA AT PERUMTHOTTAMKADAVU, PUNALLOOR		RIVER	KALLADA	KERALA
43	12-09-2023	10:30	RIVER MUVATTAPUZHA AT VETTIKATTUMUKKU		RIVER	MUVATTAPUZHA	KERALA
1154	08-09-2023	12:50	RIVER CHALAKUDY AT PULIKKAKADAVU, THRISSUR		RIVER	CHALAKUDY	KERALA
1155	20-09-2023	10:15	RIVER KARAMANA AT MOONNATTUMUKKU, KERALA		RIVER	KARAMANA	KERALA
1156	05-09-2023	07:30	RIVER PAMBA AT CHENGANNUR, ALAPPUZHA		RIVER	PAMBA	KERALA
1207	04-09-2023	12:30	RIVER KABANI AT MUTHANKARA, WAYANAD		RIVER	KABANI	KERALA
1208	11-09-2023	01:00	RIVER BHAVANI AT ELACHIVAZHY, PALAKKAD		RIVER	BHAVANI	KERALA
1338	08-09-2023	10:05	RIVER PERIYAR AT SEWAGE DISCHARGE POINT,ALUVA, ERNAKULAM		RIVER	PERIYAR	KERALA
1339	04-09-2023	02:00	RIVER MEENACHIL AT KIDANGOOR, KOTTAYAM		RIVER	MEENACHIL	KERALA
1340	05-09-2023	11:00	RIVER MANIMALA AT KALLOPARA, KERALA		RIVER	MANIMALA	KERALA
1341	05-09-2023	09:00	RIVER PAMBA AT THAKAZHY, KERALA		RIVER	PAMBA	KERALA
1342	13-09-2023	08:20	RIVER ACHANKOVIL AT THUMPAMON		RIVER	ACHANKOVIL	KERALA
1383	18-09-2023	09:45	AKKULAM LAKE AT ORUVATHILKOTTA, THIRUVANANTHAPURAM		LAKE	AKKULAM	KERALA
1384	05-09-2023	10:00	RIVER MANIMALA AT THONDRA, KERALA		RIVER	MANIMALA	KERALA
1385	04-09-2023	09:20	SASTHAMCOTTA LAKE, KERALA		LAKE	SASTHAMCOTTA	KERALA
1441	12-09-2023	09:20	ASHTHAMUDI LAKE AT QUILON, KERALA		LAKE	ASHTHAMUDI	KERALA
1442	28-09-2023	09:25	RIVER VAMANAPURAM AT VAMANAPURAM, THIRUVANANTHAPURAM		RIVER	VAMANAPURAM	KERALA
1443	13-09-2023	11:40	RIVER ACHANKOVIL AT CHENNITHALA, ALAPPUZHA		RIVER	ACHANKOVIL	KERALA
1563	12-09-2023	09:35	RIVER NEYYAR AT AMARAVILA		RIVER	NEYYAR	KERALA
1564	15-09-2023	10:30	RIVER ITHIKKARA KERALA		RIVER	ITHIKKARA	KERALA
1565	05-09-2023	08:00	RIVER PAMBA DOWN, KERALA		RIVER	PAMBA	KERALA
1566	08-09-2023	10:30	RIVER KADALUNDI AT THIRURANGADY, KERALA		RIVER	KADALUNDI	KERALA
1567	02-09-2023	10:00	RIVER KUTTIYADY ESTATE, KERALA		RIVER	KUTTIYADY	KERALA
1568	02-09-2023	11:30	RIVER MAHE AT VALAYAM, KOZHIKODE		RIVER	MAHE	KERALA

STN Code"	Sampling Date	Sampling Time	Name Of Monitorin g Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	State Name
1569	23-09-2023	10:51	RIVER KUPPAM THALIPARAMBA, KERALA		RIVER	KUPPAM	KERALA
1572	04-09-2023	12:00	RIVER CHANDRAGIRI AT PADIYATHADKA		RIVER	CHANDRAGIRI	KERALA
1573	02-09-2023	11:15	RIVER CHITHRAPUZHA AT IRUMPANAM, KERALA		RIVER	CHITHRAPUZHA	KERALA
1574	15-09-2023	09:50	PARAVUR, KERALA		LAKE	PARAVUR	KERALA
1575	12-09-2023	10:30	VEMBANAD LAKE,KOCHI (OIL TANKER JETTY), KERALA		LAKE	VEMBANAD	KERALA
1576	18-09-2023	00:00	PERIYAR LAKE AT THEKKADY, KERALA		LAKE	PERIYAR	KERALA
1577	17-09-2023	01:20	KODUNGALLOOR, KERALA		LAKE	KODUNGALLOOR	KERALA
1578	02-09-2023	11:00	KAYAMKULAM, KERALA		LAKE	KAYAMKULA KAYAL	KERALA
1579	20-09-2023	10:00	ALAPPUZHA, KERALA		LAKE	PUNNAMADA KAYAL	KERALA
1580	04-09-2023	14:00	POOKODE LAKE AT POOKODE		LAKE	POOKODE	KERALA
2284	12-09-2023	08:15	RIVER NEYYAR AT ARUVIPURAM		RIVER	NEYYAR	KERALA
2285	08-09-2023	08:45	RIVER MAMOM AT MAMOM BRIDGE		RIVER	MAMOM	KERALA
2286	08-09-2023	09:35	RIVER AYIROOR AT AYIROOR BRIDGE		RIVER	AYIROOR	KERALA
2287	15-09-2023	09:30	RIVER ITHIKKARA AT ITHIKKARA		RIVER	ITHIKKARA	KERALA
2288	08-09-2023	10:40	RIVER PALLICKAL AT NELLIMUKAL		RIVER	PALLICKAL	KERALA
2289	01-09-2023	11:20	RIVER KARUVANNUR AT KARUVANNUR BRIDGE		RIVER	KARUVANNUR	KERALA
2290	05-09-2023	02:30	RIVER PUZHAKKAL AT PUZHACKAL BRIDGE		RIVER	PUZHAKKAL	KERALA
2291	05-09-2023	12:45	RIVER KECHERI AT VADAKKANCHERY BRIDGE		RIVER	KECHERI	KERALA
2292	14-09-2023	10:15	RIVER TIRUR AT THALAKKADATHUR BRIDGE, MALAPPURAM		RIVER	TIRUR	KERALA
2293	08-09-2023	11:00	RIVER KADALUNDI AT HAJIRAPPALLY		RIVER	KADALUNDI	KERALA
2294	08-09-2023	12:10	RIVER KALLAYI AT KALLAYI BRIDGE, KOZHIKODE		RIVER	KALLAYI	KERALA
2295	03-09-2023	10:45	RIVER KORAPUZHA AT KANAYANKODE		RIVER	KORAPUZHA	KERALA
2296	14-09-2023	12:15	RIVER THALASSERRY AT PATHIPALAM		RIVER	THALASSERRY	KERALA
2297	14-09-2023	11:25	RIVER ANCHARAKANDY AT MERUVAMBAYI		RIVER	ANCHARAKANDY	KERALA
2298	26-09-2023	03:03	RIVER KUPPAM AT RAYAROM		RIVER	KUPPAM	KERALA
2299	20-09-2023	12:44	RIVER RAMAPURAM AT RAMAPURAM BRIDGE		RIVER	RAMAPURAM	KERALA
2300	23-09-2023	11:17	RIVER PERUVAMBA AT CHANDAPURA		RIVER	PERUVAMBA	KERALA
2301	23-09-2023	09:10	RIVER KAVVAI AT KUTTIYOL PALAM		RIVER	KAVVAI	KERALA
2302	10-09-2023	09:30	RIVER NILESWARAM AT NAMBIARKAL DAM		RIVER	NILESWARAM	KERALA

STN Code"	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	State Name
2304	10-09-2023	09:45	RIVER MOGRAL AT MOGRAL BR.		RIVER	MOGRAL	KERALA
2306	10-09-2023	11:50	RIVER UPPALA AT UPPALA BR.		RIVER	UPPALA	KERALA
2307	10-09-2023	01:15	RIVER MANJESWAR AT BAJRAKKARA BR.		RIVER	MANJESWAR	KERALA
2312	20-09-2023	10:00	LAKE VEMBANAD AT PATHIRAMANAL (ALAPPUZHA)		LAKE	VEMBANAD	KERALA
2318	14-09-2023	10:20	RIVER VALAPATTANAM AT PAZHASSI RESERVOIR, KANNUR		RIVER	VALAPATTANAM	KERALA
2319	18-09-2023	11:05	RIVER ANCHARAKANDY AT ANCHARAKANDY		RIVER	ANCHARAKANDY	KERALA
2325	20-09-2023	08:25	POND AT (PADMANABHA) SREE PADMANABHA SWAMY TEMPLE (TVPM)		POND	PADMANABHA SWAM	KERALA
2326	04-09-2023	11:05	RIVER KORAYAR NEAR NARAGAMPALLY BRIDGE AT KANJIKODE, PALAKKAD		RIVER	KORAYAR	KERALA
2328	04-09-2023	10:05	RIVER BHARATHAPUZHA RSVR AT MALAMPUZHA		RIVER	BHARATHAPUZHA	KERALA
2329	19-09-2023	11:30	RIVER PERIYAR RSVR AT BHOOTHATHANKETU		RIVER	PERIYAR	KERALA
2330	19-09-2023	01:00	RIVER PERIYAR RSVR AT EDAMALAYAR		RIVER	PERIYAR	KERALA
2331	08-09-2023	01:00	RIVER BHARATHAPUZHA AT KUTTIPPURAM		RIVER	BHARATHAPUZHA	KERALA
2332	08-09-2023	10:30	RIVER BHARATHAPUZHA AT PATTAMBI		RIVER	BHARATHAPUZHA	KERALA
2333	05-09-2023	11:00	RIVER PERIYAR AT MUPPATHADAM		RIVER	PERIYAR	KERALA
2334	05-09-2023	10:20	RIVER PERIYAR AT PATHALAM		RIVER	PERIYAR	KERALA
2335	05-09-2023	11:30	RIVER PERIYAR AT KALAMASSERY		RIVER	PERIYAR	KERALA
2336	17-09-2023	12:15	RIVER PERIYAR AT PURAPPALLIKADAVU		RIVER	PERIYAR	KERALA
2337	02-09-2023	10:45	RIVER KADAMBRAYAR AT BRAHMAPURAM		RIVER	KADAMBAYAR	KERALA
2338	02-09-2023	10:00	RIVER KADAMBRAYAR AT MANCKAKADAVU		RIVER	KADAMBAYAR	KERALA
3458	02-09-2023	13:10	RIVER KARAPUZHA DAM AT WAYANAD		RIVER	KARAPUZHA	KERALA
3459	02-09-2023	13:55	RIVER MANIYANKODE PUZHA AT MANIYANKODE BRIDGE, WAYANAD		RIVER	MANIYANKODE PUZH	KERALA
3460	04-09-2023	09:45	RIVER KALPATHI PUZHA AT KALPATHI, PALAKKAD		RIVER	KALPATHI PUZHA	KERALA
3461	06-09-2023	10:45	CANOLI CANAL AT ERANJIKKAL		CANAL	CANOLI	KERALA
3462	06-09-2023	09:45	MANANCHIRA POND AT KOZHEKODE		POND	MANANCHIRA	KERALA
3464	12-09-2023	12:15	RIVER CHALIYAR AT NILAMBUR, MALAPPURAM		RIVER	CHALIYAR	KERALA
3465	13-09-2023	11:40	RIVER ACHANKOVIL AT KALLARAKADAVU, PATHANAMTHITTA		RIVER	ACHANKOVIL	KERALA
3466	13-09-2023	11:00	RIVER ACHANKOVIL AT PANDALAM		RIVER	ACHANKOVIL	KERALA
3469	19-09-2023	09:45	PALAKKATTUTHAZHAMTHODU AT PERUMBAVOOR, ERNAKULAM		CANAL	CANAL	KERALA
3470	12-09-2023	08:50	VELLAYANI LAKE AT VANDITHADOM, THIRUVANANTHAPURAM		LAKE	VELLAYANI	KERALA

STN Code"	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	State Name
3473	08-09-2023	09:32	RIVER VALAPATTANAM AT PARASSINIKADAVU, KANNUR		RIVER	VALAPATTANAM	KERALA
5164	01-09-2023	10:05	THEERTHAMKARA POND AT PADANNAKKAD,KANHANGAD MUNICIPALITY		POND	POND	KERALA
5165	19-09-2023	10:51	CHIRAKKAL CHIRA ,KADALAYI,KANNUR		POND	POND	KERALA
5166	14-09-2023	11:50	THRIKAIKUNNU CHIRA,KOOTHUPARAMBA,KANNUR		POND	POND	KERALA
5169	19-09-2023	11:40	RIVER KAKKAD AT KAKKAD ,KANNUR		RIVER	KAKKAD	KERALA
5170	14-09-2023	12:00	AALUMKULAM POND AT KOORKKANCHERY,THRISSUR		POND	POND	KERALA
5171	01-09-2023	11:10	CHERUVATHUR - MADAKKARA HARBOUR AT CHERUVATHUR PANCHAYATH K		RIVER	MADAKKARA	KERALA
5172	05-09-2023	11:10	NELLIKUNNU BRIDGE AT NELLIKUNNU, KASARAGOD		DRAIN	CHANDRAGIRI	KERALA
5173	23-09-2023	03:12	RIVER PERUVAMBA AT ETTIKULAM, KANNUR		BEACH	PERUVAMBA	KERALA
5174	14-09-2023	01:50	R. ANCHARAKKANDY AT MOIDUPALAM,DHARMADAM, KANNUR		BEACH	ANJARAKANDY	KERALA
5176	14-09-2023	02:10	RIVER KANAMPUZHA IN KANNUR MUNICIPALITY		RIVER	ANCHARAKANDY	KERALA
5177	19-09-2023	11:09	RIVER VALAPATTANAM AT AZHEEKAL PORT, AZHEEKODE,KANNUR		RIVER	VALAPATTANAM	KERALA
5178	23-09-2023	02:01	KAVVAYI BACKWATERS AT KAVVAYI, PAYYANUR		Sea	KAVVAYI	KERALA
5179	06-09-2023	08:20	VELI BOAT CLUB AT VELI LAKE,THIRUVANANTHAPURAM		LAKE	AKKULAM	KERALA
5180	06-09-2023	08:40	AKKULAM BRIDGE AT AKKULAM LAKE, THIRUVANANTHAPURAM		LAKE	AKKULAM	KERALA
5181	08-09-2023	10:15	BEACH AT VARKALA PAPANASAM, THIRUVANANTHAPURAM		BEACH	ARABIAN SEA	KERALA
5182	12-09-2023	11:15	KOCHI LAKE AT GOSHREE BRIDGE, KOCHI		LAKE	VEMBANAD LAKE	KERALA
5183	13-09-2023	11:45	KOCHI LAKE NEAR COCHIN PORT TRUST, KOCHI		LAKE	VEMBANAD LAKE	KERALA
5184	13-09-2023	11:00	KOCHI LAKE NEAR THOPUMPADY, KOCHI		LAKE	VEMBANAD LAKE	KERALA
5185	13-09-2023	10:30	KOCHI LAKE NEAR WELLINGTON ISLAND, KOCHI		LAKE	VEMBANAD LAKE	KERALA
5190	04-09-2023	11:00	VEMBANAD LAKE AT ANDAKARANAZHI NEW BRIDGE, ALAPPUZHA		LAKE	VEMBANAD LAKE	KERALA
5191	03-09-2023	09:00	RIVER PAMBA NEAR THOTTAPPALLY HARBOUR, ALAPPUZHA		RIVER	PAMBA	KERALA
5192	25-09-2023	12:15	RIVER CHALIYAR BEYPORE PORT, KOZHICODE		RIVER	CHALIYAR	KERALA
5193	16-09-2023	11:30	RIVER PERIYAR AZHIKODE FERRY, KODUNGALLUR,THRISSUR		RIVER	PERIYAR	KERALA
5195	20-09-2023	09:50	RIVER KARAMANA AT THIRUVALLOM, THIRUVANANTHAPURAM		RIVER	KARAMANA	KERALA
5196	27-09-2023	07:45	RIVER KARAMANA AT PEPPARA UPSTREAM, PEPPARA DAM, THIRUVANANTH		RIVER	KARAMANA	KERALA
5197	15-09-2023	09:20	RIVER KILLIYAR AT MARUTHAMKUZHI BRIDGE, THIRUVANANTHAPURAM		RIVER	KILLIYAR RIVER	KERALA
5198	12-09-2023	09:45	ASHTAMUDI LAKE AT THOPPILAKADAVU, KOLLAM		LAKE	ASHTAMUDI	KERALA
5199	12-09-2023	10:00	ASHTAMUDI LAKE NEAR KSRTC BUS DEPOT, KOLLAM		LAKE	ASHTAMUDI	KERALA

5200	12-09-2023	10:45	ASHTAMUDI LAKE AT PERUMON, KOLLAM		LAKE	ASHTAMUDI	KERALA
5201	12-09-2023	11:30	ASHTAMUDI LAKE NEAR M/S. KUNDARA CERAMICS, KOLLAM		LAKE	ASHTAMUDI	KERALA
5202	15-09-2023	01:00	RIVER KALLADA AT KULATHUPOZHA, KOLLAM		RIVER	KALLADA	KERALA
STN Code"	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	State Name
5204	15-09-2023	11:50	RIVER ITHIKKARA AT KALLADATHANNI, KOLLAM		RIVER	KAKKAD RIVER	KERALA
5205	05-09-2023	08:15	RIVER PAMBA AT MUNNAR, PATHANAMTHITTA		RIVER	PAMBA	KERALA
5206	01-09-2023	10:30	RIVER VARATTAAR AT ARATTUKADAVU, ALAPPUZHA		RIVER	VARATTAAR	KERALA
5207	01-09-2023	11:00	RIVER PAMBA AT VEEYAPURAM, ALAPPUZHA		RIVER	PAMBA	KERALA
5208	07-09-2023	12:30	RIVER PERIYAR AT KULAMAVU RESEVOIR AT IDUKKI		RIVER	PERIYAR	KERALA
5209	07-09-2023	07:00	RIVER PERIYAR AT PANAMKUTTY BRIDGE, IDUKKI		RIVER	PERIYAR	KERALA
5210	16-09-2023	11:00	RIVER KOTHAMANGALAM AT KOOROR THODU, ERNAKULAM		RIVER	KOTHAMANGALAM R	KERALA
5211	16-09-2023	11:50	RIVER MUVATTAPUZHA AT PERUVAMMUZHI BRIDGE, ERNAKULAM		RIVER	MUVATTAPUZHA	KERALA
5212	12-09-2023	12:00	POND NEAR HMT COLONY,NORTH KALAMASSERY PALAM, ERNAKULAM		POND	POND	KERALA
5213	12-09-2023	10:45	RIVER PUZHAKKAL AT PANCHIKKAL CANAL, THRISSUR		RIVER	PUZHAKKAL	KERALA
5214	05-09-2023	10:00	RIVER WADAKKANCHERY AT WADAKKANCHERY PALAM,THRISSUR		RIVER	WADAKKANCHERY	KERALA
5215	04-09-2023	12:00	RIVER CHITTURPUZHA AT CHITTUR BRIDGE, PALAKKAD		RIVER	CHITHRAPPUZHA	KERALA
5216	04-09-2023	02:30	RIVER KANNADIPPUZHA AT THIRUNELLY BRIDGE, PALAKKAD		RIVER	KANNADIPPUZHA	KERALA
5217	11-09-2023	10:10	RIVER NELLIPUZHA AT NELLIPUZHA BRIDGE, MANNARKKAD, PALAKKAD		RIVER	RIVER NELLIPUZHA	KERALA
5218	11-09-2023	10:30	RIVER KUNTHIPUZHA AT MANNARKKAD, PALAKKAD		RIVER	RIVER KUNTHIPUZHA	KERALA
5220	14-09-2023	10:30	RIVER TIRUR AT NADUVILANGADI		RIVER	TIRUR	KERALA
5221	05-09-2023	09:30	RIVER IRUVAZHINJI AT CHEPPILANKODE, KOZHIKODE		RIVER	RIVER IRUVAZHINJI	KERALA
5222	05-09-2023	10:40	RIVER IRUVAZHINJI AT MUKKAM BRIDGE, KOZHIKODE		RIVER	RIVER IRUVAZHINJI	KERALA
5223	05-09-2023	12:00	RIVER IRUVAZHINJI AT KUTTIPALAKAL, KOZHIKODE		RIVER	RIVER IRUVAZHINJI	KERALA
5225	08-09-2023	12:20	RIVER KALLAYI AT KOTHI BRIDGE, KOZHIKODE		RIVER	KALLAYI	KERALA
5226	07-09-2023	13:10	RIVER PAPANASINI AT THIRUNELLY, WAYANAD		RIVER	RIVER PAPANASINI	KERALA
5227	07-09-2023	14:40	RIVER KALINDI AT BAVALI, WAYANAD		RIVER	RIVER KALINDI	KERALA
5228	02-09-2023	12:00	RIVER KABANI AT MUTHANGA,WAYANAD		RIVER	RIVER KABANI	KERALA
5229	11-09-2023	12:34	RIVER KABANI AT BANASURA SAGAR DAM AT KALPETTA,WAYANAD		RIVER	KABANI	KERALA
5230	11-09-2023	11:50	LAKE KARLAD AT WAYANAD		LAKE	KARLAD	KERALA
5231	23-09-2023	11:54	RIVER KAVVAYI AT KANKOL, KANNUR		RIVER	KAVVAYI RIVER	KERALA
5232	23-09-2023	11:39	RIVER PERUVAMBA AT PERUMBA BRIDGE, KANNUR		RIVER	PERUVAMBA	KERALA

STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
17	None	NONE	C (Drinking water source)	None
18	None	d/s of town or industrial area	C (Drinking water source)	Municipal S
20	None	d/s of town or industrial area	C (Drinking water source)	None
21	None	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
42		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
43	Industrial Effluent	d/s of industrial area	B (Outdoor bathing(Organized))	Industrial
1154	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S
1155	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Municipal S
1156	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1207	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
1208	None	NONE	B (Outdoor bathing(Organized))	None
1338	Municipal Solid Waste	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Industrial
1339	Industrial Effluent	d/s of industrial area	B (Outdoor bathing(Organized))	Industrial
1340	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1341	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1342		D/S OF TOWN	C (Drinking water source)	None
1383		D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
1384	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1385	None	NONE	C (Drinking water source)	None
1441	Municipal Solid Waste	D/S OF TOWN	E (Irrigation, industrial cooling and controlled waste)	Municipal S
1442	None	NONE	C (Drinking water source)	None
1443		D/S OF TOWN	C (Drinking water source)	None
1563	None	NONE	C (Drinking water source)	None
1564		D/S OF TOWN	C (Drinking water source)	None
1565	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1566	None	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	A (Drinking Water source without conventional treatment but after disinfectio	None
1567	None	u/s of town or industrial area	B (Outdoor bathing(Organized))	None
1568	None	pilgrim center/water in take/bathing ghat	C (Drinking water source)	None

STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
1569	None	none	B (Outdoor bathing(Organized))	None
1572	None	u/s of town or industrial area	C (Drinking water source)	None
1573	Industrial Effluent	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Industrial
1574	None	D/S OF TOWN	E (Irrigation, industrial cooling and controlled waste)	Municipal S
1575	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Industrial
1576				
1577	Plastic Waste	NONE	E (Irrigation, industrial cooling and controlled waste)	None
1578		D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
1579		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1580	None	NONE	A (Drinking Water source without conventional treatment but after disinfectio	None
2284	None	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
2285		NONE	C (Drinking water source)	None
2286		NONE	C (Drinking water source)	None
2287	None	D/S OF TOWN	E (Irrigation, industrial cooling and controlled waste)	None
2288	None	D/S OF TOWN	C (Drinking water source)	None
2289	None	d/s of town or industrial area	C (Drinking water source)	None
2290	None	u/s of town or industrial area	A (Drinking Water source without conventional treatment but after disinfectio	None
2291	Municipal Solid Waste	d/s of town or industrial area	B (Outdoor bathing(Organized))	None
2292	None	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2293	None	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2294	Industrial Effluent	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Industrial
2295	None	u/s of town or industrial area	C (Drinking water source)	None
2296	None	none	B (Outdoor bathing(Organized))	None
2297	None	none	B (Outdoor bathing(Organized))	None
2298	None	none	A (Drinking Water source without conventional treatment but after disinfectio	None
2299	None	none	B (Outdoor bathing(Organized))	None
2300	None	none	B (Outdoor bathing(Organized))	None
2301	None	none	B (Outdoor bathing(Organized))	None
2302	None	u/s of town or industrial area	B (Outdoor bathing(Organized))	None

STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
2304	None	d/s of town or industrial area	C (Drinking water source)	None
2306	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2307		U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2312		NONE	C (Drinking water source)	None
2318	None	none	B (Outdoor bathing(Organized))	None
2319	None	d/s of town or industrial area	B (Outdoor bathing(Organized))	None
2325	None	PILGRIM CENTER	C (Drinking water source)	None
2326	None	NONE	B (Outdoor bathing(Organized))	None
2328	None	NONE	B (Outdoor bathing(Organized))	None
2329	Plastic Waste	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2330	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2331		pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
2332	Municipal Solid Waste	NONE	B (Outdoor bathing(Organized))	Municipal S
2333	Industrial Effluent	d/s of town or industrial area	C (Drinking water source)	Industrial
2334	Industrial Effluent	d/s of town or industrial area	C (Drinking water source)	Industrial
2335	Industrial Effluent		C (Drinking water source)	Industrial
2336	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S
2337	Industrial Effluent	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Industrial
2338	None	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Municipal S
3458	None	NONE	A (Drinking Water source without conventional treatment but after disinfectio	None
3459	None	NONE	B (Outdoor bathing(Organized))	None
3460	Municipal Solid Waste	NONE	B (Outdoor bathing(Organized))	Municipal S
3461	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
3462	None	pilgrim center/bathin ghat /water intake	B (Outdoor bathing(Organized))	None
3464	None	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
3465	None	D/S OF TOWN	C (Drinking water source)	None
3466	None	PILGRIM CENTER/BATHING	C (Drinking water source)	None
3469	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Municipal S
3470	None	WATER INTAKE	C (Drinking water source)	None

STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
3473	None	none	B (Outdoor bathing(Organized))	None
5164	None	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	B (Outdoor bathing(Organized))	None
5165	None	none	B (Outdoor bathing(Organized))	None
5166	None	none	B (Outdoor bathing(Organized))	None
5169	None	none	B (Outdoor bathing(Organized))	None
5170	None	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5171	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5172	Plastic Waste	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5173		NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5174		NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5176		NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5177		NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5178		NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5179	Municipal Solid Waste	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5180	Municipal Solid Waste	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5181	None	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	A (Drinking Water source without conventional treatment but after disinfection)	None
5182	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5183	Industrial Effluent	D/A OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5184	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5185	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5190	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5191	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5192	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5193	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5195	Municipal Solid Waste	pilgrimcenter/bathing ghat/water intake	E (Irrigation, industrial cooling and controlled waste)	Municipal S
5196	None	WATER INTAKE	C (Drinking water source)	None
5197	None	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
5198	Industrial Effluent	NONE	E (Irrigation, industrial cooling and controlled waste)	Industrial
5199	Industrial Effluent	NONE	E (Irrigation, industrial cooling and controlled waste)	Industrial

5200		NONE	E (Irrigation, industrial cooling and controlled waste)	None
5201	Industrial Effluent	NONE	E (Irrigation, industrial cooling and controlled waste)	Industrial
5202	HALTING PLACE OF SABARIMALA	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
5204	None	NONE	C (Drinking water source)	None
5205	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal S
5206		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5207		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5208	None	none	C (Drinking water source)	None
5209	None	none	C (Drinking water source)	None
5210	Plastic Waste	d/s of town or industrial area	A (Drinking Water source without conventional treatment but after disinfection)	None
5211	Plastic Waste	d/s of town or industrial area	A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5212	None	pilgrim center/bathing ghat/water intake	C (Drinking water source)	None
5213	Municipal Solid Waste	d/s of town or industrial area	C (Drinking water source)	None
5214	Municipal Solid Waste	d/s of town or industrial area	B (Outdoor bathing(Organized))	Industrial
5215	None	NONE	B (Outdoor bathing(Organized))	None
5216	None	none	B (Outdoor bathing(Organized))	Municipal S
5217	None	NONE	B (Outdoor bathing(Organized))	None
5218	None	NONE	B (Outdoor bathing(Organized))	None
5220	None	NONE	C (Drinking water source)	None
5221	None	pilgrim center/bathing ghat/water intake	C (Drinking water source)	None
5222	None	pilgrim center/bathing ghat/water intake	E (Irrigation, industrial cooling and controlled waste)	None
5223	None	pilgrim center/bathing ghat/water intake	E (Irrigation, industrial cooling and controlled waste)	None
5225	None	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
5226	None	NONE	B (Outdoor bathing(Organized))	None
5227	None	NONE	B (Outdoor bathing(Organized))	None
5228	None	NONE	C (Drinking water source)	None
5229	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5230	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5231	Industrial Effluent	none	A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5232	None	none	B (Outdoor bathing(Organized))	None

STN Code"	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge
5234		none	B (Outdoor bathing(Organized))	None
5235	None	none	B (Outdoor bathing(Organized))	None
5236	None	none	B (Outdoor bathing(Organized))	None
5237	None	none	B (Outdoor bathing(Organized))	None
5238	None	none	B (Outdoor bathing(Organized))	None
5240	None	none	B (Outdoor bathing(Organized))	Industrial
5241	None	none	B (Outdoor bathing(Organized))	None
5242	Plastic Waste	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5243	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S
5244	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
5245	Municipal Sewage	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5527		D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5528		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5529	Industrial Effluent	d/s of industrial area	C (Drinking water source)	Industrial
5530	Industrial Effluent	d/s of industrial area	B (Outdoor bathing(Organized))	Industrial
5531	Industrial Effluent	d/s of industrial area	B (Outdoor bathing(Organized))	Industrial
10016	Plastic Waste	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
10017	Plastic Waste	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
20017	None	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None

STN Code"	Human Activities	Floating Matter	Colour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/1	Fecal Coliform (MPN/1	Fecal Streptococci (MPN/1	Turbidity (mg/L)
17	Fishing	No	Clear	26	5.6	6.5	104	0.7	0	3200	1000	150	3.8
18	Bathing	Yes	turbid	26	7.4	7	36	1.8	0.3(BDL)	3800	1400	310	3.1
20	Fishing,Others	Yes	turbid	26	7.9	6.5	53	1(BDL)	0.3(BDL)	4900	3400	200	17.6
21	Bathing	No	TURBID	26	7.7	6.6	50	1(BDL)	0.3(BDL)	6300	3900	280	27.3
42	Others	No	Light Green	27	6.9	7.3	132	1(BDL)	3.5	700	140	10	4.8
43	Bathing,Fishing	No	Clear	27	6.8	5.7	62	1(BDL)	0.3(BDL)	430	1.8(BDL)	1.8(BDL)	1(BDL)
1154	Others	Yes	Clear	26	6.5	6.7	91	1(BDL)	0.3(BDL)	2100	330	17	2.8
1155	Others	Yes	TURBID	27	6.5	6.6	253	3.9	0.3(BDL)	24000	12000	1.8(BDL)	6.8
1156	Others	Yes	Clear	26	6.4	6.9	45	1(BDL)	0.3(BDL)	230	70	1.8(BDL)	1.1
1207	Bathing,Fishing,Cattle Wading	No	TURBID	25	6.7	6.5	92	1(BDL)	0.3(BDL)	34	15	12	11.56
1208	Cattle Wading	No	Clear	25	7.6	7.9	103	1.7	0.3(BDL)	200	100	1.8(BDL)	1(BDL)
1338	Bathing	No	Clear	25	6.4	6.5	47	1(BDL)	0.3(BDL)	6800	2600	400	3
1339	Bathing,Fishing	No	Clear	27	8.3	6.7	33	1(BDL)	0.3(BDL)	400	1.8(BDL)	1.8(BDL)	2.06
1340	Bathing,Fishing	No	Clear	30	7.6	7	212	2.1	0.3(BDL)	2500	700	1.8(BDL)	6.8
1341	Others	Yes	Clear	25	6.5	7.1	59	1(BDL)	0.3(BDL)	170	58	1.8(BDL)	1(BDL)
1342	Bathing,Others	No	Clear	26	6.6	7.2	115	1(BDL)	1.6	790	170	1.8(BDL)	1(BDL)
1383	Others	Yes	TURBID	28	4	7.5	365	4.6	0.3(BDL)	7000	4900	1.8(BDL)	3
1384	Bathing,Fishing	No	Clear	29	7.7	6.8	194	2.7	0.85	3200	1000	1.8(BDL)	7.6
1385	Others	No	Clear	27	7.2	7.4	105	1.7	2.4	540	120	1.8(BDL)	1.3
1441	Fishing,Others	Yes	TURBID	27	5.5	7.6	37320	6	4.8	1100	350	40	1(BDL)
1442	Cattle Wading	No	TURBID	27	8	6.4	62	2	0.3(BDL)	1100	790	1.8(BDL)	1.7
1443	Bathing,Fishing,Cattle Wading,Others	Yes	TURBID	28	5.3	6.6	130	1.2	1.5	790	170	1.8(BDL)	1(BDL)
1563	Bathing,Fishing	No	TURBID	27	8	6.6	98	1(BDL)	0.3(BDL)	2200	1400	1.8(BDL)	1.6
1564	Bathing,Fishing	Yes	TURBID	27	7.2	6.9	145	1(BDL)	2	700	150	1.8(BDL)	5.3
1565	Others	Yes	Clear	26	6.1	6.2	48	1.2	0.3(BDL)	260	94	1.8(BDL)	1.3
1566	Bathing	No	Clear	23	5.5	7.2	77	1.6	0.55	49	20	1.8(BDL)	3
1567	Tourism Spot,Others	No	Clear	32	7.6	6.8	26	1(BDL)	0.3(BDL)	490	310	20	1.6
1568	Others	No	Clear	30	7.6	6.6	41	1(BDL)	0.3(BDL)	4300	3100	10	1(BDL)

STN Code"	Human Activities	Floating Matter	Colour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmo)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100mL)	Fecal Coliform (MPN/100mL)	Fecal Streptococci (MPN/100mL)	Turbidity (mg/L)
1569	Fishing	No	Clear	28	7.8	6.3	200	2.4	1.2	310	200	10	1(BDL)
1572	Others	No	Clear	30	7	7.4	68	1(BDL)	0.3(BDL)	700	100	15	1(BDL)
1573	Others	No	Clear	29	6.5	6.8	2148	3.1	6.09	7900	5800	490	5.8
1574	Bathing,Fishing	Yes	Light Green	27	7.1	7.4	14350	1.7	2.5	700	200	31	1.7
1575	Others	No	Clear	29	5.3	8.2	10020	1.3	0.3(BDL)	7000	3100	220	2.3
1576				NA				NA	NA	NA	NA	NA	NA
1577	Fishing	No	Clear	27	4.3	7.1	5715	2.4	0.3(BDL)	120000	43000	490	4
1578	Bathing,Fishing	No	Clear	29	3.8	7.3	2352	3.7	0.3(BDL)	1200	310	1.8(BDL)	1.01
1579	Tourism Spot,Others	No	Clear	29	5.7	7.2	159	2.5	0.3(BDL)	3300	1000	1.8(BDL)	3.7
1580	Tourism Spot,Others	No	Clear	25	7.3	6.6	37	1(BDL)	0.3(BDL)	22	1.8(BDL)	1.8(BDL)	1(BDL)
2284	Bathing,Fishing,Tourism Spot	No	TURBID	28	7.2	6.6	142	1.3	0.3(BDL)	2500	1800	1.8(BDL)	2.7
2285	Bathing,Cattle Wading	No	Clear	27	8	6.7	149	1.1	0.3(BDL)	2500	1800	1.8(BDL)	1.9
2286	Bathing,Fishing,Cattle Wading	No	Clear	28	6.6	6.8	119	1(BDL)	0.3(BDL)	2200	1500	1.8(BDL)	2.8
2287	Bathing,Fishing	Yes	Clear	27	6.9	7.2	12540	1(BDL)	3.5	790	250	31	3.6
2288	Bathing,Cattle Wading	No	Clear	27	7.1	6.9	147	1.2	5.5	580	58	1.8(BDL)	4.5
2289	Fishing,Others	No	Clear	30	4.8	7.1	96	2.2	0.3(BDL)	580	150	1.8(BDL)	2.1
2290	Fishing,Others	No	Clear	27	5.4	6.6	150	2.7	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)
2291	Bathing,Fishing	No	Clear	27	4.8	6.3	128	2.1	0.3(BDL)	400	250	1.8(BDL)	2.4
2292	Bathing	Yes	Clear	23	4.5	7.2	109	2.8	0.3(BDL)	100	31	1.8(BDL)	1(BDL)
2293	Bathing	No	Clear	23	6.1	6.6	99	1.7	0.3(BDL)	350	60	40	4.4
2294	Others	Yes	Clear	28	2	6.8	482	3.3	0.3(BDL)	120000	70000	2000	24.1
2295	Fishing	No	turbid	28	4.9	7	26700	3.6	0.3(BDL)	840	350	20	3.6
2296	Bathing,Fishing	No	Clear	28	7.8	6.3	155	2.2	0.3(BDL)	310	100	10	1.5
2297	Fishing	No	Clear	28	7.7	7.4	159	1.2	0.3(BDL)	310	200	10	2.9
2298	Bathing,Fishing	No	Clear	NA				NA	NA	NA	NA	NA	2.9
2299	Bathing	No	Clear	27	4.1	6.1	270	1.6	0.3(BDL)	400	100	10	1(BDL)
2300	Fishing	No	Clear	27	7.1	6.5	138	1(BDL)	0.3(BDL)	310	200	10	4.9
2301	Others	No	Clear	28	7.3	6	140	2.2	0.3(BDL)	490	200	10	2.1
2302	Others	No	Clear	32	6.5	7	450	1(BDL)	0.3(BDL)	310	79	10	1(BDL)

STN Code"	Human Activities	Floating Matter	Colour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/1	Fecal Coliform (MPN/1	Fecal Streptococci (MPN/1	Turbidity (mg/L)
2304	Others	No	Clear	30	5.5	7.3	798	1(BDL)	0.3(BDL)	630	200	10	1(BDL)
2306	Others	No	Clear	30	7.6	7	113	1.9	0.3(BDL)	540	140	20	26.6
2307	Others	No	Clear	30	6.2	7.1	84	1(BDL)	0.3(BDL)	540	1.8(BDL)	1.8(BDL)	1.6
2312	Fishing	No	Clear	29	8.1	7	210	3.4	0.3(BDL)	1000	310	1.8(BDL)	4.3
2318	Fishing	No	Clear	27	7.3	7.5	144	1.2	0.3(BDL)	490	200	10	3.1
2319	Fishing	Yes	Clear	28	7.8	6	151	1(BDL)	0.3(BDL)	400	200	10	2.4
2325	Tourism Spot,Others	Yes	TURBID	28	7.8	8.2	238	1.2	0.3(BDL)	790	400	1.8(BDL)	1.7
2326	Bathing,Cattle Wading	No	Clear	29	6.6	8.4	861	2.8	0.35	100	1.8(BDL)	1.8(BDL)	1(BDL)
2328	Tourism Spot,Others	No	Clear	30	7.6	7.8	153	2.1	0.4	100	1.8(BDL)	1.8(BDL)	1(BDL)
2329	Fishing,Tourism Spot	No	Clear	26	8.1	7.4	30	1(BDL)	0.3(BDL)	2400	790	120	3.3
2330	Others	No	Clear	27	8.1	7	23	1.9	0.3(BDL)	4000	150	110	2.4
2331	Bathing,Tourism Spot	No	Clear	30	7.3	7.7	142	2.5	0.42	200	100	1.8(BDL)	1(BDL)
2332	Bathing	No	Clear	30	7.6	7.9	163	2.6	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	1(BDL)
2333	Others	No	Clear	29	5.6	6.5	44	1(BDL)	0.3(BDL)	2000	310	840	2.5
2334	Others	No	Clear	30	7.6	6.9	2095	3.9	0.72	4900	3400	270	4
2335	Others	No	Clear	30	6	6.4	49	1.1	0.3(BDL)	3100	540	170	2.3
2336	Others	Yes	TURBID	27	7.6	6.6	103	2.7	0.3(BDL)	3400	630	17	2.1
2337	Others	Yes	Clear	29	5.8	6.5	1768	3.9	7.4	140000	41000	7000	4.8
2338	Others	Yes	turbid	29	5.2	6.5	160	3	0.3(BDL)	4000	430	400	3.3
3458	Tourism Spot,Others	No	Clear	28	6.3	7.2	158	1(BDL)	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)
3459	Bathing,Fishing,Cattle Wading	No	Clear	27	5	6.6	145	1.6	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	12.8
3460	Bathing,Cattle Wading	No	Clear	30	5.7	8	260	1.3	0.3(BDL)	200	100	20	1(BDL)
3461	Fishing	Yes	TURBID	27	2.1	6.6	18900	3.5	0.59	4100	2600	94	2.4
3462	Tourism Spot,Others	No	turbid	28	7.8	7	75	1(BDL)	0.3(BDL)	380	280	10	1(BDL)
3464	Others	No	Clear	27	8	6.5	43	1(BDL)	0.3(BDL)	8400	7000	700	34.2
3465	Bathing,Fishing	Yes	TURBID	28	7.2	6.7	121	1(BDL)	2.4	840	130	1.8(BDL)	1.4
3466	Bathing,Fishing,Tourism Spot	No	Clear	27	7	6.8	131	1(BDL)	2.8	700	94	1.8(BDL)	1.8
3469	Others	Yes	TURBID	26	4.3	6.8	102	2.2	0.3(BDL)	54000	6300	1000	5.1
3470	Bathing,Fishing,Tourism Spot,Cattle Wading	Yes	TURBID	28	6.7	7.1	196	1.2	0.3(BDL)	2000	1500	1.8(BDL)	5.2

STN Code"	Human Activities	Floating Matter	Colour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/1	Fecal Coliform (MPN/1	Fecal Streptococci (MPN/1	Turbidity (mg/L)
3473	Bathing,Tourism Spot	No	Clear	27	8	6.5	230	1.6	0.3(BDL)	490	310	10	2.1
5164	Bathing,Fishing	Yes	Clear	31	4.3	7.2	180	3	0.3(BDL)	430	83	10	1.1
5165	Bathing	No	Clear	28	6.7	7.1	236	1.4	0.38	310	200	10	5.8
5166	Others	No	Clear	28	7.8	6.9	210	3.2	0.3(BDL)	310	200	10	5
5169	Bathing	No	Clear	28	5.5	6.5	298	3	0.3(BDL)	490	310	10	4.25
5170	Others	No	Clear	26	7.5	6.4	129	2.8	0.3(BDL)	550	200	1.8(BDL)	3.1
5171	Fishing	No	Clear	NA	3	7.6		1.9	NA	NA	94	NA	NA
5172	Others	No	Clear	NA	7.6	7.5		2.4	NA	NA	130	NA	NA
5173	Bathing,Fishing,Tourism Spot	Yes	TURBID	NA	5.1	7.5		4	NA	NA	320	NA	2.4
5174	Bathing,Fishing	Yes	TURBID	NA	6.6	6.8		3.5	NA	NA	410	NA	3.7
5176	Bathing,Fishing,Tourism Spot	Yes	TURBID	NA	7.8	6.6		1.5	NA	NA	460	NA	3.1
5177	Fishing,Tourism Spot	Yes	TURBID	NA	6.6	7.1		NA	NA	NA	250	NA	NA
5178	Bathing,Fishing,Tourism Spot	Yes	TURBID	NA	4.6	7.2		1.9	NA	NA	220	NA	3.1
5179	Tourism Spot,Others	Yes	TURBID	NA	1.8	6.5		4.8	NA	NA	12000	NA	2.4
5180	Tourism Spot,Others	Yes	TURBID	NA	2.8	6.6		4.2	NA	NA	16000	NA	2.5
5181	Bathing,Fishing,Tourism Spot	No	Light Green	NA	6	7.7		2.4	NA	NA	600	NA	2.5
5182	Fishing,Tourism Spot	Yes	Clear	NA	8	8.2		NA	NA	NA	2500	NA	3.2
5183	Tourism Spot,Others	Yes	Clear	NA	5.6	8		1.8	NA	NA	14000	NA	NA
5184	Fishing	Yes	TURBID	NA	4.4	8.2		2.1	NA	NA	17000	NA	NA
5185	Fishing	Yes	TURBID	NA	5.2	8.2		NA	NA	NA	5400	NA	3.6
5190	Fishing	No	Clear	NA	2.5	7.3		5.8	NA	NA	2000	NA	NA
5191	Fishing	No	Clear	NA	7.1	7.3		NA	NA	NA	1800	NA	1(BDL)
5192	Fishing,Tourism Spot	Yes	TURBID	NA	6.4	6.4		2.7	NA	NA	2100	NA	NA
5193	Fishing,Others	No	Clear	NA	7	6.9		2.6	NA	NA	250	NA	1.7
5195	Bathing,Fishing	No	TURBID	29	4.1	6.6	251	5.2	0.3(BDL)	10000	8100	1.8(BDL)	3.1
5196	Tourism Spot,Others	No	TURBID	27	7	6.3	66	1(BDL)	0.3(BDL)	790	580	1.8(BDL)	1(BDL)
5197	Bathing,Fishing,Cattle Wading	No	TURBID	28	7	6.7	192	3.6	0.3(BDL)	3100	1800	1.8(BDL)	1.8
5198	Others	Yes	Clear	28	6.4	7.6	15000	9.6	30	1600	540	170	1.2
5199	Fishing,Tourism Spot	Yes	Brown	29	4.6	7.2	13150	9.3	16	1700	700	58	1.2

STN Code"	Human Activities	Floating Matter	Colour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/1)	Fecal Coliform (MPN/1)	Fecal Streptococci (MPN/1)	Turbidity (mg/L)
5200	Fishing	Yes	Clear	26	8.1	7.6	32090	4	8	700	150	20	1.2
5201	Fishing,Cattle Wading	Yes	Clear	27	6.1	6.8	33270	3.9	5.8	700	140	31	1.8
5202	Bathing,Tourism Spot	Yes	Clear	27	6.4	6.7	320	1(BDL)	1.7	940	480	31	17.9
5204	Tourism Spot,Cattle Wading	Yes	Clear	26	6.9	7.4	380	1(BDL)	0.8	700	150	10	4.5
5205	Others	Yes	Clear	26	6.8	6.7	46	1(BDL)	0.3(BDL)	200	63	1.8(BDL)	1.4
5206	Others	No	Clear	29	7.5	9.2	365	5.6	0.3(BDL)	4300	1500	1.8(BDL)	4.9
5207	Others	No	Clear	29	7.3	7.5	373	2	0.3(BDL)	2200	700	1.8(BDL)	1.01
5208	Bathing	No	Clear	24	7	6.5	54	1.7	0.3(BDL)	1800	1000	100	1.7
5209	Bathing	No	Clear	25	7.6	6.9	52	1.9	0.3(BDL)	2000	910	200	1(BDL)
5210	Cattle Wading	No	Clear	27	8.1	6.6	47	1(BDL)	0.3(BDL)	5	3	27	1(BDL)
5211	Fishing,Cattle Wading	No	Clear	27	8.1	6.5	44	1(BDL)	0.3(BDL)	2	1.8(BDL)	4	1(BDL)
5212	Others	No	Clear	29	5.9	8.7	99	1.2	0.3(BDL)	840	100	1.8(BDL)	13
5213	Fishing	No	Clear	25	5.7	6.8	210	1.7	0.3(BDL)	580	100	1.8(BDL)	3.1
5214	Fishing	No	Clear	27	6.9	7	135	2.5	0.3(BDL)	490	100	1.8(BDL)	3.1
5215	Cattle Wading	No	Clear	29	6.9	8.4	380	1.3	0.3(BDL)	200	100	20	1(BDL)
5216	Cattle Wading	No	Clear	30	7.6	8	368	2.2	0.53	200	100	1.8(BDL)	1(BDL)
5217	Cattle Wading	No	Clear	26	7.7	7.7	150	1.6	0.4	200	100	20	1(BDL)
5218	Cattle Wading	No	Clear	25	7.5	7.6	112	1(BDL)	0.3(BDL)	200	100	1.8(BDL)	1(BDL)
5220	Fishing	Yes	Clear	23	4.6	8	166	2.4	0.3(BDL)	790	200	150	1.6
5221	Others	No	turbid	27	8	6.6	27	1(BDL)	0.3(BDL)	4900	3200	220	2.5
5222	Others	No	turbid	28	7.8	6.5	30	1(BDL)	0.3(BDL)	5600	3800	150	3.6
5223	Others	Yes	turbid	27	7.8	6.6	40	1(BDL)	0.3(BDL)	6300	4100	150	3.2
5225	Others	Yes	turbid	29	2.9	6.9	647	3.1	0.86	250000	170000	2100	20.9
5226	Bathing	No	Clear	23	6.8	6.8	65	1(BDL)	0.3(BDL)	100	14	20	6.04
5227	Bathing,Fishing,Cattle Wading	No	Clear	23	6.9	6.5	78	1(BDL)	0.3(BDL)	94	32	14	13.56
5228	Bathing,Fishing,Cattle Wading	No	Clear	21	7.4	6.6	145	1(BDL)	0.3(BDL)	170	63	1.8(BDL)	12.09
5229	Tourism Spot,Others	No	Clear	23	7.7	6.9	26	1.4	0.3(BDL)	26	2	2	3.96
5230	Tourism Spot,Others	No	Clear	23	8.2	6.7	68	1.8	0.3(BDL)	49	8.1	6.1	3.48
5231	Bathing,Fishing,Cattle Wading	No	Clear	28	6.7	6.4	130	1(BDL)	0.3(BDL)	400	200	10	3.1
5232	Fishing	No	Clear	28	7.1	6.1	462	2.1	0.3(BDL)	490	310	10	3.9

STN Code"	Chlorides (mg/L)	Ammonia-N (mg/)	Total Hardness (mg/)	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids	Total Fixed Solids (mg/L)	Total Suspended Solids	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	Iron (mg/L)	Manganese (mg)	Sampling Status	Reason
17	16	0.4	21	12	9	5(BDL)	8.5	57	40	12	0.2(BDL)	0.5(BDL)	1.24	0.2(BDL)	45	NA	NA	Sampling	
18	5(BDL)	0.4	10(BD	6	4(BDL)	5(BDL)	5(BDL)	20	12	10(BDL)	0.2(BDL)	0.5(BDL)	1.06	0.2(BDL)	33.2	NA	NA	Sampling	
20	7	0.45	14	10	4(BDL)	5(BDL)	5(BDL)	30	20	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	39.2	NA	NA	Sampling	
21	7	0.63	13	9	4(BDL)	5(BDL)	5(BDL)	28	19	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	37.9	NA	NA	Sampling	
42	18	0.4	35	18	17	10	10	88	73	12	0.2(BDL)	0.5(BDL)	3.64	0.2(BDL)	35.4	NA	NA	Sampling	
43	7	0.4	20	8	12	5(BDL)	5(BDL)	36	32	20	0.2(BDL)	0.5(BDL)	1.45	0.2(BDL)	27.4	NA	NA	Sampling	
1154	13	0.4	31	24	7	5(BDL)	6.8	51	38	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.2	NA	NA	Sampling	
1155	48	0.4	60	48	12	5(BDL)	25.3	139	81	57	0.2(BDL)	0.5(BDL)	5.2	0.2(BDL)	45.2	NA	NA	Sampling	
1156	8	0.4	18	10	8	5(BDL)	5(BDL)	30	25	20	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	34.4	NA	NA	Sampling	
1207	11	0.4	28	17	11	5(BDL)	5.92	51	40	10(BDL)	0.2(BDL)	0.5(BDL)	1.53	0.2(BDL)	30.1	NA	NA	Sampling	
1208	17.9	0.4	28	21	7	5(BDL)	10	58	35	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.26	41.6	NA	NA	Sampling	
1338	5(BDL)	0.4	16	10	6	5(BDL)	5(BDL)	26	16	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	21.4	NA	NA	Sampling	
1339	5(BDL)	0.4	10(BD	5(BDL)	4(BDL)	5(BDL)	5(BDL)	23	19	22	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.9	NA	NA	Sampling	
1340	30	0.4	85	40	45	49	15.5	143	95	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	28.1	NA	NA	Sampling	
1341	10	0.4	22	14	8	5(BDL)	5.2	36	30	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.3	33.5	NA	NA	Sampling	
1342	19	0.4	25	20	5	10	11	70	56	20	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	47.5	NA	NA	Sampling	
1383	70	0.4	100	80	20	22	37.5	225	115	91	0.2(BDL)	0.5(BDL)	7.9	0.2(BDL)	42.6	NA	NA	Sampling	
1384	30	0.4	60	40	20	40	15.8	130	91	10(BDL)	0.2(BDL)	0.5(BDL)	6.2	0.2(BDL)	33.6	NA	NA	Sampling	
1385	17	0.4	25	12	13	5(BDL)	10	65	54	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	45.4	NA	NA	Sampling	
1441	10750	0.4	5850	3520	2330	185.2	5580	20540	16430	78	0.2(BDL)	0.5(BDL)	480	0.2(BDL)	65.2	NA	NA	Sampling	
1442	16	0.4	16	8	8	5(BDL)	8.4	40	27	20	0.2(BDL)	0.5(BDL)	2.7	0.2(BDL)	48.4	NA	NA	Sampling	
1443	13	0.4	32	21	11	20.4	6.75	80	64	14	0.2(BDL)	0.5(BDL)	2.65	0.2(BDL)	29.3	NA	NA	Sampling	
1563	16	0.4	24	16	8	5(BDL)	8.3	55	42	18	0.2(BDL)	0.5(BDL)	4.1	0.2(BDL)	38.2	NA	NA	Sampling	
1564	22	0.4	24	15	9	10.5	11.8	105	80	12	0.2(BDL)	0.5(BDL)	14	0.2(BDL)	38	NA	NA	Sampling	
1565	10	0.4	18	12	6	5(BDL)	5.3	34	29	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	38.7	NA	NA	Sampling	
1566	14	0.4	18	10	8	5(BDL)	7.3	44	33	14	0.2(BDL)	0.5(BDL)	2.3	0.2(BDL)	43.1	NA	NA	Sampling	
1567	5(BDL)	0.4	10(BD	5(BDL)	4(BDL)	5(BDL)	5(BDL)	15	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	56.3	NA	NA	Sampling	
1568	7	0.4	10(BD	5(BDL)	4(BDL)	5(BDL)	5(BDL)	23	12	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	47.4	NA	NA	Sampling	

STN Code"	Chlorides (mg/L)	Ammonia-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO3 (mg/L)	Mg as CaCO3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids	Total Fixed Solids (mg/L)	Total Suspended Solids	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	Iron (mg/L)	Manganese (mg)	Sampling Status	Reason
1569	41	0.4	25	10	15	22	25	110	85	10(BDL)	0.2(BDL)	0.5(BDL)	1.09	0.2(BDL)	67.6	NA	NA	Sampling	
1572	12	0.4	15	10	5	5(BDL)	7.1	40	38	10(BDL)	0.2(BDL)	0.5(BDL)	4.2	0.2(BDL)	43.1	NA	NA	Sampling	
1573	580	9.5	220	140	80	40	348	1225	980	25	20	0.5(BDL)	16	0.2(BDL)	75.9	NA	NA	Sampling	
1574	4050	0.4	2250	900	1350	100.2	2100	7850	6198	35	0.2(BDL)	0.5(BDL)	270	0.2(BDL)	63.8	NA	NA	Sampling	
1575	3400	0.4	1300	700	600	125	1759	6180	4540	22	0.2(BDL)	0.5(BDL)	342	0.2(BDL)	68.9	NA	NA	Sampling	
1576	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Not Sampled	**
1577	1700	0.4	1150	700	450	78	880	3487	2580	18	0.2(BDL)	0.5(BDL)	25	0.2(BDL)	61.8	NA	NA	Sampling	
1578	850	0.4	140	60	80	12.76	512	1589	1360	10(BDL)	0.2(BDL)	0.5(BDL)	50	0.2(BDL)	84.5	NA	NA	Sampling	
1579	28	0.4	35	20	15	12	15	109	82	10(BDL)	0.2(BDL)	0.5(BDL)	12	0.2(BDL)	39.3	NA	NA	Sampling	
1580	7	0.4	10(BDL)	5(BDL)	4(BDL)	5(BDL)	5(BDL)	23	17	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	46.5	NA	NA	Sampling	
2284	24	0.4	28	24	4(BDL)	5(BDL)	13.1	79	52	23	0.2(BDL)	0.5(BDL)	4.5	0.2(BDL)	45.8	NA	NA	Sampling	
2285	29	0.4	28	24	4(BDL)	5(BDL)	15.4	84	48	16	0.2(BDL)	0.5(BDL)	3.8	0.2(BDL)	50.5	NA	NA	Sampling	
2286	23	0.4	35	24	11	5(BDL)	12	81	45	20	0.2(BDL)	0.5(BDL)	2.8	0.2(BDL)	40.4	NA	NA	Sampling	
2287	3450	0.4	2000	1250	750	118	1780	6900	5525	40	0.2(BDL)	0.5(BDL)	84	0.2(BDL)	64.8	NA	NA	Sampling	
2288	19	0.4	32	20	12	9.4	9.97	102	82	30	0.2(BDL)	0.5(BDL)	5.6	0.2(BDL)	35.6	NA	NA	Sampling	
2289	18	0.4	29	25	4(BDL)	5(BDL)	9.36	63	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1.91	0.2(BDL)	39.3	NA	NA	Sampling	
2290	24	0.4	43	36	7	5.09	12.49	90	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	3.55	0.2(BDL)	36.4	NA	NA	Sampling	
2291	16	0.4	36	22	14	11.94	8.56	77	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1.96	0.2(BDL)	32.6	NA	NA	Sampling	
2292	17	0.4	26	18	8	5(BDL)	9.5	59	44	12	0.2(BDL)	0.5(BDL)	2.62	0.2(BDL)	41.3	NA	NA	Sampling	
2293	13.8	0.4	27	18	9	8	9	63	56	22	0.2(BDL)	0.5(BDL)	1.16	0.2(BDL)	40.7	NA	NA	Sampling	
2294	87	0.4	90	80	10	44.6	59	272	160	10(BDL)	0.2(BDL)	0.5(BDL)	6.05	0.2(BDL)	56.8	NA	NA	Sampling	
2295	8340	2.2	2700	700	2000	770	4515	14700	9700	10(BDL)	0.2(BDL)	0.5(BDL)	180	0.2(BDL)	77	NA	NA	Sampling	
2296	35	0.4	20	14	6	13	19	70	12	10(BDL)	0.2(BDL)	0.5(BDL)	3.9	0.2(BDL)	62.3	NA	NA	Sampling	
2297	28	0.4	50	21	29	8	14.5	87	65	10(BDL)	0.2(BDL)	0.5(BDL)	2.1	0.2(BDL)	37.4	NA	NA	Sampling	
2298	14	0.4	28	18	10	5(BDL)	7.3	50	40	13	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	34.7	NA	NA	Sampling	
2299	98	0.4	29	21	8	13.9	55	189	150	12	0.2(BDL)	0.5(BDL)	1.9	0.2(BDL)	79.2	NA	NA	Sampling	
2300	28	0.4	20	11	9	9.8	19	76	60	11	0.2(BDL)	0.5(BDL)	1.9	0.2(BDL)	64.8	NA	NA	Sampling	
2301	38	0.4	15	5(BDL)	10	5(BDL)	20	78	61	13	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	72	NA	NA	Sampling	
2302	105	0.4	42	16	26	6.11	59.9	250	245	10(BDL)	0.2(BDL)	0.5(BDL)	19.79	0.2(BDL)	65.9	NA	NA	Sampling	

STN Code"	Chlorides (mg/L)	Amm onica l-N (mg/)	Total Hardness (mg/)	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids	Total Fixed Solids (mg/L)	Total Suspended Solids	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	Iron (mg/L)	Manganese (mg)	Sampling Status	Reason
2304	230	0.4	80	30	50	22.23	120	458	440	18	0.2(BDL)	0.5(BDL)	33	0.4	68.1	NA	NA	Sampling	
2306	18	0.4	23	15	8	5(BDL)	13	65	24	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.2(BDL)	52.5	NA	NA	Sampling	
2307	14	0.4	20	13	7	5(BDL)	8.1	48	43	22	0.2(BDL)	0.5(BDL)	1.02	0.2(BDL)	45.3	NA	NA	Sampling	
2312	50	0.4	50	20	30	19	27	147	96	10(BDL)	0.2(BDL)	0.5(BDL)	10.2	0.2(BDL)	48.2	NA	NA	Sampling	
2318	21	0.4	45	16	29	6.8	13	84	65	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.2(BDL)	37.3	NA	NA	Sampling	
2319	31	0.4	28	6	22	7.1	20	83	65	10(BDL)	0.2(BDL)	0.5(BDL)	3.8	0.2(BDL)	57	NA	NA	Sampling	
2325	40	0.4	52	36	16	5(BDL)	23.1	130	62	48	0.2(BDL)	0.5(BDL)	5.2	0.2(BDL)	46.1	NA	NA	Sampling	
2326	129.9	0.4	250	180	70	37.24	75	501	325	10(BDL)	0.2(BDL)	0.5(BDL)	15	0.31	37.7	NA	NA	Sampling	
2328	23.9	0.4	44	21	23	5(BDL)	14	85	51	10(BDL)	0.2(BDL)	0.5(BDL)	3	0.23	38.9	NA	NA	Sampling	
2329	5(BDL)	0.4	12	6	6	5(BDL)	5(BDL)	17	12	10(BDL)	0.2(BDL)	0.5(BDL)	1.81	0.2(BDL)	9	NA	NA	Sampling	
2330	5(BDL)	0.4	10(BDL)	5(BDL)	5	5(BDL)	5(BDL)	14	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	19.6	NA	NA	Sampling	
2331	19.8	0.4	43	29	14	5(BDL)	12	80	48	10(BDL)	0.2(BDL)	0.5(BDL)	2.7	0.23	36	NA	NA	Sampling	
2332	18.99	0.4	58	32	26	8.6	11	98	68	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.28	28.3	NA	NA	Sampling	
2333	5(BDL)	0.4	16	8	8	5(BDL)	5(BDL)	24	15	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	23.7	NA	NA	Sampling	
2334	600	0.4	120	60	60	50	400	1225	960	28	0.2(BDL)	0.5(BDL)	6	0.2(BDL)	87.2	NA	NA	Sampling	
2335	5(BDL)	0.4	18	10	8	5(BDL)	5(BDL)	28	18	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	21.4	NA	NA	Sampling	
2336	21	0.4	16	9	7	5(BDL)	10.9	57	42	10(BDL)	0.2(BDL)	0.5(BDL)	2.6	0.2(BDL)	55.1	NA	NA	Sampling	
2337	430	8	250	130	120	15	222	995	760	22	0.2(BDL)	0.5(BDL)	21	0.2(BDL)	63.6	NA	NA	Sampling	
2338	30	0.4	31	26	5	5.2	16.99	101	75	15	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	54.2	NA	NA	Sampling	
3458	18	0.4	51	29	22	5(BDL)	9.3	87	68	10(BDL)	0.2(BDL)	0.5(BDL)	2.12	0.2(BDL)	27.4	NA	NA	Sampling	
3459	16	0.4	45	28	17	5(BDL)	8.81	80	62	13	0.2(BDL)	0.5(BDL)	1.97	0.2(BDL)	28.7	NA	NA	Sampling	
3460	36	0.4	80	50	30	9.8	21	160	104	10(BDL)	0.2(BDL)	0.5(BDL)	4	0.29	34.9	NA	NA	Sampling	
3461	5800	0.4	2000	550	1450	750	3171	10500	9800	10(BDL)	0.2(BDL)	0.5(BDL)	113	0.2(BDL)	76.3	NA	NA	Sampling	
3462	10	0.4	24	18	6	5(BDL)	6.4	42	30	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	36.1	NA	NA	Sampling	
3464	5(BDL)	0.4	13	9	4(BDL)	5(BDL)	5(BDL)	24	18	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.1	NA	NA	Sampling	
3465	11	0.4	45	22	23	18	5.8	76	62	20	0.2(BDL)	0.5(BDL)	1.23	0.2(BDL)	21.3	NA	NA	Sampling	
3466	12	0.4	40	20	20	18	6.41	82	63	25	0.2(BDL)	0.5(BDL)	1.33	0.2(BDL)	25.1	NA	NA	Sampling	
3469	11	0.4	30	20	10	5(BDL)	5.36	59	45	12	0.2(BDL)	0.5(BDL)	4.67	0.2(BDL)	26.6	NA	NA	Sampling	
3470	44	0.4	36	24	12	5(BDL)	23.5	110	57	42	0.2(BDL)	0.5(BDL)	6.4	0.2(BDL)	53.6	NA	NA	Sampling	

STN Code"	Chlorides (mg/L)	Ammonia-N (mg/)	Total Hardness (mg/)	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids	Total Fixed Solids (mg/L)	Total Suspended Solids	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	Iron (mg/L)	Manganese (mg)	Sampling Status	Reason
3473	58	0.4	25	21	4(BDL)	11.8	38	147	110	18	0.2(BDL)	0.5(BDL)	5	0.2(BDL)	72.5	NA	NA	Sampling	
5164	34	0.4	10(BD)	5(BDL)	4(BDL)	5(BDL)	25	99	180	10(BDL)	0.2(BDL)	0.5(BDL)	6.8	0.2(BDL)	74.4	NA	NA	Sampling	
5165	48	0.4	41	35	6	22.9	25	130	98	12	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	56.2	NA	NA	Sampling	
5166	54	0.4	58	29	29	10.9	28	140	110	11	0.2(BDL)	0.5(BDL)	3	0.2(BDL)	49.6	NA	NA	Sampling	
5169	72	0.4	39	35	4(BDL)	7.8	39	169	130	13	0.2(BDL)	0.5(BDL)	3.1	0.2(BDL)	66.4	NA	NA	Sampling	
5170	22	0.4	35	28	7	5(BDL)	11.56	77	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	4.68	0.2(BDL)	38	NA	NA	Sampling	
5171	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5172	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5173	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5174	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5176	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5177	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5178	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5179	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5181	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5182	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.216	0	Sampling	
5183	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5184	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5185	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.039	0	Sampling	
5190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5191	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.085	0.0004	Sampling	
5192	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5193	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Sampling	
5195	53	0.4	60	48	12	5(BDL)	27.9	137	75	24	0.2(BDL)	0.5(BDL)	4.2	0.2(BDL)	48.1	NA	NA	Sampling	
5196	12	0.4	12	6	6	5(BDL)	7.3	36	22	11	0.2(BDL)	0.5(BDL)	1.9	0.2(BDL)	52.4	NA	NA	Sampling	
5197	33	0.4	50	42	8	5(BDL)	17.2	105	54	40	0.2(BDL)	0.5(BDL)	2.1	0.2(BDL)	41.5	NA	NA	Sampling	
5198	3800	0.4	2500	1500	1000	150	2000	8500	6800	40	0.2(BDL)	0.5(BDL)	150.2	0.2(BDL)	61.8	NA	NA	Sampling	
5199	3500	0.4	2200	1500	700	150	1850	7850	6255	40	0.2(BDL)	0.5(BDL)	180.2	0.2(BDL)	62.3	NA	NA	Sampling	

5200	10650	0.4	4920	3850	1070	102	5500	22000	17680	84	0.2(BDL)	0.5(BDL)	200.5	0.2(BDL)	69.8	NA	NA	Sampling	
5201	11200	0.4	4000	3250	750	175	5780	21750	17450	24	0.2(BDL)	0.5(BDL)	183.3	0.2(BDL)	74.8	NA	NA	Sampling	
5202	88	0.4	31	12	19	10.5	49.18	216	173	30	0.2(BDL)	0.5(BDL)	5.22	0.2(BDL)	74	NA	NA	Sampling	
STN Code"	Chlorides (mg/L)	Amm onica l-N (mg/)	Total Hard ness (mg/)	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphat e (mg/L)	Sodi um (mg/L)	Total Dissol ved Solids	Total Fixed Solids (mg/L)	Total Suspen ded Solids	Phosphat e (mg/L)	Boron (mg/L)	Potassi um (mg/L)	Fluoride (mg/L)	Sodiu m Perce ntage	Iron (mg/L)	Man gane se (mg)	Sampling Status	Reason
5204	105.2	0.4	32	16	16	20	56.2	230	180	28	0.2(BDL)	0.5(BDL)	15.2	0.2(BDL)	70.4	NA	NA	Sampling	
5205	8	0.4	18	12	6	5(BDL)	5(BDL)	30	24	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.25	34.8	NA	NA	Sampling	
5206	60	0.4	100	60	40	14	40	256	210	10(BDL)	0.2(BDL)	0.5(BDL)	9.7	0.2(BDL)	43.6	NA	NA	Sampling	
5207	90	0.4	55	20	35	5(BDL)	49	241	195	10(BDL)	0.2(BDL)	0.5(BDL)	15	0.2(BDL)	59	NA	NA	Sampling	
5208	6.4	0.4	15	9	6	5(BDL)	5(BDL)	31	21	10(BDL)	0.2(BDL)	0.5(BDL)	1.55	0.2(BDL)	35.5	NA	NA	Sampling	
5209	7.1	0.4	15	9	6	5(BDL)	5(BDL)	29	29	10(BDL)	0.2(BDL)	0.5(BDL)	1.23	0.2(BDL)	34.7	NA	NA	Sampling	
5210	6	0.4	17	13	4(BDL)	5(BDL)	5(BDL)	28	16	10(BDL)	0.2(BDL)	0.5(BDL)	1.74	0.2(BDL)	26.5	NA	NA	Sampling	
5211	5(BDL)	0.4	15	11	4(BDL)	5(BDL)	5(BDL)	26	15	10(BDL)	0.2(BDL)	0.5(BDL)	1.3	0.2(BDL)	24.9	NA	NA	Sampling	
5212	12	0.4	26	10	16	8.4	5(BDL)	55	42	10(BDL)	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	33	NA	NA	Sampling	
5213	26	0.4	68	55	13	11.35	13.95	126	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	5.65	0.2(BDL)	28.7	NA	NA	Sampling	
5214	25	0.4	30	22	8	7.75	14.25	83	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	3.5	0.2(BDL)	47.3	NA	NA	Sampling	
5215	32.9	0.4	165	112	53	6.08	19	210	136	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.3	19.8	NA	NA	Sampling	
5216	43.9	0.4	131	92	39	6.7	25	230	150	10(BDL)	0.27	0.5(BDL)	3	0.3	28.7	NA	NA	Sampling	
5217	17	0.4	56	45	11	5(BDL)	9	85	51	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.29	25.1	NA	NA	Sampling	
5218	17.9	0.4	34	27	7	5(BDL)	9.4	62	40	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.26	35.9	NA	NA	Sampling	
5220	35	0.4	31	21	10	5(BDL)	19	91	68	18	0.2(BDL)	0.5(BDL)	2	0.2(BDL)	55.2	NA	NA	Sampling	
5221	5(BDL)	0.4	10(BD	6	4(BDL)	5(BDL)	5(BDL)	17	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	30.1	NA	NA	Sampling	
5222	5(BDL)	0.4	10(BD	5(BDL)	4(BDL)	5(BDL)	5(BDL)	18	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	47.3	NA	NA	Sampling	
5223	7	0.4	10(BD	6	4(BDL)	5(BDL)	5(BDL)	23	14	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	46.7	NA	NA	Sampling	
5225	145	0.4	108	91	17	48.3	92.5	378	275	10(BDL)	0.2(BDL)	0.5(BDL)	7.73	0.2(BDL)	63.1	NA	NA	Sampling	
5226	5(BDL)	0.4	21	12	9	5(BDL)	5.4	36	29	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	34.6	NA	NA	Sampling	
5227	10	0.4	24	15	9	5(BDL)	5.2	44	35	20	0.2(BDL)	0.5(BDL)	1.07	0.2(BDL)	30.8	NA	NA	Sampling	
5228	17	0.4	48	28	20	5(BDL)	9.64	82	65	40	0.2(BDL)	0.5(BDL)	1.8	0.2(BDL)	29.4	NA	NA	Sampling	
5229	5(BDL)	0.4	10(BD	5(BDL)	4(BDL)	5(BDL)	5(BDL)	15	12	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	64	NA	NA	Sampling	
5230	9	0.4	20	10	10	5(BDL)	5.49	38	29	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	36.3	NA	NA	Sampling	
5231	44	0.4	12	7	5	5(BDL)	24	83	68	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.2(BDL)	78.2	NA	NA	Sampling	
5232	138	0.4	30	12	18	29	90	323	255	15	0.2(BDL)	0.5(BDL)	4	0.2(BDL)	84.8	NA	NA	Sampling	

STN Code"	Chlorides (mg/L)	Iron (mg/L)	Hardness (mg/L)	Ca as CaCO3 (mg/L)	Mg as CaCO3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	Iron (mg/L)	Lead (mg/L)	Sampling Status	Reason
5234	22	0.4	23	17	6	5(BDL)	14	60	45	15	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	55.5	NA	NA	Sampling	
5235	27	0.4	38	13	25	5.1	14	75	58	13	0.2(BDL)	0.5(BDL)	3.9	0.2(BDL)	41.5	NA	NA	Sampling	
5236	75	0.4	46	36	10	38	45	218	174	16	0.2(BDL)	0.5(BDL)	7.1	0.2(BDL)	64	NA	NA	Sampling	
5237	410	0.4	74	20	54	38.5	255	748	590	16	0.2(BDL)	0.5(BDL)	3	0.2(BDL)	87.7	NA	NA	Sampling	
5238	38	0.4	20	10	10	5(BDL)	22	80	64	12	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	68.6	NA	NA	Sampling	
5240	36	0.4	40	34	6	19.1	22	113	90	15	0.2(BDL)	0.5(BDL)	5.1	0.2(BDL)	50.7	NA	NA	Sampling	
5241	1800	0.4	78	21	57	11.8	900	2800	2240	15.7	0.2(BDL)	0.5(BDL)	10.1	0.2(BDL)	95.6	NA	NA	Sampling	
5242	11	0.4	16	10	6	5(BDL)	6	50	45	10(BDL)	0.2(BDL)	0.5(BDL)	3.8	0.2(BDL)	38.5	NA	NA	Sampling	
5243	45	0.4	40	12	28	34.84	30	160	300	12.6	0.2(BDL)	0.5(BDL)	2.5	0.2(BDL)	60.2	NA	NA	Sampling	
5244	17	0.4	20	10	10	5(BDL)	12	63	52	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	54.4	NA	NA	Sampling	
5245	88	0.4	51	30	21	5(BDL)	48	210	205	10(BDL)	0.2(BDL)	0.5(BDL)	15.3	0.2(BDL)	58.9	NA	NA	Sampling	
5527	88	0.4	70	30	40	5(BDL)	56	246	210	10(BDL)	0.2(BDL)	0.5(BDL)	5	0.2(BDL)	61.5	NA	NA	Sampling	
5528	60	0.4	50	20	30	5(BDL)	34	171	156	10(BDL)	0.2(BDL)	0.5(BDL)	2.8	0.2(BDL)	58	NA	NA	Sampling	
5529	9	0.4	23	10	13	5(BDL)	5(BDL)	43	39	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	30.3	NA	NA	Sampling	
5530	26	0.4	55	35	20	5(BDL)	13.86	111	107	60	0.2(BDL)	0.5(BDL)	4.28	0.2(BDL)	33.3	NA	NA	Sampling	
5531	106	0.4	65	45	20	5(BDL)	56.14	225	221	58	0.2(BDL)	0.5(BDL)	2.8	0.2(BDL)	64	NA	NA	Sampling	
10016	8	0.4	16	10	6	5(BDL)	5(BDL)	28	23	18	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	36.5	NA	NA	Sampling	
10017	NA	0.4	19	12	7	5(BDL)	5(BDL)	30	25	19	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.1	NA	NA	Sampling	
20017	NA	NA	NA	NA	NA	NA	NA	NA	NA	72	NA	NA	NA	NA	NA	NA	NA	Sampling	
**NON AVAILABILITY OF MOTOR BOAT FROM FOREST DEPARTMENT.																			