

### KSPCB-NWMP REPORT NOVEMBER- 2023

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
17	02-11-2023	12:35	RIVER PERIYAR AT ALUVA-ELOOR		RIVER	PERIYAR
18	15-11-2023	11:30	RIVER PERIYAR AT KALADY		RIVER	PERIYAR
20	09-11-2023	11:00	RIVER CHALIYAR AT KOOLIMADU		RIVER	CHALIYAR
21	09-11-2023	11:40	RIVER CHALIYAR AT CHUNGAPALLY		RIVER	CHALIYAR
42	08-11-2023	09:30	RIVER KALLADA AT PERUMTHOTTAMKADAVU, PUNALLOOR		RIVER	KALLADA
43	21-11-2023	01:20	RIVER MUVATTAPUZHA AT VETTIKATTUMUKKU		RIVER	MUVATTAPUZHA
1154	15-11-2023	12:30	RIVER CHALAKUDY AT PULIKKAKADAVU, THRISSUR		RIVER	CHALAKUDY
1155	21-11-2023	09:25	RIVER KARAMANA AT MOONNATTUMUKKU, KERALA		RIVER	KARAMANA
1156	04-11-2023	07:30	RIVER PAMBA AT CHENGANNUR, ALAPPUZHA		RIVER	PAMBA
1207	09-11-2023	13:20	RIVER KABANI AT MUTHANKARA, WAYANAD		RIVER	KABANI
1208	06-11-2023	01:50	RIVER BHAVANI AT ELACHIVAZHY, PALAKKAD		RIVER	BHAVANI
1338	15-11-2023	10:30	RIVER PERIYAR AT SEWAGE DISCHARGE POINT,ALUVA, ERNAKULAM		RIVER	PERIYAR
1339	03-11-2023	12:30	RIVER MEENACHIL AT KIDANGOOR, KOTTAYAM		RIVER	MEENACHIL
1340	02-11-2023	11:00	RIVER MANIMALA AT KALLOOPARA, KERALA		RIVER	MANIMALA
1341	04-11-2023	09:00	RIVER PAMBA AT THAKAZHY, KERALA		RIVER	PAMBA
1342	10-11-2023	08:20	RIVER ACHANKOVIL AT THUMPAMON		RIVER	ACHANKOVIL
1383	24-11-2023	09:40	AKKULAM LAKE AT ORUVATHILKOTTA, THIRUVANANTHAPURAM		LAKE	AKKULAM
1384	02-11-2023	10:30	RIVER MANIMALA AT THONDRA, KERALA		RIVER	MANIMALA
1385	04-11-2023	09:20	SASTHAMCOTTA LAKE, KERALA		LAKE	SASTHAMCOTTA
1441	09-11-2023	09:20	ASHTHAMUDI LAKE AT QUILON, KERALA		LAKE	ASHTHAMUDI
1442	15-11-2023	09:20	RIVER VAMANAPURAM AT VAMANAPURAM, THIRUVANANTHAPURAM		RIVER	VAMANAPURAM
1443	10-11-2023	11:20	RIVER ACHANKOVIL AT CHENNITHALA, ALAPPUZHA		RIVER	ACHANKOVIL
1563	02-11-2023	08:10	RIVER NEYYAR AT AMARAVILA		RIVER	NEYYAR
1564	06-11-2023	01:30	RIVER ITHIKKARA KERALA		RIVER	ITHIKKARA
1565	04-11-2023	08:00	RIVER PAMBA DOWN, KERALA		RIVER	PAMBA
1566	02-11-2023	10:30	RIVER KADALUNDI AT THIRURANGADY, KERALA		RIVER	KADALUNDI
1567	04-11-2023	10:30	RIVER KUTTIYADY ESTATE, KERALA		RIVER	KUTTIYADY
1568	04-11-2023	09:30	RIVER MAHE AT VALAYAM, KOZHIKODE		RIVER	MAHE
1569	10-11-2023	11:05	RIVER KUPPAM THALIPARAMBA, KERALA		RIVER	KUPPAM

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
1571	01-11-2023	12:45	RIVER KARYANKODE AT KAKKADAVU		RIVER	KARYANKODE
1572	13-11-2023	12:00	RIVER CHANDRAGIRI AT PADIYATHADKA		RIVER	CHANDRAGIRI
1573	04-11-2023	10:20	RIVER CHITHRAPUZHA AT IRUMPANAM, KERALA		RIVER	CHITHRAPUZHA
1574	06-11-2023	09:50	PARAVUR, KERALA		LAKE	PARAVUR
1575	02-11-2023	10:15	VEMBANAD LAKE,KOCHI (OIL TANKER JETTY), KERALA		LAKE	VEMBANAD
1576	06-11-2023	00:00	PERIYAR LAKE AT THEKKADY, KERALA		LAKE	PERIYAR
1577	17-11-2023	11:15	KODUNGALLOOR, KERALA		LAKE	KODUNGALLOOR
1578	04-11-2023	11:00	KAYAMKULAM, KERALA		LAKE	KAYAMKULA KAYAL
1579	16-11-2023	10:30	ALAPPUZHA, KERALA		LAKE	PUNNAMADA KAYAL
1580	04-11-2023	13:47	POOKODE LAKE AT POOKODE		LAKE	POOKODE
2284	02-11-2023	08:45	RIVER NEYYAR AT ARUVIPURAM		RIVER	NEYYAR
2285	15-11-2023	08:35	RIVER MAMOM AT MAMOM BRIDGE		RIVER	MAMOM
2286	15-11-2023	09:25	RIVER AYIROOR AT AYIROOR BRIDGE		RIVER	AYIROOR
2287	06-11-2023	09:30	RIVER ITHIKKARA AT ITHIKKARA		RIVER	ITHIKKARA
2288	11-11-2023	10:04	RIVER PALLICKAL AT NELLIMUKAL		RIVER	PALLICKAL
2289	02-11-2023	11:35	RIVER KARUVANNUR AT KARUVANNUR BRIDGE		RIVER	KARUVANNUR
2290	04-11-2023	02:45	RIVER PUZHAKKAL AT PUZHACKAL BRIDGE		RIVER	PUZHAKKAL
2291	04-11-2023	10:00	RIVER KECHERI AT VADAKKANCHERY BRIDGE		RIVER	KECHERI
2292	04-11-2023	01:15	RIVER TIRUR AT THALAKKADATHUR BRIDGE, MALAPPURAM		RIVER	TIRUR
2293	02-11-2023	11:00	RIVER KADALUNDI AT HAJIRAPPALLY		RIVER	KADALUNDI
2294	18-11-2023	11:30	RIVER KALLAYI AT KALLAYI BRIDGE, KOZHICODE		RIVER	KALLAYI
2295	10-11-2023	11:00	RIVER KORAPUZHA AT KANAYANKODE		RIVER	KORAPUZHA
2296	02-11-2023	01:24	RIVER THALASSERRY AT PATHIPALAM		RIVER	THALASSERRY
2297	06-11-2023	12:25	RIVER ANCHARAKANDY AT MERUVAMBAYI		RIVER	ANCHARAKANDY
2298	08-11-2023	01:45	RIVER KUPPAM AT RAYAROM		RIVER	KUPPAM
2299	10-11-2023	03:30	RIVER RAMAPURAM AT RAMAPURAM BRIDGE		RIVER	RAMAPURAM
2300	10-11-2023	11:40	RIVER PERUVAMBA AT CHANDAPURA		RIVER	PERUVAMBA
2301	08-11-2023	01:45	RIVER KAVVAI AT KUTTIYOL PALAM		RIVER	KAVVAI
2302	04-11-2023	09:30	RIVER NILESWARAM AT NAMBIARKAL DAM		RIVER	NILESWARAM

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
2304	15-11-2023	09:45	RIVER MOGRAL AT MOGRAL BR.		RIVER	MOGRAL
2305	13-11-2023	10:00	RIVER SHIRIYA AT ANGADIMOGARU		RIVER	SHIRIYA
2306	15-11-2023	11:50	RIVER UPPALA AT UPPALA BR.		RIVER	UPPALA
2307	15-11-2023	01:15	RIVER MANJESWAR AT BAJRAKKARA BR.		RIVER	MANJESWAR
2312	16-11-2023	10:30	LAKE VEMBANAD AT PATHIRAMANAL (ALAPPUZHA)		LAKE	VEMBANAD
2318	06-11-2023	11:10	RIVER VALAPATTANAM AT PAZHASSI RESERVOIR, KANNUR		RIVER	VALAPATTANAM
2319	02-11-2023	01:57	RIVER ANCHARAKANDY AT ANCHARAKANDY		RIVER	ANCHARAKANDY
2325	30-11-2023	09:35	POND AT (PADMANABHA) SREE PADMANABHA SWAMY TEMPLE (TVPM)		POND	PADMANABHA SWAMY T
2326	02-11-2023	11:35	RIVER KORAYAR NEAR NARAGAMPALLY BRIDGE AT KANJIKODE, PALAKKAD		RIVER	KORAYAR
2328	02-11-2023	10:47	RIVER BHARATHAPUZHA RSVR AT MALAMPUZHA		RIVER	BHARATHAPUZHA
2329	14-11-2023	11:40	RIVER PERIYAR RSVR AT BHOOOTHATHANKETU		RIVER	PERIYAR
2330	14-11-2023	12:00	RIVER PERIYAR RSVR AT EDAMALAYAR		RIVER	PERIYAR
2331	04-11-2023	02:05	RIVER BHARATHAPUZHA AT KUTTIPPURAM		RIVER	BHARATHAPUZHA
2332	04-11-2023	12:00	RIVER BHARATHAPUZHA AT PATTAMBI		RIVER	BHARATHAPUZHA
2333	10-11-2023	10:45	RIVER PERIYAR AT MUPPATHADAM		RIVER	PERIYAR
2334	10-11-2023	10:15	RIVER PERIYAR AT PATHALAM		RIVER	PERIYAR
2335	10-11-2023	11:30	RIVER PERIYAR AT KALAMASSERY		RIVER	PERIYAR
2336	17-11-2023	11:45	RIVER PERIYAR AT PURAPPALLIKADAVU		RIVER	PERIYAR
2337	04-11-2023	10:30	RIVER KADAMBAYAR AT BRAHMAPURAM		RIVER	KADAMBAYAR
2338	04-11-2023	11:10	RIVER KADAMBAYAR AT MANCKAKADAVU		RIVER	KADAMBAYAR
3458	04-11-2023	15:04	RIVER KARAPUZHA DAM AT WAYANAD		RIVER	KARAPUZHA
3459	09-11-2023	11:30	RIVER MANIYANKODE PUZHA AT MANIYANKODE BRIDGE, WAYANAD		RIVER	MANIYANKODE PUZHA
3460	02-11-2023	10:28	RIVER KALPATHI PUZHA AT KALPATHI, PALAKKAD		RIVER	KALPATHI PUZHA
3461	16-11-2023	10:30	CANOLI CANAL AT ERANJIKKAL		CANAL	CANOLI
3462	16-11-2023	09:30	MANANCHIRA POND AT KOZHEKODE		POND	MANANCHIRA
3464	08-11-2023	12:15	RIVER CHALIYAR AT NILAMBUR, MALAPPURAM		RIVER	CHALIYAR
3465	10-11-2023	01:14	RIVER ACHANKOVIL AT KALLARAKADAVU, PATHANAMTHITTA		RIVER	ACHANKOVIL
3466	10-11-2023	01:10	RIVER ACHANKOVIL AT PANDALAM		RIVER	ACHANKOVIL
3467	10-11-2023	09:45	UNTHITHODU AT ELOOR, ERNAKULAM		CANAL	UNTHITHODU

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
3469	14-11-2023	10:05	PALAKKATTUTHAZHAMTHODU AT PERUMBAVOOR, ERNAKULAM		CANAL	CANAL
3470	02-11-2023	08:15	VELLAYANI LAKE AT VANDITHADOM, THIRUVANANTHAPURAM		LAKE	VELLAYANI
3471	10-11-2023	08:15	RIVER KARAMANA AT ARUVIKARA, THIRUVANANTHAPURAM		RIVER	KARAMANA
3473	06-11-2023	10:02	RIVER VALAPATTANAM AT PARASSINIKADAVU, KANNUR		RIVER	VALAPATTANAM
5164	01-11-2023	10:05	THEERTHAMKARA POND AT PADANNAKKAD,KANHANGAD MUNICIPALITY		POND	THEERTHAMKARA
5165	03-11-2023	10:40	CHIRAKKAL CHIRA ,KADALAYI,KANNUR		POND	CHIRAKKAL
5166	06-11-2023	01:02	THRIKAIKUNNU CHIRA,KOOTHUPARAMBA,KANNUR		POND	THRIKAIKUNNU
5169	03-11-2023	01:32	RIVER KAKKAD AT KAKKAD ,KANNUR		RIVER	KAKKAD
5170	13-11-2023	11:10	AALUMKULAM POND AT KOORKKANCHERY,THRISSUR		POND	POND
5171	01-11-2023	11:10	CHERUVATHUR - MADAKKARA HARBOUR AT CHERUVATHUR PANCHAYATH KA		RIVER	MADAKKARA
5172	09-11-2023	11:10	NELLIKUNNU BRIDGE AT NELLIKUNNU, KASARAGOD		DRAIN	CHANDRAGIRI
5173	10-11-2023	02:40	RIVER PERUVAMBA AT ETTIKULAM, KANNUR		BEACH	PERUVAMBA
5174	02-11-2023	12:03	R. ANCHARAKKANDY AT MOIDUPALAM,DHARMADAM, KANNUR		BEACH	ANJARAKANDY
5176	02-11-2023	11:45	RIVER KANAMPUZHA IN KANNUR MUNICIPALITY		RIVER	ANCHARAKANDY
5177	03-11-2023	10:55	RIVER VALAPATTANAM AT AZHEEKAL PORT, AZHEEKODE,KANNUR		RIVER	VALAPATTANAM
5178	10-11-2023	01:00	KAVVAYI BACKWATERS AT KAVVAYI, PAYYANUR		Sea	KAVVAYI
5179	30-11-2023	08:25	VELI BOAT CLUB AT VELI LAKE,THIRUVANANTHAPURAM		LAKE	AKKULAM
5180	30-11-2023	08:55	AKKULAM BRIDGE AT AKKULAM LAKE, THIRUVANANTHAPURAM		LAKE	AKKULAM
5181	15-11-2023	09:50	BEACH AT VARKALA PAPANASAM, THIRUVANANTHAPURAM		BEACH	ARABIAN SEA
5182	02-11-2023	10:50	KOCHI LAKE AT GOSHREE BRIDGE, KOCHI		LAKE	VEMBANAD
5183	07-11-2023	11:40	KOCHI LAKE NEAR COCHIN PORT TRUST, KOCHI		LAKE	VEMBANAD
5184	07-11-2023	10:45	KOCHI LAKE NEAR THOPUMPADY, KOCHI		LAKE	VEMBANAD
5185	07-11-2023	10:15	KOCHI LAKE NEAR WELLINGTON ISLAND, KOCHI		LAKE	VEMBANAD
5190	07-11-2023	11:00	VEMBANAD LAKE AT ANDAKARANAZHI NEW BRIDGE, ALAPPUZHA		LAKE	VEMBANAD
5191	04-11-2023	11:00	RIVER PAMBA NEAR THOTTAPPALLY HARBOUR, ALAPPUZHA		RIVER	PAMBA
5192	27-11-2023	03:30	RIVER CHALIYAR BEYPORE PORT, KOZHIKODE		RIVER	CHALIYAR
5193	16-11-2023	11:40	RIVER PERIYAR AZHIKODE FERRY, KODUNGALLUR,THRISSUR		RIVER	PERIYAR
5194	30-11-2023	09:35	KMML CHAVARA, KOLLAM		Sea	ASHTAMUDI
5195	21-11-2023	08:45	RIVER KARAMANA AT THIRUVALLOM, THIRUVANANTHAPURAM		RIVER	KARAMANA

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
5197	24-11-2023	09:35	RIVER KILLIYAR AT MARUTHAMKUZHI BRIDGE, THIRUVANANTHAPURAM		RIVER	KILLIYAR RIVER
5198	09-11-2023	09:40	ASHTAMUDI LAKE AT THOPPILAKADAVU, KOLLAM		LAKE	ASHTAMUDI
5199	09-11-2023	01:00	ASHTAMUDI LAKE NEAR KSRTC BUS DEPOT, KOLLAM		LAKE	ASHTAMUDI
5200	09-11-2023	01:45	ASHTAMUDI LAKE AT PERUMON, KOLLAM		LAKE	ASHTAMUDI
5201	09-11-2023	11:30	ASHTAMUDI LAKE NEAR M/S. KUNDARA CERAMICS, KOLLAM		LAKE	ASHTAMUDI
5202	06-11-2023	01:00	RIVER KALLADA AT KULATHUPUZHA, KOLLAM		RIVER	KALLADA
5203	09-11-2023	12:00	RIVER KALLADA AT MUNDROTHURUTH, KOLLAM		RIVER	KALLADA
5204	06-11-2023	11:50	RIVER ITHIKKARA AT KALLADATHANNI, KOLLAM		RIVER	KAKKAD RIVER
5205	04-11-2023	08:15	RIVER PAMBA AT MUNNAR, PATHANAMTHITTA		RIVER	PAMBA
5206	01-11-2023	10:30	RIVER VARATTAAR AT ARATTUKADAVU, ALAPPUZHA		RIVER	VARATTAAR
5207	03-11-2023	11:00	RIVER PAMBA AT VEEYAPURAM, ALAPPUZHA		RIVER	PAMBA
5208	07-11-2023	12:30	RIVER PERIYAR AT KULAMAVU RESEVOIR AT IDUKKI		RIVER	PERIYAR
5209	07-11-2023	10:00	RIVER PERIYAR AT PANAMKUTTY BRIDGE, IDUKKI		RIVER	PERIYAR
5210	28-11-2023	11:55	RIVER KOTHAMANGALAM AT KOOROR THODU, ERNAKULAM		RIVER	KOTHAMANGALAM RIVER
5211	28-11-2023	11:10	RIVER MUVATTAPUZHA AT PERUVAMMUZHI BRIDGE, ERNAKULAM		RIVER	MUVATTAPUZHA
5212	02-11-2023	12:35	POND NEAR HMT COLONY,NORTH KALAMASSERY PALAM, ERNAKULAM		POND	POND
5213	13-11-2023	11:30	RIVER PUZHAKKAL AT PANCHIKKAL CANAL, THRISSUR		RIVER	PUZHAKKAL
5214	04-11-2023	11:00	RIVER WADAKKANCHERY AT WADAKKANCHERY PALAM,THRISSUR		RIVER	WADAKKANCHERY
5215	02-11-2023	12:23	RIVER CHITTURPUZHA AT CHITTUR BRIDGE, PALAKKAD		RIVER	CHITHRAPPUZHA
5216	02-11-2023	10:04	RIVER KANNADIPPUZHA AT THIRUNELLYAI BRIDGE, PALAKKAD		RIVER	KANNADIPPUZHA
5217	06-11-2023	11:08	RIVER NELLIPUZHA AT NELLIPUZHA BRIDGE, MANNARKKAD, PALAKKAD		RIVER	RIVER NELLIPUZHA
5218	06-11-2023	11:25	RIVER KUNTHIPUZHA AT MANNARKKAD, PALAKKAD		RIVER	RIVER KUNTHIPUZHA
5220	04-11-2023	01:30	RIVER TIRUR AT NADUVILANGADI		RIVER	TIRUR
5221	15-11-2023	11:00	RIVER IRUVAZHINJI AT CHEPPILANKODE, KOZHIKODE		RIVER	RIVER IRUVAZHINJI
5222	15-11-2023	11:45	RIVER IRUVAZHINJI AT MUKKAM BRIDGE, KOZHIKODE		RIVER	RIVER IRUVAZHINJI
5223	15-11-2023	12:15	RIVER IRUVAZHINJI AT KUTTIPALAKAL, KOZHIKODE		RIVER	RIVER IRUVAZHINJI
5224	18-11-2023	11:00	RIVER KALLAYI AT MOORIYADU, KOZHIKODE		RIVER	KALLAYI
5225	18-11-2023	11:55	RIVER KALLAYI AT KOTHI BRIDGE, KOZHIKODE		RIVER	KALLAYI
5226	02-11-2023	12:28	RIVER PAPANASINI AT THIRUNELLY, WAYANAD		RIVER	RIVER PAPANASINI

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody
5228	01-11-2023	11:55	RIVER KABANI AT MUTHANGA,WAYANAD		RIVER	RIVER KABANI
5229	06-11-2023	13:20	RIVER KABANI AT BANASURA SAGAR DAM AT KALPETTA,WAYANAD		RIVER	KABANI
5230	06-11-2023	14:30	LAKE KARLAD AT WAYANAD		LAKE	KARLAD
5231	10-11-2023	12:15	RIVER KAVVAYI AT KANKOL, KANNUR		RIVER	KAVVAYI RIVER
5232	10-11-2023	12:00	RIVER PERUVAMBA AT PERUMBA BRIDGE, KANNUR		RIVER	PERUVAMBA
5233	10-11-2023	11:20	RIVER RAMAPURAM AT KAPPUNGAL, KANNUR		RIVER	RAMAPURAM
5234	08-11-2023	12:35	RIVER KUPPAM AT UROOTERI, KANNUR		RIVER	KUPPAM RIVER
5235	06-11-2023	10:34	RIVER VALAPATTANAM AT PAVANNUR, KANNUR		RIVER	VALAPATTANAM
5236	02-11-2023	12:33	RIVER THALLASSERRY AT ERANJOLI PALAM, KANNUR		RIVER	THALLASSERRY
5237	03-11-2023	12:53	RIVER KAKKAD AT VARANAM KADAVU BRIDGE, KANNUR		RIVER	KAKKAD
5238	02-11-2023	01:50	RIVER ANCHARAKANDY AT ODAKADAVU BRIDGE, KANNUR		RIVER	KAKKAD RIVER
5239	06-11-2023	11:37	VALAPATTANAM RIVER AT IRRITY BRIDGE,KANNUR		RIVER	VALAPATTANAM
5240	02-11-2023	12:50	RIVER THALASSERY AT KUNDUCHIRA, KANNUR		RIVER	THALASSERRY
5241	02-11-2023	12:18	RIVER THALASSERY AT KODUVALLY, KANNUR		RIVER	THALASSERRY
5242	13-11-2023	01:15	PALLANGODE BRIDGE AT PUTHIYAMBALAM, KASARAGOD		RIVER	CHANDRAGIRI
5243	09-11-2023	10:05	CHANDRAGIRI RIVER AT CHANDRAGIRI BRIDGE, KASARAGOD		RIVER	CHANDRAGIRI
5244	09-11-2023	11:00	RIVER MOGRAL AT MADHUR BRIDGE NEAR MADHUR SRI SIDHIVINAYAKA TEMPLE		RIVER	MOGRAL
5245	15-11-2023	12:30	RIVER MANJESHWAR AT BANGRA-MANJESHWAR BRIDGE,HOSDURG, KASARAGOD		RIVER	MANJESHWAR
5527	16-11-2023	11:00	Vembanad lake At the U/S of Thanneermukkam bund		lake (Ramsar)	Vembanad
5528	16-11-2023	11:30	Vembanad lake at Padashekaram at Kainikkari		lake (Ramsar)	Vembanad
5529	02-11-2023	02:50	Vembanad lake at Kottayam Ferry		lake (Ramsar)	Vembanad
5530	02-11-2023	01:45	Vembanad lake at Changanassery Ferry		lake (Ramsar)	Vembanad
5531	10-11-2023	12:00	Vembanad lake at Vaikkom Beach & Ferry		lake (Ramsar)	Vembanad
10016	18-11-2023	10:15	RIVER PAMBA U/S		RIVER	PAMBA
10017	18-11-2023	10:40	RIVER PAMBA D/S		RIVER	PAMBA
20017	18-11-2023	10:20	STP NEAR POUTLET		STP	STP

STN Code	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge	Weather	ApproxDepth	Colour	Odour
17	None	NONE	C (Drinking water source)	None	Clear	Greater than 100cm	GREEN	None
18	None	d/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
20	None	d/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
21	None	d/s of town or industrial area	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	turbid	None
42		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Greater than 100cm	GREEN	None
43	Municipal Solid Waste	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S	Raining	Greater than 100cm	Clear	None
1154	None	d/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	turbid	None
1155	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	Municipal S	Cloudy	Greater than 100cm	TURBID BROWN	
1156	Plastic Waste	D/S of town or industrial area	B (Outdoor bathing(Organized))	None	Cloudy	Greater than 100cm	Clear	None
1207	None	NONE	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1208	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1338	None	d/s of town or industrial area	E (Irrigation, industrial cooling and c	None	Clear	Greater than 100cm	Clear	None
1339	Municipal Solid Waste	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal S	Raining	50-100cm	Clear	None
1340	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Less than 50cm	Clear	None
1341	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1342		D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
1383		d/s of town or industrial area	E (Irrigation, industrial cooling and c	None	Cloudy	Greater than 100cm	TURBID	None
1384	None	U/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without c	None	Clear	Less than 50cm	Clear	None
1385	None	NONE	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
1441	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S	Clear	Greater than 100cm	Clear	None
1442	None	WATER INTAKE	C (Drinking water source)	None	Raining	Greater than 100cm	Turbid Gre	None
1443	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial	Clear	Greater than 100cm	Clear	None
1563	None	NONE	C (Drinking water source)	None	Cloudy	Greater than 100cm	TURBID	None
1564		D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Turbid Gre	None
1565	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1566	None	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1567	None	u/s of town or industrial area	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
1568	None	pilgrim center/bathing ghat/water intake	A (Drinking Water source without c	None	Raining	Greater than 100cm	Clear	None
1569		none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None

STN Code	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge	Weather	ApproxDepth	Colour	Odour
1571	Plastic Waste	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Less than 50cm	Clear	None
1572	Plastic Waste	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Cloudy	50-100cm	Clear	None
1573	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial	Clear	Greater than 100cm	TURBID	None
1574	None	D/s of town	C (Drinking water source)	Municipal S	Clear	Greater than 100cm	Dark Green	Fishy
1575	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	Municipal S	Clear	Greater than 100cm	Clear	None
1576								
1577	None	d/s of town or industrial area	E (Irrigation, industrial cooling and c	None	Clear	Greater than 100cm	Clear	None
1578		d/s of town or industrial area	E (Irrigation, industrial cooling and c	None	Clear	Less than 50cm	Clear	None
1579	None	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Less than 50cm	Clear	None
1580	None	none	A (Drinking Water source without c	None	Clear	Greater than 100cm	Clear	None
2284	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Cloudy	Greater than 100cm	TURBID	None
2285		NONE	C (Drinking water source)	None	Cloudy	Greater than 100cm	Clear	None
2286	None	WATER INTAKE	C (Drinking water source)	None	Cloudy	Greater than 100cm	Clear	None
2287	None	D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2288	None	D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2289	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2290	Municipal Solid Waste	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2291	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2292	None	Pilgrim centre/Bathing Ghat/waterintake	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2293	None	Pilgrim centre/Bathing Ghat/water intake	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2294	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	None	Clear	Greater than 100cm	TURBID	Fishy
2295	None	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
2296	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2297	None	None	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2298	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2299	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2300	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2301	None	none	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2302	Plastic Waste	d/s of town or industrial area	E (Irrigation, industrial cooling and c	None	Clear	50-100cm	Clear	None



STN Code	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge	Weather	ApproxDepth	Colour	Odour
2304	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2305	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Cloudy	Less than 50cm	Clear	None
2306	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	50-100cm	Clear	None
2307	None	u/s of town or industrial area	C (Drinking water source)	None	Clear	Less than 50cm	Clear	None
2312		NONE	A (Drinking Water source without co	None	Clear	Less than 50cm	Clear	None
2318	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2319	None	D/s of town or industrial area	B (Outdoor bathing(Organized))	Industrial	Clear	Greater than 100cm	Clear	None
2325	None	PILGRIM CENTER	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
2326	None	none	B (Outdoor bathing(Organized))	None	Clear	50-100cm	Clear	None
2328	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2329	Plastic Waste	u/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2330	None	u/s of town or industrial area	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2331	Plastic Waste	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
2332	Municipal Solid Waste	none	C (Drinking water source)	Municipal S	Clear	Greater than 100cm	Clear	None
2333	Municipal Solid Waste	d/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	turbid	None
2334	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial	Clear	Less than 50cm	TURBID	None
2335	Municipal Solid Waste	d/s of town or industrial area	C (Drinking water source)	Municipal S	Clear	Greater than 100cm	turbid	None
2336	None	d/s of town or industrial area	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
2337	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial	Clear	Greater than 100cm	TURBID	None
2338	None	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
3458	None	NONE	A (Drinking Water source without co	None	Clear	Greater than 100cm	Clear	None
3459	None	none	A (Drinking Water source without co	None	Clear	Greater than 100cm	Clear	None
3460	Municipal Solid Waste	none	B (Outdoor bathing(Organized))	Municipal S	Clear	Greater than 100cm	Clear	None
3461		U/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	None	Clear	Greater than 100cm	TURBID	None
3462	None	PILGRIM CENTER/BATHING GHAT/WATER IN	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
3464	None	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None	Clear	50-100cm	TURBID	None
3465	None	D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Turbid Gre	None
3466	None	Pilgrim center/Bathing	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
3467	Municipal Solid Waste	D/SW OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal S	Clear	Greater than 100cm	TURBID	None

STN Code	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge	Weather	ApproxDepth	Colour	Odour
3469	Industrial Effluent	d/s of town or industrial area	E (Irrigation, industrial cooling and c	Industrial	Clear	Greater than 100cm	Clear	None
3470	None	WATER INTAKE	C (Drinking water source)	None	Cloudy	Greater than 100cm	TURBID	None
3471	None	PILGRIM CENTER/BATHING GHAT/WATER IN	C (Drinking water source)	None	Raining	50-100cm	Clear	None
3473	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5164	None	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5165	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5166	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5169	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5170	Industrial Effluent		A (Drinking Water source without cc	Industrial	Clear	Greater than 100cm	Clear	None
5171	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	None	Clear	Less than 50cm	Clear	None
5172	Plastic Waste	NONE	A (Drinking Water source without cc	None	Clear	Less than 50cm	Clear	None
5173		none	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	Fishy
5174		NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	Fishy
5176		NONE	A (Drinking Water source without cc	None	Windy	Greater than 100cm	TURBID	Fishy
5177		NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	Fishy
5178		NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	Fishy
5179	Municipal Solid Waste	NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	None
5180	Municipal Solid Waste	NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID,BF	None
5181	None	PILGRIM CENTER/BATHING GHAT	A (Drinking Water source without cc	None	Clear	Greater than 100cm	Light Gree	None
5182	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	Municipal S	Clear	Greater than 100cm	TURBID	None
5183	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	Municipal S	Clear	Greater than 100cm	TURBID	None
5184	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	Municipal S	Clear	Greater than 100cm	TURBID	Fishy
5185	None	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	Municipal S	Clear	Greater than 100cm	TURBID	None
5190	None	NONE	A (Drinking Water source without cc	None	Clear	Less than 50cm	Clear	None
5191	None	NONE	A (Drinking Water source without cc	None	Clear	Less than 50cm	Clear	None
5192		NONE	A (Drinking Water source without cc	None	Clear	Greater than 100cm	TURBID	None
5193	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	None	Clear	Greater than 100cm	Clear	None
5194	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without cc	Industrial	Clear	Greater than 100cm	TURBID	
5195	Municipal Solid Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	Municipal S	Clear	Greater than 100cm	TURBID,BF	None

STN Code	Major Polluting Sources	Location Details	Use Based Class	Visible Effluent Discharge	Weather	ApproxDepth	Colour	Odour
5197	None	PILGRIM CENTER/BATHING GHAT	C (Drinking water source)	None	Cloudy	Less than 50cm	TURBID	None
5198	Industrial Effluent	D/s of town	E (Irrigation, industrial cooling and c	Industrial	Clear	Greater than 100cm	Clear	Fishy
5199	Industrial Effluent	D/s of town	E (Irrigation, industrial cooling and c	Industrial	Clear	Greater than 100cm	Clear	H2s / Rot
5200		D/s of town	E (Irrigation, industrial cooling and c	None	Clear	Greater than 100cm	Clear	None
5201	Industrial Effluent	D/s of town	E (Irrigation, industrial cooling and c	Industrial	Clear	Less than 50cm	Clear	None
5202		Pilgrim centre/Bathing	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
5203		D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
5204	None	D/s of town	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
5205	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal S	Clear	Greater than 100cm	Clear	None
5206		d/s of town or industrial area	C (Drinking water source)	None	Clear	Less than 50cm	Clear	None
5207	None	d/s of town or industrial area	C (Drinking water source)	None	Clear	Less than 50cm	Clear	None
5208	None	NONE	C (Drinking water source)	None	Clear	50-100cm	Clear	None
5209	None	NONE	C (Drinking water source)	None	Clear	50-100cm	Clear	None
5210	Plastic Waste	NONE	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5211	Plastic Waste	NONE	A (Drinking Water source without c	None	Clear	Greater than 100cm	Clear	None
5212	None	none	C (Drinking water source)	None	Clear	Greater than 100cm	Clear	None
5213	Municipal Solid Waste	D/s of town or industrial area	C (Drinking water source)	Municipal S	Clear	50-100cm	Clear	None
5214	Municipal Solid Waste	D/s of town or industrial area	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5215	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5216	None	none	A (Drinking Water source without c	Municipal S	Clear	Less than 50cm	Clear	None
5217	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5218	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5220	None	none	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None
5221	None	PILGRIM CENTER/ BATHING GHAT /WATER I	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
5222	None	PILGRIM CENTER/ BATHING GHAT/WATER IN	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
5223	None	PILGRIM CENTER/BATHING GHAT/WATER IN	C (Drinking water source)	None	Clear	Greater than 100cm	TURBID	None
5224	Plastic Waste	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	Industrial	Clear	50-100cm	TURBID	None
5225	Industrial Effluent	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and c	None	Clear	50-100cm	TURBID	Fishy
5226	None	NONE	B (Outdoor bathing(Organized))	None	Clear	Greater than 100cm	Clear	None



STN Code	Dissolved O2 (mg/L)	pH	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Hardness (mg/L)	Ca as CaCo3 (mg/L)	Sulphate (mg/L)
17	5.4	6.6	400	1.7	0.4	2200	1500	140	12.6	5(BDL)	25	5.6	1.5(BDL)	0.4	46	28	9.5
18	7.7	7.3	49	1(BDL)	0.3(BDL)	2500	210	120	18.9	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	15	7	5(BDL)
20	7.8	6.6	62	1(BDL)	0.3(BDL)	700	400	20	29.2	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	21	11	6.8
21	7.7	5.8	62	1(BDL)	0.3(BDL)	490	310	20	41.3	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	19	13	6.52
42	8.3	7.1	109	1.8	3.5	700	130	20	4	5(BDL)	20(BDL)	5.8	NA	0.4	39	22	7.1
43	6.7	6.5	51	1.1	0.74	450	200	1.8(BDL)	1.7	5(BDL)	20(BDL)	12.8	1.5(BDL)	0.4	14	9	5(BDL)
1154	6.2	6.9	88	1(BDL)	0.3(BDL)	1700	200	48	30.2	5(BDL)	26	5(BDL)	1.5(BDL)	0.4	26	21	5(BDL)
1155	0.6	6.9	646	7.3	0.3(BDL)	33000	22000	1.8(BDL)	7.1	5(BDL)	88	24	1.5(BDL)	0.4	120	96	5(BDL)
1156	6.8	7.4	56	1(BDL)	0.3(BDL)	210	70	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	10	5(BDL)
1207	6.7	6.6	100	1(BDL)	0.3(BDL)	63	33	33	10.46	5(BDL)	27	5(BDL)	1.5(BDL)	0.4	28	17	5(BDL)
1208	7.7	7.7	112	1(BDL)	0.46	490	200	40	1(BDL)	5(BDL)	30	5(BDL)	1.5(BDL)	0.4	35	20	5.46
1338	6.6	6.5	58	1(BDL)	0.3(BDL)	31000	1400	340	15.4	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	14	8	5(BDL)
1339	8	6.6	45	1.5	0.41	400	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	12.8	1.5(BDL)	0.4	13	8	5(BDL)
1340	7.5	7.1	171	1(BDL)	0.3(BDL)	15000	580	1.8(BDL)	1(BDL)	5(BDL)	30	NA	1.5(BDL)	0.4	40	20	5(BDL)
1341	6.9	6.7	56	1(BDL)	0.3(BDL)	170	58	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	20	10	5(BDL)
1342	6	6.9	83	3	1.6	810	170	10	8	5(BDL)	20(BDL)	9	NA	0.4	25	16	11.04
1383	4.3	6.7	316	3.7	0.3(BDL)	7000	4900	1.8(BDL)	3.1	5(BDL)	58	16	1.5(BDL)	0.4	86	75	5(BDL)
1384	6.5	7	165	1(BDL)	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1.2	5(BDL)	30	NA	1.5(BDL)	0.4	40	20	5(BDL)
1385	8.1	7.1	104	2.7	2.5	540	120	1.8(BDL)	6.3	5(BDL)	20(BDL)	8.8	NA	0.4	24	11	9.8
1441	5.3	7.2	35820	3.2	48	1100	380	49	7.1	5(BDL)	20(BDL)	10	NA	0.4	5300	2700	275.08
1442	7.2	6.4	100	1(BDL)	0.3(BDL)	2100	1600	1.8(BDL)	1.8	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	16	12	5(BDL)
1443	5.6	7.2	115	1(BDL)	1.5	700	170	10	6.5	5(BDL)	20(BDL)	5(BDL)	NA	0.4	28	10	12.42
1563	6.5	6.3	163	1(BDL)	0.3(BDL)	1000	790	1.8(BDL)	1.7	5(BDL)	24	5(BDL)	1.5(BDL)	0.4	28	24	5(BDL)
1564	6.6	6.9	129	2.4	2	700	160	1.8(BDL)	3.5	5(BDL)	20(BDL)	6.1	1.5(BDL)	0.4	30	17	11.2
1565	6.5	6.9	54	1(BDL)	0.3(BDL)	240	70	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	10	5(BDL)
1566	7	7	81	1(BDL)	0.53	430	280	40	14.1	5(BDL)	22	5(BDL)	1.5(BDL)	0.4	22	10	6.2
1567	7.7	6.5	30	1(BDL)	0.3(BDL)	490	310	1.8(BDL)	1.1	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	10(BDL)	5(BDL)	5(BDL)
1568	7.5	6.2	39	1(BDL)	0.3(BDL)	8400	3200	1.8(BDL)	40.5	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	11	7	5(BDL)
1569	7.7	6.8	245	2.5	0.3(BDL)	310	200	20	1(BDL)	5(BDL)	22	7	1.5(BDL)	0.4	28	18	14

STN Code	Dissolved O2 (mg/L)	pH	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO3 (mg/L)	Sulphate (mg/L)
1571	6.3	7.4	101	1(BDL)	0.3(BDL)	280	210	1.8(BDL)	1(BDL)	5(BDL)	35	5.1	NA	0.4	28	12	5(BDL)
1572	7.7	7.2	90	1(BDL)	0.3(BDL)	540	380	10	1.3	5(BDL)	40	5(BDL)	NA	0.4	26	10	5(BDL)
1573	1.2	6.4	192	3	0.3(BDL)	4900	1700	120	11.7	5(BDL)	25	9.6	2.15	2.1	53	27	51.5
1574	6.6	7.2	220	2.2	2.5	700	170	40	3.1	5(BDL)	20(BDL)	6.5	1.5(BDL)	0.4	40	20	19.78
1575	3.7	7.4	14080	1.9	0.3(BDL)	32000	7900	790	5.6	5(BDL)	45	5.6	1.5(BDL)	0.4	1800	1100	325
1576				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1577	5.7	7.2	11600	1(BDL)	0.3(BDL)	2600	940	700	10.1	5(BDL)	29	5(BDL)	1.5(BDL)	0.4	1000	500	35
1578	2.8	6.4	600	6.8	0.3(BDL)	9200	2000	1.8(BDL)	1(BDL)	5(BDL)	150	NA	1.5(BDL)	0.4	180	120	13.08
1579	4.1	6.8	179	1(BDL)	0.3(BDL)	2200	920	1.8(BDL)	1(BDL)	5(BDL)	60	NA	1.5(BDL)	0.4	60	40	10.06
1580	7.2	7.1	36	1(BDL)	0.3(BDL)	22	6	12	1(BDL)	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	12	8	5(BDL)
2284	6.6	6.4	95	1(BDL)	0.3(BDL)	1500	1100	1.8(BDL)	2.4	5(BDL)	24	5(BDL)	1.5(BDL)	0.4	28	20	5(BDL)
2285	7.8	6.6	117	1(BDL)	0.3(BDL)	1000	790	1.8(BDL)	2.1	5(BDL)	22	5(BDL)	1.5(BDL)	0.4	30	16	5(BDL)
2286	7.8	6.3	111	1.5	0.3(BDL)	2100	1600	1.8(BDL)	2.8	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	24	16	5(BDL)
2287	6.9	7.4	160	2.9	3.5	700	220	40	4.8	5(BDL)	20(BDL)	6.9	1.5(BDL)	0.4	45	25	29.5
2288	6.4	7.2	110	1.3	5.5	600	130	1.8(BDL)	5.6	5(BDL)	20(BDL)	6.1	1.5(BDL)	0.4	23	13	5(BDL)
2289	4.8	6.6	108	1.9	0.3(BDL)	350	150	1.8(BDL)	6	5(BDL)	26	5(BDL)	1.5(BDL)	0.4	29	25	10.06
2290	3.4	7.1	103	1.1	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	4.4	5(BDL)	29	8	1.5(BDL)	0.4	30	24	5(BDL)
2291	5.1	6.9	106	1.1	0.3(BDL)	200	49	1.8(BDL)	4.6	5(BDL)	32	5(BDL)	1.5(BDL)	0.4	31	25	8.61
2292	4.3	6.8	123	1.7	0.3(BDL)	790	480	20	1.4	5(BDL)	35	6.5	1.5(BDL)	0.4	37	14	5(BDL)
2293	6	6.8	95	1.3	0.7	430	250	31	2.4	5(BDL)	26	5(BDL)	1.5(BDL)	0.4	32	17	5(BDL)
2294	1.8	7.4	26530	3.3	0.79	3600	2100	210	4.2	5(BDL)	120	12	3.04	2.02	2500	1200	850.12
2295	5.7	5.9	422	1.3	0.3(BDL)	1000	310	1.8(BDL)	3.2	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.46	60	34	19
2296	7.8	6.5	228	1.8	0.3(BDL)	200	40	10	1.1	5(BDL)	20(BDL)	5.2	1.5(BDL)	0.4	28	21	14.1
2297	7.8	6.6	205	2.4	0.3(BDL)	260	130	10	1.9	5(BDL)	20(BDL)	6.9	1.5(BDL)	0.4	35	20	6.1
2298	7.8	6.5	158	1.8	0.3(BDL)	400	200	10	2	5(BDL)	20(BDL)	5.3	1.5(BDL)	0.4	28	12	5(BDL)
2299	6.7	6.6	309	1.8	0.3(BDL)	400	200	20	2.1	5(BDL)	20(BDL)	5.1	1.5(BDL)	0.4	31	18	6
2300	7.7	6.9	185	1.2	0.3(BDL)	400	200	10	3.9	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	39	17	8
2301	7.8	6.5	158	1.8	0.3(BDL)	400	200	10	2	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	28	12	5(BDL)
2302	5.6	7.4	4700	1(BDL)	0.3(BDL)	280	240	10	1(BDL)	5(BDL)	20(BDL)	5(BDL)	NA	0.4	295	128	256

STN Code	Dissolved O2 (mg/L)	pH	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Hardness (mg/L)	Ca as CaCo3 (mg/L)	Sulphate (mg/L)
2304	6.2	7	900	1(BDL)	0.31	700	310	10	1.1	5(BDL)	34	5(BDL)	NA	0.4	150	70	23.7
2305	7.9	7.3	74	1(BDL)	0.3(BDL)	540	460	15	1.5	5(BDL)	30	5(BDL)	NA	0.4	30	11	5(BDL)
2306	7.4	7	116	1(BDL)	0.3(BDL)	790	380	10	1.6	5(BDL)	30	5(BDL)	NA	0.4	35	23	5(BDL)
2307	7.4	7.5	110	1(BDL)	0.3(BDL)	580	310	10	1.2	5(BDL)	42	5(BDL)	NA	0.4	51	19	5(BDL)
2312	7.6	7.2	182	5.8	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	60	NA	1.5(BDL)	0.4	65	40	5(BDL)
2318	7.9	6.8	200	1.6	0.3(BDL)	310	120	10	2.3	5(BDL)	25	5(BDL)	1.5(BDL)	0.4	45	20	5(BDL)
2319	7.8	6.6	205	2.4	0.3(BDL)	150	100	20	1.8	5(BDL)	20(BDL)	6.9	1.5(BDL)	0.4	33	18	6.1
2325	7.8	8.1	287	2.8	0.3(BDL)	1500	1000	1.8(BDL)	3.4	5(BDL)	96	8	1.5(BDL)	0.4	95	80	5(BDL)
2326	6	8.1	690	1.5	0.3(BDL)	400	200	20	1(BDL)	5(BDL)	210	5(BDL)	1.5(BDL)	0.4	214	135	10.43
2328	7.6	7.6	146	2.9	0.59	490	310	1.8(BDL)	1(BDL)	5(BDL)	34	8.6	1.5(BDL)	0.4	36	26	5(BDL)
2329	7.8	6.1	51	1.5	0.63	1000	170	63	18.8	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	16	8	5(BDL)
2330	7.8	7.3	19	1(BDL)	0.3(BDL)	380	40	34	4.1	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	10(BDL)	5(BDL)	5(BDL)
2331	7.3	7.4	162	2.5	0.38	400	100	1.8(BDL)	1(BDL)	5(BDL)	47	7.6	1.5(BDL)	0.4	49	30	5(BDL)
2332	7.3	7.6	161	1.9	0.4	600	400	20	1(BDL)	5(BDL)	46	5.8	1.5(BDL)	0.4	46	29	5(BDL)
2333	5.6	6.9	63	1.1	0.3(BDL)	4100	1500	210	4.9	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	20	10	5(BDL)
2334	5.7	6.6	125	1(BDL)	0.3(BDL)	4000	1100	170	8.8	5(BDL)	25	5(BDL)	1.5(BDL)	0.4	30	26	5(BDL)
2335	6.7	6.6	66	1(BDL)	0.3(BDL)	630	170	120	8.3	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	12	5(BDL)
2336	7.3	7	69	2.9	0.42	790	400	110	11.8	5(BDL)	20(BDL)	7.2	1.5(BDL)	0.4	16	7	5(BDL)
2337	1	6.6	141	3.1	0.3(BDL)	1700	210	70	18.6	5(BDL)	25	8.8	1.5(BDL)	0.4	28	23	7
2338	2	6.5	94	1.5	0.3(BDL)	3800	1700	310	23.3	5(BDL)	23	5(BDL)	1.5(BDL)	0.4	23	11	5(BDL)
3458	7.5	6.6	159	1.1	0.3(BDL)	49	26	22	1(BDL)	5(BDL)	50	5(BDL)	1.5(BDL)	0.4	50	31	5(BDL)
3459	6.8	6.9	119	1.1	0.3(BDL)	22	8	1.8(BDL)	12.61	5(BDL)	33	5(BDL)	1.5(BDL)	0.4	35	20	5(BDL)
3460	5	8	401	2.5	0.3(BDL)	600	200	20	1(BDL)	5(BDL)	112	7.4	1.5(BDL)	0.4	115	66	12.54
3461	4.9	6.6	8250	2.4	0.33	1600	1100	40	4.7	5(BDL)	34	7	1.5(BDL)	0.95	500	300	170.97
3462	7.8	7.2	69	1(BDL)	0.3(BDL)	2100	920	1.8(BDL)	6	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	23	18	5(BDL)
3464	7.6	6.7	64	1(BDL)	0.3(BDL)	1600	600	10	15.1	5(BDL)	21	5(BDL)	1.5(BDL)	0.4	23	17	5(BDL)
3465	7.4	6.8	79	1(BDL)	2.4	810	130	1.8(BDL)	5.8	5(BDL)	20(BDL)	6	1.5(BDL)	0.4	22	15	8.5
3466	6.3	7.5	96	1.5	2.5	700	92	1.8(BDL)	5.6	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	32	18	10.8
3467	4.8	6.6	159	1.7	0.3(BDL)	4600	1300	200	7	5(BDL)	21	5(BDL)	1.5(BDL)	0.4	31	20	12.3

STN Code	Dissolved O2 (mg/L)	pH	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Hardness (mg/L)	Ca as CaCo3 (mg/L)	Sulphate (mg/L)
3469	5.7	6.7	93	2.9	0.3(BDL)	70000	22000	920	14.4	5(BDL)	24	7.2	1.5(BDL)	0.4	24	18	5(BDL)
3470	6.8	6.6	210	2.6	0.3(BDL)	2800	2000	1.8(BDL)	5.5	5(BDL)	32	8	NA	0.4	44	36	5(BDL)
3471	8	6.2	59	1.4	0.3(BDL)	1000	490	1.8(BDL)	2.1	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	14	5(BDL)
3473	7.5	6.5	290	1.8	0.3(BDL)	320	200	20	1.8	5(BDL)	21	5.4	1.5(BDL)	0.4	30	13	10.9
5164	7.4	7.9	230	2.8	0.3(BDL)	130	43	4	1(BDL)	5(BDL)	80	5(BDL)	NA	0.4	80	75	5(BDL)
5165	7	8.1	355	1.5	0.3(BDL)	310	210	10	3	5(BDL)	28	5(BDL)	1.5(BDL)	0.4	71	46	22
5166	7.2	6.6	290	2.8	0.3(BDL)	200	120	10	3	5(BDL)	23	7.6	1.5(BDL)	0.4	52	28	9.2
5169	6.1	6.2	400	2.5	0.3(BDL)	490	340	20	1.2	5(BDL)	34	7	1.5(BDL)	0.4	55	24	7
5170	3.9	7.4	160	3.9	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	4	5(BDL)	42	12	1.5(BDL)	0.4	40	35	5(BDL)
5171	3.6	8.1		1.3	NA	NA	250	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5172	4.5	6.5		1(BDL)	NA	NA	240	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5173	5.9	7.1		2.6	NA	NA	380	NA	2.1	NA	NA	NA	NA	NA	NA	NA	NA
5174	6.5	7.4		3.3	NA	NA	350	NA	3.7	NA	NA	NA	NA	NA	NA	NA	NA
5176	7.9	6.7		1.4	NA	NA	490	NA	2.9	NA	NA	NA	NA	NA	NA	NA	NA
5177	6.8	6.9		NA	NA	NA	220	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5178	5.1	7		2	NA	NA	250	NA	2.9	NA	NA	NA	NA	NA	NA	NA	NA
5179	4.3	6.9		3.4	NA	NA	11000	NA	1.1	NA	NA	NA	NA	NA	NA	NA	NA
5180	2.5	6.9		4	NA	NA	15000	NA	8.3	NA	NA	NA	NA	NA	NA	NA	NA
5181	7.1	7.9		5.3	NA	NA	2800	NA	3.1	NA	NA	NA	NA	NA	NA	NA	NA
5182	4.7	8.8		NA	NA	NA	4100	NA	4.1	NA	NA	NA	NA	NA	NA	NA	NA
5183	4.8	7.2		1(BDL)	NA	NA	4100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5184	3.1	7.5		1.1	NA	NA	2600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5185	5	7.7		NA	NA	NA	490	NA	16.6	NA	NA	NA	NA	NA	NA	NA	NA
5190	3.4	6.5		7	NA	NA	2500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5191	5.2	6.3		NA	NA	NA	6000	NA	1.1	NA	NA	NA	NA	NA	NA	NA	NA
5192	6.5	7.6		2.4	NA	NA	140	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5193	5	7.4		1(BDL)	NA	NA	1.8(BDL)	NA	1.6	NA	NA	NA	NA	NA	NA	NA	NA
5194	3.4	8.5		NA	NA	NA	630	NA	3.5	NA	NA	NA	NA	NA	NA	NA	NA
5195	4.8	6.7	166	4.1	0.3(BDL)	9100	7900	1.8(BDL)	3.6	5(BDL)	28	16	1.5(BDL)	0.4	30	26	5(BDL)



STN Code	Dissolved O2 (mg/L)	pH	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Hardness (mg/L)	Ca as CaCo3 (mg/L)	Sulphate (mg/L)
5197	7.5	6.7	133	1(BDL)	0.3(BDL)	2100	1800	1.8(BDL)	1.8	5(BDL)	32	5(BDL)	NA	0.4	40	28	5(BDL)
5198	4.5	6.5	11250	9.5	30	1600	540	92	4.6	5(BDL)	20(BDL)	21	1.5(BDL)	0.4	1500	800	106.7
5199	2.5	7.5	8640	6	15	1700	490	70	2.1	5(BDL)	35	20.5	1.5(BDL)	0.4	1300	400	100.5
5200	6.6	7.3	11370	3.1	8	630	150	31	4.3	5(BDL)	34	6.9	1.5(BDL)	0.4	2110	1160	160
5201	5.5	6.8	15820	2.3	5.8	630	130	40	2.8	5(BDL)	26	6.8	1.5(BDL)	0.4	2200	700	179.4
5202	7	7.3	141	2.2	1.7	840	470	40	4.4	5(BDL)	20(BDL)	6.1	1.5(BDL)	0.4	40	17	19.09
5203	6.9	6.7	126	1.1	3.2	700	250	40	5.3	5(BDL)	20(BDL)	5.4	1.5(BDL)	0.4	28	22	11.5
5204	6.8	7.3	106	1.9	0.8	700	140	20	6.6	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	25	15	12.45
5205	6.8	6.9	50	1(BDL)	0.3(BDL)	200	58	1.8(BDL)	1.1	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	12	5(BDL)
5206	3.1	6.8	205	2.3	0.3(BDL)	1200	200	1.8(BDL)	1(BDL)	5(BDL)	75	NA	1.5(BDL)	0.4	75	40	5(BDL)
5207	5.5	6.5	185	4.1	0.3(BDL)	2000	1200	1.8(BDL)	1(BDL)	5(BDL)	40	NA	1.5(BDL)	0.4	50	20	5(BDL)
5208	6.3	6.3	48	1.5	0.3(BDL)	2000	1500	400	1(BDL)	5(BDL)	20(BDL)	12	1.5(BDL)	0.4	13	8	5(BDL)
5209	7.1	6.8	41	2	0.3(BDL)	1800	1400	400	1.3	5(BDL)	20(BDL)	14	1.5(BDL)	0.4	14	10	5(BDL)
5210	6.2	6.3	83	1(BDL)	0.3(BDL)	63	11	63	1(BDL)	5(BDL)	28	5(BDL)	1.5(BDL)	0.4	25	21	5(BDL)
5211	6.5	5.4	127	1(BDL)	0.3(BDL)	33	6	84	1(BDL)	5(BDL)	25	5(BDL)	1.5(BDL)	0.4	35	30	9.1
5212	7.8	9.4	86	1.8	0.3(BDL)	1200	630	17	13.7	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	22	15	8.8
5213	6.7	7.9	299	2.6	0.3(BDL)	840	200	1.8(BDL)	1.6	5(BDL)	80	5(BDL)	1.5(BDL)	0.4	82	76	11.35
5214	5.3	7	133	1.4	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	4.5	5(BDL)	30	5(BDL)	1.5(BDL)	0.4	35	28	14.54
5215	7	7.9	435	2.2	0.3(BDL)	400	100	1.8(BDL)	1(BDL)	5(BDL)	172	6.6	1.5(BDL)	0.4	180	108	11.3
5216	6	7.9	494	1.3	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	180	5(BDL)	1.5(BDL)	0.4	190	120	16.51
5217	7.9	7.3	107	1.1	0.56	310	100	40	1(BDL)	5(BDL)	28	5(BDL)	1.5(BDL)	0.4	32	20	5(BDL)
5218	7.9	7.3	104	1.3	0.42	200	100	1.8(BDL)	1(BDL)	5(BDL)	26	5(BDL)	1.5(BDL)	0.4	27	15	5(BDL)
5220	3.7	6.8	171	1.8	0.3(BDL)	100	40	20	2.4	5(BDL)	35	6.2	1.5(BDL)	0.4	39	21	5(BDL)
5221	7.8	6.1	40	1(BDL)	0.33	920	700	70	1.3	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	14	10	5(BDL)
5222	7.8	6.3	44	1(BDL)	0.37	1400	810	91	1.2	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	13	9	5(BDL)
5223	7.8	6.4	39	1(BDL)	0.39	1800	1100	10	1.5	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	12	8	5(BDL)
5224	1.3	7	22100	3.5	0.7	2600	1300	180	4.2	5(BDL)	120	12	2.88	1.58	1900	1200	843
5225	1.9	7.1	28100	3.4	0.9	1800	910	70	7	5(BDL)	150	12	3.23	2.18	3100	1900	1000.1
5226	7.3	6.7	69	1(BDL)	0.3(BDL)	63	24	40	4.17	5(BDL)	20(BDL)	5(BDL)	1.5(BDL)	0.4	18	10	5(BDL)



STN Code	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Other (General Param)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
17	235	170	12	0.2(BDL)	0.5(BDL)	3.19	74.5	4.3		NA	NA	Sampling
18	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.16	27.7	0.3		NA	NA	Sampling
20	35	18	10(BDL)	0.2(BDL)	0.5(BDL)	1.05	29.3	0.4		NA	NA	Sampling
21	38	19	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	33.1	0.5		NA	NA	Sampling
42	74	61	30	0.2(BDL)	0.5(BDL)	1.56	23.7	0.4		NA	NA	Sampling
43	31	27	10(BDL)	0.2(BDL)	0.5(BDL)	1.17	33.1	0.4		NA	NA	Sampling
1154	50	38	10(BDL)	0.2(BDL)	0.5(BDL)	1.26	34.9	0.6		NA	NA	Sampling
1155	356	112	75	0.2(BDL)	0.5(BDL)	14.9	53.5	2.9		NA	NA	Sampling
1156	32	27	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	38.7	0.5		NA	NA	Sampling
1207	56	43	36	0.2(BDL)	0.5(BDL)	2.19	32.4	0.6		NA	NA	Sampling
1208	67	41	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	36.29	0.7		NA	NA	Sampling
1338	32	22	10(BDL)	0.2(BDL)	0.5(BDL)	1.34	36.8	0.5		NA	NA	Sampling
1339	29	25	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	38	0.5		NA	NA	Sampling
1340	115	88	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	54.4	1.5		NA	NA	Sampling
1341	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	35.7	0.5		NA	NA	Sampling
1342	56	48	28	0.2(BDL)	0.5(BDL)	1.36	28.3	0.4		NA	NA	Sampling
1383	181	113	91	0.2(BDL)	0.5(BDL)	6.3	43.4	1.6		NA	NA	Sampling
1384	115	97	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	52.4	1.4		NA	NA	Sampling
1385	65	53	30	0.2(BDL)	0.5(BDL)	1(BDL)	44.5	0.8		NA	NA	Sampling
1441	20145	16430	90	0.2(BDL)	0.5(BDL)	246	66.4	30.5		NA	NA	Sampling
1442	58	36	25	0.2(BDL)	0.5(BDL)	3.2	57.7	1.4		NA	NA	Sampling
1443	70	58	35	0.2(BDL)	0.5(BDL)	1.35	42.3	0.8		NA	NA	Sampling
1563	101	52	27	0.2(BDL)	0.5(BDL)	7.1	57.2	1.9		NA	NA	Sampling
1564	75	62.4	34.1	0.2(BDL)	0.5(BDL)	2.63	35.9	0.7		NA	NA	Sampling
1565	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	42.3	0.6		NA	NA	Sampling
1566	48	33	14	0.2(BDL)	0.5(BDL)	1.3	38.8	0.6		NA	NA	Sampling
1567	18	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	44.3	0.5		NA	NA	Sampling
1568	24	12	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	40	0.5		NA	NA	Sampling
1569	137	104	11	0.2(BDL)	0.5(BDL)	1.8	73.2	3.1		NA	NA	Sampling

STN Code	Total Dissolved Solids	Total Fixed Solids (mg/L)	Total Suspended Solids	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Any Other (General)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
1571	70	55	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	43.5	0.8		NA	NA	Sampling
1572	66	54	10(BDL)	0.2(BDL)	0.5(BDL)	2.37	34.1	0.6		NA	NA	Sampling
1573	128	98	10(BDL)	3.3	0.5(BDL)	2.74	39.6	1		NA	NA	Sampling
1574	150	122.5	54.2	0.2(BDL)	0.5(BDL)	3.5	54.3	1.7		NA	NA	Sampling
1575	9650	7690	22	0.2(BDL)	0.5(BDL)	79	74.6	26.3		NA	NA	Sampling
1576	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Not Sampling
1577	6452	5120	12	0.2(BDL)	0.5(BDL)	263	77.1	28.4		NA	NA	Sampling
1578	355	201	10(BDL)	0.2(BDL)	0.5(BDL)	2.1	43.2	2.1		NA	NA	Sampling
1579	126	72	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	44.1	1.2		NA	NA	Sampling
1580	20	16	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	33.4	0.4		NA	NA	Sampling
2284	64	38	15	0.2(BDL)	0.5(BDL)	2.2	46.9	1		NA	NA	Sampling
2285	65	35	14	0.2(BDL)	0.5(BDL)	2.9	45	1		NA	NA	Sampling
2286	70	41	20	0.2(BDL)	0.5(BDL)	5.1	50.8	1.3		NA	NA	Sampling
2287	103	82.6	32.5	0.2(BDL)	0.5(BDL)	2.93	34.9	0.8		NA	NA	Sampling
2288	68	55.7	35.6	0.2(BDL)	0.5(BDL)	2.44	35.1	0.6		NA	NA	Sampling
2289	69	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.49	40.4	0.8		NA	NA	Sampling
2290	62	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.96	38.1	0.8		NA	NA	Sampling
2291	67	10(BDL)	10(BDL)	0.33	0.5(BDL)	2.75	34.4	0.7		NA	NA	Sampling
2292	68	59.86	13	0.2(BDL)	0.5(BDL)	1.6	30.3	0.6		NA	NA	Sampling
2293	56	41	21	0.2(BDL)	0.5(BDL)	1(BDL)	28.2	0.5		NA	NA	Sampling
2294	14700	9800	10(BDL)	0.2(BDL)	0.5(BDL)	162	78.5	39.5		NA	NA	Sampling
2295	233	120	10(BDL)	0.2(BDL)	0.5(BDL)	4.9	67.1	3.5		NA	NA	Sampling
2296	128	97	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	68.5	2.6		NA	NA	Sampling
2297	115	87	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	58.3	1.8		NA	NA	Sampling
2298	89	68	11	0.2(BDL)	0.5(BDL)	1.9	60	1.7		NA	NA	Sampling
2299	174	132	12	0.2(BDL)	0.5(BDL)	1.4	77.5	4.1		NA	NA	Sampling
2300	104	79	11	0.2(BDL)	0.5(BDL)	1.3	51.7	1.4		NA	NA	Sampling
2301	89	68	11	0.2(BDL)	0.5(BDL)	1.9	60	1.7		NA	NA	Sampling
2302	3500	2700	16	0.2(BDL)	2.27	1.45	88.1	25.6		NA	NA	Sampling

STN Code	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Other (General Param)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
2304	550	490	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	66.1	4.8		NA	NA	Sampling
2305	55	42	10(BDL)	0.2(BDL)	0.5(BDL)	2.82	25.3	0.4		NA	NA	Sampling
2306	68	39	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	34.8	0.6		NA	NA	Sampling
2307	82	65	12	0.2(BDL)	0.5(BDL)	1(BDL)	26.2	0.5		NA	NA	Sampling
2312	125	84	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	33.9	0.8		NA	NA	Sampling
2318	113	86	11	0.2(BDL)	0.5(BDL)	1.1	51.9	1.5		NA	NA	Sampling
2319	113	86	11	0.2(BDL)	0.5(BDL)	3.1	57.5	1.7		NA	NA	Sampling
2325	158	72	55	0.2(BDL)	0.5(BDL)	3.9	28.9	0.8		NA	NA	Sampling
2326	450	292	10(BDL)	0.2(BDL)	0.5(BDL)	13.4	34.51	1.67		NA	NA	Sampling
2328	85	51	10(BDL)	0.2(BDL)	0.5(BDL)	3.3	44.79	1.09		NA	NA	Sampling
2329	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.12	25.1	0.3		NA	NA	Sampling
2330	10(BDL)	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	14.1	0.1		NA	NA	Sampling
2331	95	57	10(BDL)	0.2(BDL)	0.5(BDL)	3	38.1	0.93		NA	NA	Sampling
2332	105	67	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	37.87	0.9		NA	NA	Sampling
2333	35	25	10(BDL)	0.2(BDL)	0.5(BDL)	1.66	27.2	0.4		NA	NA	Sampling
2334	72	55	10(BDL)	0.2(BDL)	0.5(BDL)	1.84	42.5	0.9		NA	NA	Sampling
2335	36	25	10(BDL)	0.2(BDL)	0.5(BDL)	1.61	30.3	0.4		NA	NA	Sampling
2336	38	30	10(BDL)	0.2(BDL)	0.5(BDL)	1.52	42.7	0.7		NA	NA	Sampling
2337	77	58	10(BDL)	0.2(BDL)	0.5(BDL)	2.64	43.8	0.9		NA	NA	Sampling
2338	52	38	10(BDL)	0.2(BDL)	0.5(BDL)	3.26	33.9	0.6		NA	NA	Sampling
3458	89	71	10(BDL)	0.2(BDL)	0.5(BDL)	2.36	27	0.6		NA	NA	Sampling
3459	67	52	47	0.2(BDL)	0.5(BDL)	4.16	26.3	0.5		NA	NA	Sampling
3460	235	148	10(BDL)	0.2(BDL)	0.5(BDL)	6.4	38.86	1.46		NA	NA	Sampling
3461	4550	2300	10(BDL)	0.2(BDL)	0.5(BDL)	52	85.4	29.6		NA	NA	Sampling
3462	39	20	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	32.4	0.5		NA	NA	Sampling
3464	37	20	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	27.4	0.4		NA	NA	Sampling
3465	50	42	25.4	0.2(BDL)	0.5(BDL)	1(BDL)	28.1	0.4		NA	NA	Sampling
3466	65	53	25	0.2(BDL)	0.5(BDL)	1.21	22.6	0.3		NA	NA	Sampling
3467	88	65	10(BDL)	0.2(BDL)	0.5(BDL)	2.23	51	1.3		NA	NA	Sampling

STN Code	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Other (General Param)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
3469	52	35	10(BDL)	0.2(BDL)	0.5(BDL)	3.46	34.5	0.6		NA	NA	Sampling
3470	120	61	45	0.2(BDL)	0.5(BDL)	5.1	52.2	1.7		NA	NA	Sampling
3471	39	20	11	0.2(BDL)	0.5(BDL)	1.3	41.8	0.7		NA	NA	Sampling
3473	160	122	13	0.2(BDL)	0.5(BDL)	3.1	69.7	2.9		NA	NA	Sampling
5164	140	137	10(BDL)	0.2(BDL)	0.5(BDL)	1.78	26.2	0.7		NA	NA	Sampling
5165	199	151	12	0.2(BDL)	0.5(BDL)	1.4	51.1	1.8		NA	NA	Sampling
5166	163	124	12	0.2(BDL)	0.5(BDL)	1.5	58.5	2.1		NA	NA	Sampling
5169	224	170	13	0.2(BDL)	0.5(BDL)	3	68.9	3.5		NA	NA	Sampling
5170	98	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	6.14	41.8	1.1		NA	NA	Sampling
5171	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5172	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5173	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5174	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5176	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5177	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5178	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5179	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5180	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5181	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5182	NA	NA	NA	NA	NA	NA	NA	NA		0.00067(BDL)	0.004	Sampling
5183	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5184	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5185	NA	NA	NA	NA	NA	NA	NA	NA		0.385	0.067	Sampling
5190	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5191	NA	NA	NA	NA	NA	NA	NA	NA		0.0314	0.00043(BDL)	Sampling
5192	NA	NA	NA	NA	NA	NA	NA	NA	OIL AND GREASE	NA	NA	Sampling
5193	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	Sampling
5194	NA	NA	NA	NA	NA	NA	NA	NA		140	0.00043(BDL)	Sampling
5195	92	64	31	0.2(BDL)	0.5(BDL)	3.6	54.7	1.5		NA	NA	Sampling

STN Code	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Other (General Param)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
5197	80	46	40	0.2(BDL)	0.5(BDL)	2.4	43.3	1		NA	NA	Sampling
5198	7250	5850	72.5	0.44	0.5(BDL)	49	72.6	21.3		NA	NA	Sampling
5199	5110	4100	72.5	0.42	0.5(BDL)	50	68	16		NA	NA	Sampling
5200	7100	5700	82.5	0.2(BDL)	0.5(BDL)	79	63.4	16.7		NA	NA	Sampling
5201	8780	7100	53	0.2(BDL)	0.5(BDL)	116	70	23.4		NA	NA	Sampling
5202	80	67	25.4	0.2(BDL)	0.5(BDL)	2.52	27	0.5		NA	NA	Sampling
5203	85	69.2	30.4	0.2(BDL)	0.5(BDL)	2.16	40.3	0.8		NA	NA	Sampling
5204	62	51	28.6	0.2(BDL)	0.5(BDL)	2.55	39.8	0.7		NA	NA	Sampling
5205	30	25	20	0.2(BDL)	0.5(BDL)	1(BDL)	33.2	0.4		NA	NA	Sampling
5206	162	86	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	46.2	1.5		NA	NA	Sampling
5207	130	94	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	49.6	1.4		NA	NA	Sampling
5208	27	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.67	32.2	0.4		NA	NA	Sampling
5209	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.91	34	0.5		NA	NA	Sampling
5210	50	40	10(BDL)	0.2(BDL)	NA	1(BDL)	28.6	0.4		NA	NA	Sampling
5211	71	56	10(BDL)	0.2(BDL)	NA	2.54	27.7	0.5		NA	NA	Sampling
5212	48	35	10(BDL)	0.2(BDL)	0.5(BDL)	2.31	34.3	0.6		NA	NA	Sampling
5213	180	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	7.69	31.9	0.9		NA	NA	Sampling
5214	83	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.9	39	0.8		NA	NA	Sampling
5215	280	173	10(BDL)	0.2(BDL)	0.5(BDL)	6	18.05	0.62		NA	NA	Sampling
5216	320	195	10(BDL)	0.2(BDL)	0.5(BDL)	195	22.25	0.82		NA	NA	Sampling
5217	67	41	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	38.5	0.74		NA	NA	Sampling
5218	60	39	10(BDL)	0.2(BDL)	0.5(BDL)	2	44.05	0.9		NA	NA	Sampling
5220	98	89	40	0.2(BDL)	0.5(BDL)	2.48	45.5	1.1		NA	NA	Sampling
5221	23	11	10(BDL)	0.2(BDL)	0.5(BDL)	1.08	28.9	0.3		NA	NA	Sampling
5222	25	13	10(BDL)	0.2(BDL)	0.5(BDL)	1.09	35.1	0.4		NA	NA	Sampling
5223	22	11	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	34.6	0.4		NA	NA	Sampling
5224	12800	9300	10(BDL)	0.2(BDL)	0.5(BDL)	141	80.9	40.4		NA	NA	Sampling
5225	16100	10800	10(BDL)	0.2(BDL)	0.5(BDL)	188	75.7	37.4		NA	NA	Sampling
5226	40	32	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	38.4	0.6		NA	NA	Sampling

STN Code	Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Sodium Percentage	SAR	Other (General Param)	Iron (mg/L)	Manganese (mg/L)	Sampling Status
5228	77	61	58	0.2(BDL)	0.5(BDL)	1.96	26.1	0.5		NA	NA	Sampling
5229	17	13	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	39.5	0.4		NA	NA	Sampling
5230	39	31	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	32.2	0.5		NA	NA	Sampling
5231	104	79	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	70.1	2.5		NA	NA	Sampling
5232	281	213	11	0.2(BDL)	0.5(BDL)	5.2	78.7	5.4		NA	NA	Sampling
5233	115	87	11	0.2(BDL)	0.5(BDL)	1.2	65.7	2.1		NA	NA	Sampling
5234	98	75	10(BDL)	0.2(BDL)	0.5(BDL)	1.3	60.5	1.8		NA	NA	Sampling
5235	100	76	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	66.2	2.2		NA	NA	Sampling
5236	1008	766	10(BDL)	0.2(BDL)	0.5(BDL)	6.1	80.7	10.4		NA	NA	Sampling
5237	1445	1098	12	0.2(BDL)	0.5(BDL)	5.1	81.4	12.3		NA	NA	Sampling
5238	107	81	13	0.2(BDL)	0.5(BDL)	1.1	68.1	2.2		NA	NA	Sampling
5239	138	104	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	58.3	1.9		NA	NA	Sampling
5240	145	110	11	0.2(BDL)	0.5(BDL)	4.5	63.5	2.5		NA	NA	Sampling
5241	672	510	12	0.2(BDL)	0.5(BDL)	12.5	61.8	4.8		NA	NA	Sampling
5242	50	38	10(BDL)	0.2(BDL)	0.5(BDL)	2.4	30.6	0.5		NA	NA	Sampling
5243	61	39	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	43.8	0.8		NA	NA	Sampling
5244	58	34	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	54.4	1.1		NA	NA	Sampling
5245	642	500	12	0.2(BDL)	0.5(BDL)	6.31	68.9	5.4		NA	NA	Sampling
5527	152	101	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	51.8	1.7		NA	NA	Sampling
5528	143	84	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	48.4	1.5		NA	NA	Sampling
5529	44	40	10(BDL)	0.2(BDL)	0.5(BDL)	1.04	46	0.7		NA	NA	Sampling
5530	95	91	10(BDL)	0.2(BDL)	0.5(BDL)	4.99	38.7	0.9		NA	NA	Sampling
5531	89	85	10(BDL)	0.2(BDL)	0.5(BDL)	3.73	53.9	1.5		NA	NA	Sampling
10016	32	27	22	0.2(BDL)	0.5(BDL)	1(BDL)	33.9	0.4		NA	NA	Sampling
10017	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	38.2	0.5		NA	NA	Sampling
20017	NA	NA	66	NA	NA	NA	NA	NA		NA	NA	Sampling