

## NWMP DATA MAY 2024

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
5227	06-05-2024	May	01:35	RIVER KALINDI AT BAVALI, WAYANAD		12.147145	75.222283	RIVER
3458	04-05-2024	May	11:30	RIVER KARAPUZHA DAM AT WAYANAD		11.617536	76.172039	RIVER
42	08-05-2024	May	12:30	RIVER KALLADA AT PERUMTHOTTAMKADAVU, PUNALLOOR		9.075158	76.81881	RIVER
1207	06-05-2024	May	01:30	RIVER KABANI AT MUTHANKARA, WAYANAD		11.80859	76.085607	RIVER
1342	02-05-2024	May	12:20	RIVER ACHANKOVIL AT THUMPAMON		9.228125	76.713267	RIVER
5228	04-05-2024	May	12:48	RIVER KABANI AT MUTHANGA,WAYANAD		12.147166	75.222299	RIVER
1441	04-05-2024	May	10:30	ASHTHAMUDI LAKE AT QUILON, KERALA		8.918669	76.610461	LAKE
5230	06-05-2024	May	01:45	LAKE KARLAD AT WAYANAD		12.147248	75.222432	LAKE
5226	06-05-2024	May	12:30	RIVER PAPANASINI AT THIRUNELLY, WAYANAD		11.908676	75.988338	RIVER
3459	06-05-2024	May	15:00	RIVER MANIYANKODE PUZHA AT MANIYANKODE BRIDGE, WAYANAD		11.630953	76.079586	RIVER
1443	02-05-2024	May	11:30	RIVER ACHANKOVIL AT CHENNITHALA, ALAPPUZHA		9.261571	76.530534	RIVER
5229	13-05-2024	May	12:45	RIVER KABANI AT BANASURA SAGAR DAM AT KALPETTA,WAYANAD		11.669078	75.950256	RIVER
1564	13-05-2024	May	12:56	RIVER ITHIKKARA KERALA		8.860786	76.77355	RIVER
1574	13-05-2024	May	11:16	PARAVUR, KERALA		8.830139	76.661444	LAKE
2287	13-05-2024	May	10:45	RIVER ITHIKKARA AT ITHIKKARA		8.855706	76.69891	RIVER
20	04-05-2024	May	10:45	RIVER CHALIYAR AT KOOLIMADU		11.268524	75.975646	RIVER
5171	02-05-2024	May	11:10	CHERUVATHUR - MADAKKARA HARBOUR AT CHERUVATHUR PANCHAYATH KAS		12.209955	75.127762	RIVER
2288	08-05-2024	May	10:00	RIVER PALLICKAL AT NELLIMUKAL		9.126264	76.687399	RIVER
1567	07-05-2024	May	10:00	RIVER KUTTIYADY ESTATE, KERALA		11.602297	75.7051	RIVER
1568	07-05-2024	May	09:30	RIVER MAHE AT VALAYAM, KOZHIKODE		11.701318	75.665761	RIVER
3465	02-05-2024	May	01:00	RIVER ACHANKOVIL AT KALLARAKADAVU, PATHANAMTHITTA		9.254722	76.588333	RIVER
2294	01-05-2024	May	09:00	RIVER KALLAYI AT KALLAYI BRIDGE, KOZHIKODE		11.237635	75.786812	RIVER
2295	09-05-2024	May	11:45	RIVER KORAPUZHA AT KANAYANKODE		11.444394	75.728494	RIVER
3466	02-05-2024	May	12:15	RIVER ACHANKOVIL AT PANDALAM		9.233018	76.6729	RIVER
3461	05-05-2024	May	08:30	CANOLI CANAL AT ERANJIKKAL		11.327617	75.760327	CANAL
5172	07-05-2024	May	00:00	NELLIKUNNU BRIDGE AT NELLIKUNNU, KASARAGOD		12.502514	74.976821	DRAIN
3462	05-05-2024	May	09:30	MANANCHIRA POND AT KOZHEKODE		11.253986	75.780575	POND

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
5202	13-05-2024	May	02:15	RIVER KALLADA AT KULATHUPUZHA, KOLLAM		8.901342	77.058207	RIVER
5173	06-05-2024	May	01:20	RIVER PERUVAMBA AT ETTIKULAM, KANNUR		12.026366	75.225694	BEACH
5174	15-05-2024	May	11:10	R. ANCHARAKKANDY AT MOIDUPALAM,DHARMADAM, KANNUR		11.779929	75.460679	BEACH
5203	04-05-2024	May	12:04	RIVER KALLADA AT MUNDROTHURUTH, KOLLAM		9.003454	76.633091	RIVER
5176	15-05-2024	May	10:50	RIVER KANAMPUZHA IN KANNUR MUNICIPALITY		11.95207	75.30488	RIVER
5204	13-05-2024	May	12:37	RIVER ITHIKKARA AT KALLADATHANNI, KOLLAM		8.852521	76.82611	RIVER
5177	13-05-2024	May	12:00	RIVER VALAPATTANAM AT AZHEEKAL PORT, AZHEEKODE,KANNUR		11.94860931	75.3022797	RIVER
5178	06-05-2024	May	12:40	KAVVAYI BACKWATERS AT KAVVAYI, PAYYANUR		12.046785	75.185549	Sea
5179	10-05-2024	May	09:45	VELI BOAT CLUB AT VELI LAKE,THIRUVANANTHAPURAM		8.5085305	76.8888078	LAKE
5180	10-05-2024	May	10:10	AKKULAM BRIDGE AT AKKULAM LAKE, THIRUVANANTHAPURAM		8.5199403	76.8950475	LAKE
5181	09-05-2024	May	12:15	BEACH AT VARKALA PAPANASAM, THIRUVANANTHAPURAM		8.732954	76.703461	BEACH
5190	04-05-2024	May	12:30	VEMBANAD LAKE AT ANDAKARANAZHI NEW BRIDGE, ALAPPUZHA		9.748363	76.285701	LAKE
5191	09-05-2024	May	12:00	RIVER PAMBA NEAR THOTTAPPALLY HARBOUR, ALAPPUZHA		9.311484	76.382278	RIVER
5192	28-05-2024	May	04:00	RIVER CHALIYAR BEYPORE PORT, KOZHIKODE		11.158868	75.79622	RIVER
5193	10-05-2024	May	12:30	RIVER PERIYAR AZHIKODE FERRY, KODUNGALLUR,THRISSUR		10.188416	76.174025	RIVER
5194	17-05-2024	May	09:35	KMML CHAVARA, KOLLAM		9.000749	76.52069	Sea
1563	27-05-2024	May	08:10	RIVER NEYYAR AT AMARAVILA		8.38965	77.097462	RIVER
5184	03-05-2024	May	09:30	KOCHI LAKE NEAR THOPUMPADY, KOCHI		9.93695	76.264666	LAKE
5185	03-05-2024	May	10:20	KOCHI LAKE NEAR WELLINGTON ISLAND, KOCHI		9.922684	76.286911	LAKE
5183	03-05-2024	May	11:30	KOCHI LAKE NEAR COCHIN PORT TRUST, KOCHI		9.9519313	76.2613901	LAKE
5182	04-05-2024	May	10:30	KOCHI LAKE AT GOSHREE BRIDGE, KOCHI		9.991952	76.2666	LAKE
43	04-05-2024	May	01:15	RIVER MUVATTAPUZHA AT VETTIKATTUMUKKU		9.804794	76.453225	RIVER
1339	08-05-2024	May	11:40	RIVER MEENACHIL AT KIDANGOOR, KOTTAYAM		9.680741	76.613206	RIVER
5210	17-05-2024	May	11:20	RIVER KOTHAMANGALAM AT KOOROOR THODU, ERNAKULAM		10.054276	76.625621	RIVER
1576	17-05-2024	May	03:45	PERIYAR LAKE AT THEKKADY, KERALA		9.525958	77.207625	LAKE
5211	17-05-2024	May	12:40	RIVER MUVATTAPUZHA AT PERUVAMMUZHI BRIDGE, ERNAKULAM		9.971124	76.503074	RIVER
5530	07-05-2024	May	12:10	Vembanad lake at Changanassery Ferry		9.44547	76.528366	lake (Ramsa
1570	02-05-2024	May	10:30	RIVER NILESWARAM NEAR NILESWARAM BRIDGE AT HOSDURG, KASARAGOD		12.249763	75.124839	RIVER

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
1571	02-05-2024	May	00:00	RIVER KARYANKODE AT KAKKADAVU		12.266946	75.283817	RIVER
5529	07-05-2024	May	12:30	Vembanad lake at Kottayam Ferry		9.577429	76.518629	lake (Ramsa
1572	14-05-2024	May	00:00	RIVER CHANDRAGIRI AT PADIYATHADKA		12.555429	75.214568	RIVER
2303	07-05-2024	May	00:00	RIVER PULLUR AT PULLUR BRIDGE		12.350078	75.096852	RIVER
2304	04-05-2024	May	10:10	RIVER MOGRAL AT MOGRAL BR.		12.560308	74.955942	RIVER
2319	15-05-2024	May	01:10	RIVER ANCHARAKANDY AT ANCHARAKANDY		11.873394	75.509157	RIVER
2305	14-05-2024	May	00:00	RIVER SHIRIYA AT ANGADIMOGARU		12.640763	75.013572	RIVER
2297	07-05-2024	May	02:00	RIVER ANCHARAKANDY AT MERUVAMBAYI		11.875993	75.576837	RIVER
2306	04-05-2024	May	10:55	RIVER UPPALA AT UPPALA BR.		12.694753	74.904556	RIVER
2307	04-05-2024	May	00:00	RIVER MANJESHWAR AT BAJRAKKARA BR.		12.71245	74.894392	RIVER
5221	14-05-2024	May	09:00	RIVER IRUVAZHINJI AT CHEPPILANKODE, KOZHIKODE		11.363623	76.002843	RIVER
5222	14-05-2024	May	09:30	RIVER IRUVAZHINJI AT MUKKAM BRIDGE, KOZHIKODE		11.321159	75.999874	RIVER
5223	14-05-2024	May	10:15	RIVER IRUVAZHINJI AT KUTTIPALAKAL, KOZHIKODE		11.317971	75.991933	RIVER
5224	01-05-2024	May	09:30	RIVER KALLAYI AT MOORIYADU, KOZHIKODE		11.238012	75.795632	RIVER
5225	01-05-2024	May	10:00	RIVER KALLAYI AT KOTHI BRIDGE, KOZHIKODE		11.228964	75.780378	RIVER
21	04-05-2024	May	11:45	RIVER CHALIYAR AT CHUNGAPALLY		11.242155	75.900314	RIVER
5164	02-05-2024	May	10:40	THEERTHAMKARA POND AT PADANNAKKAD,KANHANGAD MUNCIPALITY		12.256306	75.113556	POND
5242	14-05-2024	May	00:00	PALLANGODE BRIDGE AT PUTHIYAMBALAM, KASARAGOD		12.564563	75.24633	RIVER
5243	07-05-2024	May	10:00	CHANDRAGIRI RIVER AT CHANDRAGIRI BRIDGE, KASARAGOD		12.499621	74.999088	RIVER
2290	07-05-2024	May	10:45	RIVER PUZHAKKAL AT PUZHACKAL BRIDGE		10.542736	76.178764	RIVER
1575	04-05-2024	May	10:00	VEMBANAD LAKE,KOCHI (OIL TANKER JETTY), KERALA		9.958061	76.265928	LAKE
5244	07-05-2024	May	00:00	RIVER MOGRAL AT MADHUR BRIDGE NEAR MADHUR SRI SIDHIVINAYAKA TEMPLE		12.555285	75.009924	RIVER
2289	03-05-2024	May	10:50	RIVER KARUVANNUR AT KARUVANNUR BRIDGE		10.404098	76.214921	RIVER
5245	04-05-2024	May	11:35	RIVER MANJESHWAR AT BANGRA-MANJESHWAR BRIDGE,HOSDURG, KASARAGOD		12.712821	74.894951	RIVER
2296	15-05-2024	May	12:15	RIVER THALASSERRY AT PATHIPALAM		11.762473	75.501352	RIVER
5212	04-05-2024	May	11:15	POND NEAR HMT COLONY,NORTH KALAMASSERY PALAM, ERNAKULAM		10.0640474	76.3487292	POND
5213	16-05-2024	May	02:45	RIVER PUZHAKKAL AT PANCHIKKAL CANAL, THRISSUR		10.534897	76.178071	RIVER
1569	06-05-2024	May	10:45	RIVER KUPPAM THALIPARAMBA, KERALA		12.048958	75.346	RIVER

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
2299	06-05-2024	May	01:40	RIVER RAMAPURAM AT RAMAPURAM BRIDGE		12.046362	75.26507	RIVER
2293	02-05-2024	May	11:00	RIVER KADALUNDI AT HAJIRAPPALLY		11.051336	76.061343	RIVER
5214	07-05-2024	May	11:30	RIVER WADAKKANCHERY AT WADAKKANCHERY PALAM,THRISSUR		10.662811	76.247218	RIVER
5198	04-05-2024	May	10:19	ASHTAMUDI LAKE AT THOPPILAKADAVU, KOLLAM		8.896905	76.57213	LAKE
5199	04-05-2024	May	10:00	ASHTAMUDI LAKE NEAR KSRTC BUS DEPOT, KOLLAM		8.892887	76.585479	LAKE
5170	16-05-2024	May	11:45	AALUMKULAM POND AT KOORKKANCHERY,THRISSUR		10.5097325	76.2113173	POND
5200	04-05-2024	May	01:00	ASHTAMUDI LAKE AT PERUMON, KOLLAM		8.971042	76.609894	LAKE
2292	03-05-2024	May	10:15	RIVER TIRUR AT THALAKKADATHUR BRIDGE, MALAPPURAM		10.933054	75.933938	RIVER
2331	06-05-2024	May	01:40	RIVER BHARATHAPUZHA AT KUTTIPPURAM		10.839136	76.036128	RIVER
5201	04-05-2024	May	12:26	ASHTAMUDI LAKE NEAR M/S. KUNDARA CERAMICS, KOLLAM		8.968421	76.659739	LAKE
1385	03-05-2024	May	11:20	SASTHAMCOTTA LAKE, KERALA		9.033686	76.635364	LAKE
2332	06-05-2024	May	12:25	RIVER BHARATHAPUZHA AT PATTAMBI		10.799658	76.185131	RIVER
2326	06-05-2024	May	00:00	RIVER KORAYAR NEAR NARAGAMPALLY BRIDGE AT KANJIKODE, PALAKKAD		10.789783	76.717475	RIVER
5527	07-05-2024	May	12:00	Vembanad lake At the U/S of Thanneermukkam bund		9.682114	76.394319	lake (Ramsar)
5220	03-05-2024	May	10:30	RIVER TIRUR AT NADUVILANGADI		10.917179	75.910839	RIVER
3460	06-05-2024	May	00:00	RIVER KALPATHI PUZHA AT KALPATHI, PALAKKAD		10.791581	76.651378	RIVER
1338	07-05-2024	May	10:30	RIVER PERIYAR AT SEWAGE DISCHARGE POINT,ALUVA, ERNAKULAM		10.100825	76.346109	RIVER
5528	07-05-2024	May	11:00	Vembanad lake at Padashekaram at Kainikkari		9.518721	76.379925	lake (Ramsar)
2328	06-05-2024	May	10:10	RIVER BHARATHAPUZHA RSVR AT MALAMPUZHA		10.829122	76.680693	RIVER
3468	07-05-2024	May	10:50	RIVER PERIYAR AT KWA INTAKE, ALUVA		10.113842	76.360296	RIVER
1208	07-05-2024	May	11:30	RIVER BHAVANI AT ELACHIVAZHY, PALAKKAD		11.169886	76.692725	RIVER
2301	06-05-2024	May	12:05	RIVER KAVVAI AT KUTTIYOL PALAM		12.11535	75.170739	RIVER
18	07-05-2024	May	11:30	RIVER PERIYAR AT KALADY		10.158507	76.438102	RIVER
2298	04-05-2024	May	11:25	RIVER KUPPAM AT RAYAROM		12.209567	75.440792	RIVER
1154	07-05-2024	May	12:15	RIVER CHALAKUDY AT PULIKKAKADAVU, THRISSUR		10.240845	76.330727	RIVER
5215	06-05-2024	May	12:15	RIVER CHITTURPUZHA AT CHITTUR BRIDGE, PALAKKAD		10.690035	76.718696	RIVER
2318	07-05-2024	May	12:55	RIVER VALAPATTANAM AT PAZHASSI RESERVOIR, KANNUR		11.974067	75.602557	RIVER
3467	09-05-2024	May	10:30	UNTHITHODU AT ELOOR, ERNAKULAM		10.07305	76.286714	CANAL

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
2334	09-05-2024	May	11:00	RIVER PERIYAR AT PATHALAM		10.080819	76.317908	RIVER
5216	06-05-2024	May	11:15	RIVER KANNADIPPUZHA AT THIRUNELLAYI BRIDGE, PALAKKAD		10.75357	76.624268	RIVER
5231	06-05-2024	May	11:50	RIVER KAVVAI AT KANKOL, KANNUR		12.147054	75.22229	RIVER
2333	09-05-2024	May	11:15	RIVER PERIYAR AT MUPPATHADAM		10.083386	76.319817	RIVER
5232	06-05-2024	May	11:35	RIVER PERUVAMBA AT PERUMBA BRIDGE, KANNUR		12.108927	75.221779	RIVER
2335	09-05-2024	May	11:45	RIVER PERIYAR AT KALAMASSERY		10.063382	76.311915	RIVER
5217	07-05-2024	May	10:30	RIVER NELLIPUZHA AT NELLIPUZHA BRIDGE, MANNARKKAD, PALAKKAD		10.992514	76.469277	RIVER
2337	14-05-2024	May	09:30	RIVER KADAMBRAYAR AT BRAHMAPURAM		10.005208	76.369179	RIVER
5209	06-05-2024	May	10:00	RIVER PERIYAR AT PANAMKUTTY BRIDGE, IDUKKI		9.952427	76.980072	RIVER
5218	07-05-2024	May	10:45	RIVER KUNTHIPIZHA AT MANNARKKAD, PALAKKAD		10.99111111	76.4437778	RIVER
2284	27-05-2024	May	09:10	RIVER NEYYAR AT ARUVIPURAM		8.428797	77.094478	RIVER
1573	14-05-2024	May	09:50	RIVER CHITHRAPUZHA AT IRUMPANAM, KERALA		9.971133	76.362003	RIVER
2338	14-05-2024	May	10:10	RIVER KADAMBRAYAR AT MANCKAKADAVU		10.009056	76.370728	RIVER
5208	06-05-2024	May	12:30	RIVER PERIYAR AT KULAMAVU RESEVOIR AT IDUKKI		9.802226	76.886838	RIVER
1565	05-05-2024	May	08:00	RIVER PAMBA DOWN, KERALA		9.325719	76.520939	RIVER
2286	09-05-2024	May	09:05	RIVER AYIROOR AT AYIROOR BRIDGE		9.979797	76.332922	RIVER
2285	09-05-2024	May	09:45	RIVER MAMOM AT MAMOM BRIDGE		8.674267	76.821042	RIVER
1341	05-05-2024	May	09:00	RIVER PAMBA AT THAKAZHY, KERALA		9.370066	76.424254	RIVER
5205	05-05-2024	May	08:15	RIVER PAMBA AT MUNNAR, PATHANAMTHITTA		9.329469	76.530885	RIVER
1156	05-05-2024	May	07:30	RIVER PAMBA AT CHENGANNUR, ALAPPUZHA		9.327173	76.62233	RIVER
####	15-05-2024	May	10:15	RIVER PAMBA U/S		9.422201	77.085714	RIVER
####	15-05-2024	May	10:40	RIVER PAMBA D/S		9.415979	77.061065	RIVER
1383	04-05-2024	May	01:00	AKKULAM LAKE AT ORUVATHILKOTTA, THIRUVANANTHAPURAM		8.520977	76.900136	LAKE
####	15-05-2024	May	10:20	STP NEAR	Outlet	9.419602	77.065306	STP
2325	04-05-2024	May	01:45	POND AT (PADMANABHA) SREE PADMANABHA SWAMY TEMPLE (TVPM)		8.483091	76.945555	POND
1442	09-05-2024	May	01:35	RIVER VAMANAPURAM AT VAMANAPURAM, THIRUVANANTHAPURAM		8.726925	76.898642	RIVER
1340	02-05-2024	May	11:00	RIVER MANIMALA AT KALLOOPARA, KERALA		9.395686	76.640564	RIVER
3470	27-05-2024	May	01:15	VELLAYANI LAKE AT VANDITHADOM, THIRUVANANTHAPURAM		8.431693	76.990329	LAKE

STN Code	Sampling Date	Sampling Month	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Latitude	Longitude	Type Water Body
3469	15-05-2024	May	10:30	PALAKKATTUTHAZHAMTHODU AT PERUMBAVOOR, ERNAKULAM		10.120985	76.459533	CANAL
1579	07-05-2024	May	11:30	ALAPPUZHA, KERALA		9.50035	76.352417	LAKE
5196	29-05-2024	May	01:10	RIVER KARAMANA AT PEPPARA UPSTREAM, PEPPARA DAM, THIRUVANANTHAPURAM		8.624212	77.1389	RIVER
5197	21-05-2024	May	01:45	RIVER KILLIYAR AT MARUTHAMKUZHI BRIDGE, THIRUVANANTHAPURAM		8.513218	76.976348	RIVER
2312	07-05-2024	May	10:30	LAKE VEMBANAD AT PATHIRAMANAL (ALAPPUZHA)		9.621494	76.375531	LAKE
2329	15-05-2024	May	12:30	RIVER PERIYAR RSVR AT BHOOOTHATHANKETU		10.137156	76.659389	RIVER
5233	15-05-2024	May	00:00	RIVER RAMAPURAM AT KAPPUNGAL, KANNUR		12.060306	75.267514	RIVER
2330	15-05-2024	May	01:00	RIVER PERIYAR RSVR AT EDAMALAYAR		10.230593	76.699996	RIVER
1578	09-05-2024	May	11:15	KAYAMKULAM, KERALA		9.159683	76.459383	LAKE
1577	17-05-2024	May	10:45	KODUNGALLOOR, KERALA		10.198442	76.205019	LAKE
5234	04-05-2024	May	12:10	RIVER KUPPAM AT UROOTERI, KANNUR		12.13993	75.42444	RIVER
1155	10-05-2024	May	09:30	RIVER KARAMANA AT MOONNATTUMUKKU, KERALA		8.478967	76.970486	RIVER
5235	07-05-2024	May	11:45	RIVER VALAPATTANAM AT PAVANNUR, KANNUR		12.000101	75.502033	RIVER
2336	17-05-2024	May	11:45	RIVER PERIYAR AT PURAPPALLIKADAVU		10.145934	76.279859	RIVER
5206	03-05-2024	May	11:30	RIVER VARATTAAR AT ARATTUKADAVU, ALAPPUZHA		9.345344	76.605099	RIVER
5195	10-05-2024	May	09:20	RIVER KARAMANA AT THIRUVALLOM, THIRUVANANTHAPURAM		8.441407	76.953847	RIVER
5236	15-05-2024	May	11:40	RIVER THALLASSERRY AT ERANJOLI PALAM, KANNUR		11.761214	75.50647	RIVER
5237	13-05-2024	May	11:15	RIVER KAKKAD AT VARANAM KADAVU BRIDGE, KANNUR		11.918768	75.40915	RIVER
5207	03-05-2024	May	12:00	RIVER PAMBA AT VEEYAPURAM, ALAPPUZHA		9.32809	76.458943	RIVER
5238	15-05-2024	May	01:00	RIVER ANCHARAKANDY AT ODAKADAVU BRIDGE, KANNUR		11.854995	75.502777	RIVER
5239	07-05-2024	May	01:25	VALAPATTANAM RIVER AT IRRITY BRIDGE, KANNUR		11.993465	75.673176	RIVER
5240	15-05-2024	May	11:50	RIVER THALASSERY AT KUNDUCHIRA, KANNUR		11.758405	75.519601	RIVER
5241	15-05-2024	May	11:20	RIVER THALASSERY AT KODUVALLY, KANNUR		11.765633	75.479775	RIVER
5165	13-05-2024	May	12:55	CHIRAKKAL CHIRA ,KADALAYI, KANNUR		11.91222413	75.3560537	POND
5166	07-05-2024	May	02:15	THRIKAIKUNNU CHIRA, KOOHUPARAMBA, KANNUR		11.8283767	75.55167	POND
5169	13-05-2024	May	11:00	RIVER KAKKAD AT KAKKAD , KANNUR		11.89494265	75.3874293	RIVER
1580	06-05-2024	May	12:35	POOKODE LAKE AT POOKODE		11.542227	76.027267	LAKE

STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
5227	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
3458	MEDIUM AND MINOR	MEDIUM AND MINOR	WAYANAD	KERALA	KERALA	MONTHLY	None
42	MEDIUM AND MINOR	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	
1207	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
1342	MEDIUM AND MINOR	ACHANKOVIL	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	
5228	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
1441	LAKE	ASHTHAMUDI LAKE	KOLLAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5230	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
5226	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
3459	MEDIUM AND MINOR	MANIYANKODE PUZHA	WAYANAD	KERALA	KERALA	MONTHLY	None
1443	MEDIUM AND MINOR	ACHANKOVIL	ALAPPUZHA	KERALA	KERALA	MONTHLY	
5229	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None
1564	MEDIUM AND MINOR	ITHIKKARA	KOLLAM	KERALA	KERALA	MONTHLY	
1574	LAKE	PARAVUR LAKE	KOLLAM	KERALA	KERALA	MONTHLY	None
2287	MEDIUM & MINOR	ITHIKKARA	KOLLAM	KERALA	KERALA	MONTHLY	
20	Medium And Minor	CHALIYAR	KOZHIKODE	KERALA	KERALA	MONTHLY	None
5171	KARIANGODE	KARIANGODE	KASARAGOD	KERALA	KERALA	MONTHLY	Plastic Waste
2288	Medium And Minor	PALLICKAL	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	None
1567	MEDIUM AND MINOR	KUTTIYADY	KOZHIKODE	KERALA	KERALA	MONTHLY	None
1568	MEDIUM & MINOR	MAHE	KOZHIKODE	KERALA	KERALA	MONTHLY	None
3465	MEDIUM AND MINOR	ACHANKOVIL	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	None
2294	Medium And Minor	KALLAYI	KOZHIKODE	KERALA	KERALA	MONTHLY	Industrial Effluent
2295	MEDIUM AND MINOR	CORAPUZHA	KOZHIKODE	KERALA	KERALA	MONTHLY	None
3466	MEDIUM AND MINOR	ACHANKOVIL	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	None
3461	KALLAI	KALLAI	KOZHIKODE	KERALA	KERALA	MONTHLY	
5172	CHANDRAGIRI	CHANDRAGIRI	KASARAGOD	KERALA	KERALA	MONTHLY	
3462	POND	POND	KOZHIKODE	KERALA	KERALA	MONTHLY	None

STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
5202	MEDIUM & MINOR	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	HALTING PLACE OF SABARIM
5173	Medium And Minor	PERUVAMBA	KANNUR	KERALA	KERALA	MONTHLY	
5174	ANCHARAKKANDY	ANCHARAKKANDY	KANNUR	KERALA	KERALA	MONTHLY	
5203	MEDIUM & MINOR	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	
5176	MEDIUM & MINOR	ANCHARAKANDY	KANNUR	KERALA	KERALA	MONTHLY	
5204	ITHIKKARA	ITHIKKARA	KOLLAM	KERALA	KERALA	MONTHLY	None
5177	MEDIUM & MINOR	VALAPATTANAM	KANNUR	KERALA	KERALA	MONTHLY	
5178	KAVVAYI	KAVVAYI	KANNUR	KERALA	KERALA	MONTHLY	
5179	KARAMANA	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5180	KARAMANA	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5181	AYROOR	AYROOR	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
5190	PAMBA	PAMBA	ALAPPUZHA	KERALA	KERALA	MONTHLY	None
5191	Medium And Minor	PAMBA	ALAPPUZHA	KERALA	KERALA	MONTHLY	None
5192	MEDIUM & MINOR	CHALIYAR	KOZHICODE	KERALA	KERALA	MONTHLY	
5193	Medium And Minor	PERIYAR	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5194	KALLADA	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	Industrial Effluent
1563	MEDIUM & MINOR	NEYYAR	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
5184	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5185	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5183	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5182	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
43	MEDIUM AND MINOR	MUVATTAPUZHA	KOTTAYAM	KERALA	KERALA	MONTHLY	Industrial Effluent
1339	MEDIUM AND MINOR	MEENACHIL	KOTTAYAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5210	PERIYAR	KOTHAMANGALAM	ERNAKULAM	KERALA	KERALA	MONTHLY	Plastic Waste
1576	LAKE	PERIYAR LAKE	IDUKKI	KERALA	KERALA	MONTHLY	Industrial Effluent
5211	MEDIUM & MINOR	MUVATTAPUZHA	ERNAKULAM	KERALA	KERALA	MONTHLY	Plastic Waste
5530			Kottayam	KERALA	Kerala	Monthly	Industrial Effluent
1570	NILESWARAM	NILESWARAM	KASARAGOD	KERALA	KERALA	MONTHLY	Plastic Waste



STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
1571	KARYANKODE	KARYANKODE	KASARAGOD	KERALA	KERALA	MONTHLY	
5529			Kottayam	KERALA	Kerala	Monthly	Industrial Effluent
1572	CHANDRAGIRI	CHANDRAGIRI	KASARAGOD	KERALA	KERALA	MONTHLY	
2303	MEDIUM & MINOR	PULLUR	KASARAGOD	KERALA	KERALA	MONTHLY	
2304	MEDIUM AND MINOR	MOGRAL	KASARGODE	KERALA	KERALA	MONTHLY	Plastic Waste
2319	Medium And Minor	ANCHARAKANDY	KANNUR	KERALA	KERALA	MONTHLY	None
2305	MEDIUM AND MINOR	SHIRIYA	KASARGODE	KERALA	KERALA	MONTHLY	
2297	Medium And Minor	ANCHARAKANDY	KANNUR	KERALA	KERALA	MONTHLY	None
2306	MEDIUM AND MINOR	UPPALA	KASARGODE	KERALA	KERALA	MONTHLY	Plastic Waste
2307	MEDIUM AND MINOR	MANJESHWAR	KASARGODE	KERALA	KERALA	MONTHLY	
5221	CHALIAYAR	IRUVAZHINJI	KOZHIKODE	KERALA	KERALA	MONTHLY	None
5222	CHALIAYAR	IRUVAZHINJI	KOZHIKODE	KERALA	KERALA	MONTHLY	None
5223	CHALIAYAR	IRUVAZHINJI	KOZHIKODE	KERALA	KERALA	MONTHLY	None
5224	Medium And Minor	KALLAYI	KOZHIKODE	KERALA	KERALA	MONTHLY	Plastic Waste
5225	Medium And Minor	KALLAYI	KOZHIKODE	KERALA	KERALA	MONTHLY	Industrial Effluent
21	Medium And Minor	CHALIYAR	KOZHIKODE	KERALA	KERALA	MONTHLY	None
5164	NEELASWARAM	NEELASWARAM	KASARAGOD	KERALA	KERALA	MONTHLY	None
5242	CHANDRAGIRI	CHANDRAGIRI	KASARAGOD	KERALA	KERALA	MONTHLY	
5243	CHANDRAGIRI	CHANDRAGIRI	KASARAGOD	KERALA	KERALA	MONTHLY	Plastic Waste
2290	MEDIUM AND MINOR	PUZHAKKAL	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
1575	LAKE	VEMBANAD LAKE	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5244	MEDIUM & MINOR	MADHUVAHINI	KASARAGOD	KERALA	KERALA	MONTHLY	
2289	Medium And Minor	KARUVANNUR	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5245	MEDIUM & MINOR	MANJESHWAR	KASARAGOD	KERALA	KERALA	MONTHLY	Plastic Waste
2296	MEDIUM & MINOR	THALASSERRY	KANNUR	KERALA	KERALA	MONTHLY	None
5212	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
5213	MEDIUM & MINOR	PUZHAKKAL	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
1569	MEDIUM AND MINOR	KUPPAM	KANNUR	KERALA	KERALA	MONTHLY	

STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
2299	MEDIUM & MINOR	RAMAPURAM	KANNUR	KERALA	KERALA	MONTHLY	None
2293	MEDIUM AND MINOR	KADALUNDI	MALAPPURAM	KERALA	KERALA	MONTHLY	None
5214	CHALAKUDY	WADAKKANCHERRY	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5198	KALLADA	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5199	KALLADA	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5170	PUZHAKKAL	PUZHAKKAL	THRISSUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5200	KALLADA	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	
2292	TIRUR	TIRUR	MALAPPURAM	KERALA	KERALA	MONTHLY	None
2331	MEDIUM AND MINOR	BHARATHAPUZHA	MALAPPURAM	KERALA	KERALA	MONTHLY	
5201	KALLADA	KALLADA	KOLLAM	KERALA	KERALA	MONTHLY	Industrial Effluent
1385	LAKE	SASTHAMCOTTA	KOLLAM	KERALA	KERALA	MONTHLY	
2332	MEDIUM AND MINOR	BHARATHAPUZHA	PALLAKAD	KERALA	KERALA	MONTHLY	Municipal Solid Waste
2326	MEDIUM & MINOR	KALPATHIPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	
5527	pamba	pamba	Alappuzha	KERALA	Kerala	Monthly	
5220	TIRUR	TIRUR	MALAPPURAM	KERALA	KERALA	MONTHLY	None
3460	MEDIUM AND MINOR	KALPATHI PUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	
1338	MEDIUM AND MINOR	PERIYAR	ERODE	KERALA	KERALA	MONTHLY	None
5528	pamba	pamba	Alappuzha	KERALA	Kerala	Monthly	
2328	BHARATHAPUZHA	MALAMPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	None
3468	Medium And Minor	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
1208	CAUVERY	BHAVANI	PALAKKAD	KERALA	KERALA	MONTHLY	None
2301	MEDIUM AND MINOR	KAVVAI	KANNUR	KERALA	KERALA	MONTHLY	None
18	MEDIUM AND MINOR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
2298	MEDIUM AND MINOR	KUPPAM	KANNUR	KERALA	KERALA	MONTHLY	None
1154	Medium And Minor	CHALAKUDY	THRISSUR	KERALA	KERALA	MONTHLY	None
5215	Medium And Minor	CHITTURPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	None
2318	MEDIUM & MINOR	VALAPATTANAM	KANNUR	KERALA	KERALA	MONTHLY	None
3467	CANAL	CANAL	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent

STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
2334	MEDIUM AND MINOR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5216	BHARATHAPUZHA	KANNADIPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	None
5231	MEDIUM AND MINOR	KAVVAI	KANNUR	KERALA	KERALA	MONTHLY	None
2333	MEDIUM AND MINOR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5232	Medium And Minor	PERUVAMBA	KANNUR	KERALA	KERALA	MONTHLY	None
2335	Medium And Minor	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
5217	BHARATHAPUZHA	NELLIPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	None
2337	MEDIUM AND MINOR	KADAMBAYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5209	Medium And Minor	PERIYAR	IDUKKI	KERALA	KERALA	MONTHLY	None
5218	BHARATHAPUZHA	BHARATHAPUZHA	PALAKKAD	KERALA	KERALA	MONTHLY	None
2284	MEDIUM AND MINOR	NEYVAR	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
1573	MEDIUM AND MINOR	CHITHRAPUZHA	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
2338	MEDIUM AND MINOR	KADAMBAYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5208	PERIYAR	PERIYAR	IDUKKI	KERALA	KERALA	MONTHLY	None
1565	MEDIUM AND MINOR	PAMBA	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	Plastic Waste
2286	MEDIUM AND MINOR	AYIROOR	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
2285	MEDIUM AND MINOR	MAMOM	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	
1341	MEDIUM AND MINOR	PAMBA	ALAPPUZHA	KERALA	KERALA	MONTHLY	Plastic Waste
5205	Medium And Minor	PAMBA	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	Plastic Waste
1156	Medium And Minor	PAMBA	ALAPPUZHA	KERALA	KERALA	MONTHLY	Plastic Waste
10016	Medium And Minor	PAMBA	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	Plastic Waste
10017	Medium And Minor	PAMBA	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	Plastic Waste
1383	KARAMANA	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	
20017	STP	STP	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	None
2325	POND	PADMANABHA SWAMY TEM	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
1442	MEDIUM & MINOR	VAMANAPURAM	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
1340	MEDIUM AND MINOR	MANIMALA	PATHANAMTHITTA	KERALA	KERALA	MONTHLY	None
3470	LAKE	LAKE	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None

STN Code	River Basin	Sub Basin	District	State Name	Monitoring Agency	Frequency of Monitoring	Major Polluting Sources
3469	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	Industrial Effluent
1579	LAKE	PUNNAMADA KAYAL LAK	ALAPPUZHA	KERALA	KERALA	MONTHLY	
5196	MEDIUM & MINOR	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
5197	KARAMANA	KILLIYAR	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	None
2312	LAKE	VEMBANADU LAKE	ALAPPUZHA	KERALA	KERALA	MONTHLY	
2329	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
5233	MEDIUM & MINOR	RAMAPURAM	KANNUR	KERALA	KERALA	MONTHLY	
2330	PERIYAR	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
1578	LAKE	KAYAMKULA KAYAL LAKE	ALAPPUZHA	KERALA	KERALA	MONTHLY	
1577	LAKE	KODUNGALLOOR LAKE	THRISSUR	KERALA	KERALA	MONTHLY	None
5234	MEDIUM & MINOR	KUPPAM	KANNUR	KERALA	KERALA	MONTHLY	None
1155	MEDIUM AND MINOR	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5235	MEDIUM & MINOR	VALAPATTANAM	KANNUR	KERALA	KERALA	MONTHLY	None
2336	Medium And Minor	PERIYAR	ERNAKULAM	KERALA	KERALA	MONTHLY	None
5206	PAMBA	VARATTAR	ALAPPUZHA	KERALA	KERALA	MONTHLY	
5195	Medium And Minor	KARAMANA	THIRUVANANTHAPUR	KERALA	KERALA	MONTHLY	Municipal Solid Waste
5236	MEDIUM & MINOR	THALLASSERRY	KANNUR	KERALA	KERALA	MONTHLY	
5237	KAKKAD	KAKKAD	KANNUR	KERALA	KERALA	MONTHLY	None
5207	Medium And Minor	PAMBA	ALAPPUZHA	KERALA	KERALA	MONTHLY	
5238	ANCHARAKANDY	ANCHARAKANDY	KANNUR	KERALA	KERALA	MONTHLY	
5239	MEDIUM & MINOR	VALAPATTANAM	KANNUR	KERALA	KERALA	MONTHLY	None
5240	MEDIUM & MINOR	THALASSERY	KANNUR	KERALA	KERALA	MONTHLY	None
5241	MEDIUM & MINOR	THALASSERY	KANNUR	KERALA	KERALA	MONTHLY	
5165	VALAPATTANAM	VALAPATTANAM	KANNUR	KERALA	KERALA	MONTHLY	None
5166	ANCHARAKKANDY	ANCHARAKKANDY	KANNUR	KERALA	KERALA	MONTHLY	None
5169	VALAPATTANAM	KAKKAD	KANNUR	KERALA	KERALA	MONTHLY	
1580	CAUVERY	KABANI	WAYANAD	KERALA	KERALA	MONTHLY	None

STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro; mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
5227	None	Clear	Greater than 100cm	No	Clear	None		31	3.6	5227	141	1(BDL)	0.3(BDL)	NA
3458	None	Cloudy	Greater than 100cm	No	Clear	None		31	5.5	3458	151	1(BDL)	0.3(BDL)	NA
42	None	Clear	Greater than 100cm	No	GREEN	None		27	7.8	42	85	1.3	2.7	NA
1207	None	Clear	50-100cm	No	Clear	None		30	6.6	1207	128	1(BDL)	0.3(BDL)	NA
1342	None	Clear	Greater than 100cm	No	Clear	None		29	7.5	1342	96	1.1	1.8	NA
5228	None	Cloudy	50-100cm	No	Clear	None		31	5.5	5228	139	1(BDL)	0.3(BDL)	NA
1441	Municipal S	Clear	Greater than 100cm	Yes	TURBID	Fishy		29	5.2	1441	25500	1.7	5.2	NA
5230	None	Clear	Greater than 100cm	No	Clear	None		29	4.7	5230	83	1(BDL)	0.3(BDL)	NA
5226	None	Clear	50-100cm	No	Clear	None		30	6.4	5226	61	1.1	0.3(BDL)	NA
3459	None	Clear	50-100cm	No	Clear	None		31	2.2	3459	179	1.2	0.3(BDL)	NA
1443	None	Clear	Greater than 100cm	Yes	TURBID	Fishy		29	5	1443	109	1.9	1.8	NA
5229	None	Clear	Greater than 100cm	No	Clear	None		28	6.2	5229	41	1(BDL)	0.3(BDL)	NA
1564	None	Clear	Greater than 100cm	Yes	TURBID	None		29	5.2	1564	3420	2.9	3.1	NA
1574	Municipal S	Clear	Greater than 100cm	Yes	GREEN	Fishy		29	5.8	1574	5927	1.6	3.2	NA
2287	None	Clear	Greater than 100cm	Yes	Clear	None		29	7	2287	8290	2	4.1	NA
20	None	Clear	Greater than 100cm	No	TURBID	None		31	7.3	20	143	1.5	0.3(BDL)	NA
5171	None	Clear	Less than 50cm	No	Clear	None		NA	5.1	5171		2.9	NA	NA
2288	None	Clear	Greater than 100cm	No	Clear	None		26	8	2288	102	1.4	4.7	NA
1567	None	Cloudy	Greater than 100cm	No	Clear	None		32	7.7	1567	31	1(BDL)	0.3(BDL)	NA
1568	None	Clear	50-100cm	No	Clear	None		32	6.7	1568	80	1.3	0.3(BDL)	NA
3465	None	Raining	Greater than 100cm	Yes	TURBID	None		30	6.9	3465	105	1(BDL)	3.8	NA
2294	None	Clear	Greater than 100cm	Yes	TURBID	None		31	1.3	2294	47620	3.2	0.62	NA
2295	None	Clear	Greater than 100cm	No	Clear	None		31	5.9	2295	40920	1(BDL)	0.37	NA
3466	None	Clear	Greater than 100cm	No	Clear	None		29	6.1	3466	93	1(BDL)	2.8	NA
3461	None	Clear	Greater than 100cm	No	TURBID			31	4.7	3461	45200	2.2	0.59	NA
5172								NA		5172		NA	NA	NA
3462	None	Clear	Greater than 100cm	No	TURBID	None		32	6.7	3462	74	1.1	0.3(BDL)	NA

STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
5202	None	Clear	Greater than 100cm	Yes	Clear	None		30	5.6	5202	96	1.7	2.9	NA
5173	None	Clear	Greater than 100cm	Yes	TURBID	Fishy		NA	4.1	5173		2.5	NA	NA
5174	None	Clear	Greater than 100cm	Yes	TURBID	Fishy		NA	6.9	5174		1.3	NA	NA
5203	None	Clear	Less than 50cm	Yes	Clear	None		29	6.4	5203	8510	1(BDL)	2.8	NA
5176	None	Windy	Greater than 100cm	Yes	TURBID	Fishy		NA	6.6	5176		4.4	NA	NA
5204	None	Clear	Greater than 100cm	Yes	Clear	None		29	5.6	5204	246	2.5	1.4	NA
5177	None	Clear	Greater than 100cm	Yes	TURBID	Fishy		NA	4.3	5177		NA	NA	NA
5178	None	Clear	Greater than 100cm	Yes	TURBID	Fishy		NA	5.3	5178		4.5	NA	NA
5179	None	Clear	Greater than 100cm	Yes	TURBID	None		NA	1.7	5179		6.9	NA	NA
5180	None	Clear	Greater than 100cm	Yes	TURBID	None		NA	1.6	5180		8	NA	NA
5181	None	Clear	Greater than 100cm	No	GREEN	None		NA	6.6	5181		5	NA	NA
5190	None	Clear	Less than 50cm	No	Clear	None		NA	4.7	5190		5.6	NA	NA
5191	None	Clear	Less than 50cm	No	Clear	None		NA	4.5	5191		NA	NA	NA
5192	None	Cloudy	Greater than 100cm	No	TURBID			NA	7.3	5192		2	NA	NA
5193	None	Clear	Greater than 100cm	No	Clear	None		NA	5.2	5193		1.3	NA	NA
5194	Industrial	Clear	Greater than 100cm	Yes	TURBID BROWN			NA	6.5	5194		NA	NA	NA
1563	None	Clear	Greater than 100cm	No	Clear	None		29	8.4	1563	118	1(BDL)	0.3(BDL)	NA
5184	None	Clear	Greater than 100cm	Yes	TURBID	None		NA	1.7	5184		1(BDL)	NA	NA
5185	Municipal S	Clear	Greater than 100cm	Yes	TURBID	None		NA	4.3	5185		NA	NA	NA
5183	Municipal S	Clear	Greater than 100cm	Yes	TURBID			NA	3.6	5183		2.7	NA	NA
5182	None	Clear	Greater than 100cm	Yes	TURBID	None		NA	7.1	5182		NA	NA	NA
43	Industrial	Clear	Greater than 100cm	No	Clear	None		28	7.5	43	60	1(BDL)	0.3(BDL)	NA
1339	Industrial	Clear	Greater than 100cm	No	Clear	None		28	6.4	1339	104	1.2	0.3(BDL)	NA
5210	None	Clear	50-100cm	No	Clear	None		28	4.5	5210	60	1(BDL)	0.3(BDL)	NA
1576	Industrial	Clear	Greater than 100cm	No	Clear	None		27	7.5	1576	47	1(BDL)	0.3(BDL)	NA
5211	None	Clear	Greater than 100cm	No	Clear	None		28	7.8	5211	63	1(BDL)	0.41	NA
5530	Industrial	Clear	Greater than 100cm	No	Clear	None		27	4.7	5530	191	1.3	0.3(BDL)	NA
1570	None	Clear	Greater than 100cm	No	Clear	None		31	6.4	1570	55300	3	0.57	NA

STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
1571								NA		1571		NA	NA	NA
5529	Industrial	Clear	Greater than 100cm	No	Clear	None		28	5.2	5529	8372	1.4	0.3(BDL)	NA
1572								NA		1572		NA	NA	NA
2303								NA		2303		NA	NA	NA
2304	None	Clear	Greater than 100cm	No	Clear	None		30	7.6	2304	62410	3.1	3.17	NA
2319	None	Clear	Greater than 100cm	Yes	TURBID	None		32	6.5	2319	166	1(BDL)	0.3(BDL)	NA
2305								NA		2305		NA	NA	NA
2297	None	Clear	Greater than 100cm	No	Clear	None		31	4.8	2297	74	1.7	0.3(BDL)	NA
2306	None	Clear	50-100cm	No	Clear	None		31	5.7	2306	61900	2.1	0.69	NA
2307								NA		2307		NA	NA	NA
5221	None	Raining	Greater than 100cm	No	Clear	None		29	6.9	5221	54	1.3	0.67	NA
5222	None	Cloudy	Greater than 100cm	No	Clear	None		29	8	5222	80	1.3	0.3(BDL)	NA
5223	None	Cloudy	Greater than 100cm	Yes	Clear	None		29	7.7	5223	56	2	0.3(BDL)	NA
5224	None	Clear	50-100cm	No	TURBID	None		30	5.3	5224	31880	1.8	0.95	NA
5225	None	Clear	50-100cm	No	TURBID	None		32	2.2	5225	41710	2.8	0.81	NA
21	None	Clear	Greater than 100cm	No	TURBID	None		31	6.5	21	42980	1.1	0.48	NA
5164	None	Clear	Greater than 100cm	No	GREEN	None		31	5.8	5164	865	3.1	0.93	NA
5242								NA		5242		NA	NA	NA
5243	Municipal S	Clear	Greater than 100cm	No	Clear	None		31	5.6	5243	59800	1.3	0.67	NA
2290	None	Clear	Greater than 100cm	No	Clear	None		32	5.2	2290	256	2.9	0.3(BDL)	NA
1575	Industrial	Clear	Greater than 100cm	No	Clear	None		30	5.3	1575	43430	4.2	0.4	NA
5244								NA		5244		NA	NA	NA
2289	None	Clear	Greater than 100cm	No	Clear	None		31	8.6	2289	113	2.9	0.3(BDL)	NA
5245	None	Clear	Less than 50cm	No	Clear	None		30	7.6	5245	60200	2.9	3.1	NA
2296	None	Clear	Greater than 100cm	No	Clear	None		31	4	2296	98	2.4	0.3(BDL)	NA
5212	None	Clear	Greater than 100cm	Yes	GREEN	None		30	13.9	5212	140	6.5	0.3(BDL)	NA
5213	None	Clear	50-100cm	No	Clear	None		32	6	5213	412	2.3	0.3(BDL)	NA
1569	None	Clear	Greater than 100cm	No	Clear	None		31	3.8	1569	32500	2.4	0.3(BDL)	NA

STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
2299	None	Clear	Greater than 100cm	No	Clear	None		31	4.4	2299	39500	2.8	0.3(BDL)	NA
2293	None	Clear	Greater than 100cm	No	Clear	None		29	7.8	2293	138	3.1	0.3(BDL)	NA
5214	None	Clear	Greater than 100cm	No	Clear	None		31	6.2	5214	432	2.8	0.3(BDL)	NA
5198	Industrial	Clear	Greater than 100cm	Yes	Clear	Fishy		29	4	5198	30800	3.1	3.5	NA
5199	Municipal S	Clear	Greater than 100cm	Yes	Brown	H2s / Rotten Egg		28	4.1	5199	37400	2.7	2.5	NA
5170	None	Clear	Greater than 100cm	No	Clear	None		30	4	5170	228	1.9	0.3(BDL)	NA
5200	None	Clear	Greater than 100cm	Yes	Clear	Fishy		30	5	5200	32700	2.3	7.4	NA
2292	None	Clear	Greater than 100cm	No	Clear	None		31	2.5	2292	34710	1.4	0.3(BDL)	NA
2331	None	Clear	Greater than 100cm	No	Clear	None		35	5.1	2331	194	2.6	0.3(BDL)	NA
5201	Industrial	Clear	Greater than 100cm	Yes	Clear	None		29	4.7	5201	34300	1.7	5.6	NA
1385	None	Clear	Greater than 100cm	No	Clear	None		30	6.8	1385	103	1.3	1.3	NA
2332	Municipal S	Clear	Greater than 100cm	No	Clear	None		31	4.1	2332	330	3.7	0.3(BDL)	NA
2326								NA		2326		NA	NA	NA
5527	None	Clear	Less than 50cm	No	Clear	None		30	5.5	5527	2950	3.3	1.32	NA
5220	None	Raining	Greater than 100cm	Yes	Clear	None		32	3.5	5220	44480	1.4	0.3(BDL)	NA
3460								NA		3460		NA	NA	NA
1338	None	Clear	Greater than 100cm	No	Clear	None		30	6.6	1338	45	2.7	0.3(BDL)	NA
5528	None	Clear	Less than 50cm	No	Clear	None		30	6.2	5528	355	2.8	1.09	NA
2328	None	Clear	Greater than 100cm	No	Clear	None		30	4.1	2328	183	3.7	0.3(BDL)	NA
3468	None	Clear	Greater than 100cm	No	Clear	None		30	6.7	3468	43	2.6	0.3(BDL)	NA
1208	None	Clear	Greater than 100cm	No	Clear	None		30	5.2	1208	130	2.2	0.3(BDL)	NA
2301	None	Clear	Greater than 100cm	No	Clear	None		32	7.9	2301	108	2.7	0.3(BDL)	NA
18	None	Clear	Greater than 100cm	No	Clear	None		30	10.1	18	30	4.3	0.3(BDL)	NA
2298	None	Clear	Greater than 100cm	No	Clear	None		31	5.9	2298	78	2.8	0.3(BDL)	NA
1154	None	Clear	Greater than 100cm	No	Clear	None		30	5.3	1154	256	1.7	0.36	NA
5215	None	Clear	Greater than 100cm	No	Clear	None		32	4.1	5215	286	2.4	0.3(BDL)	NA
2318	None	Clear	Greater than 100cm	No	Clear	None		32	10.6	2318	56	6.6	0.3(BDL)	NA
3467	Industrial	Clear	Greater than 100cm	No	Clear	None		29	4	3467	5244	2.6	0.3(BDL)	NA



STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
2334	Industrial	Clear	Greater than 100cm	No	TURBID	None		30	6.8	2334	13340	3	1.44	NA
5216	Municipal S	Clear	Greater than 100cm	No	Clear	None		32	2.9	5216	373	2.3	0.3(BDL)	NA
5231	None	Clear	Greater than 100cm	No	Clear	None		32	6.3	5231	220	4.5	0.3(BDL)	NA
2333	Industrial	Clear	Greater than 100cm	No	Clear	None		29	6.3	2333	43	2.1	0.3(BDL)	NA
5232	None	Clear	Greater than 100cm	No	Clear	Fishy		32	7.4	5232	42600	6	0.3(BDL)	NA
2335	Industrial	Clear	Greater than 100cm	No	Clear	None		30	5.9	2335	46	2.7	0.3(BDL)	NA
5217	None	Clear	Greater than 100cm	No	Clear	None		30	3.3	5217	145	2.9	0.31	NA
2337	Municipal S	Cloudy	Less than 50cm	Yes	TURBID	Fishy		29	2.3	2337	138	2.3	0.3(BDL)	NA
5209	None	Clear	50-100cm	No	Clear	None		25	7.2	5209	62	1.8	0.88	NA
5218	None	Clear	Greater than 100cm	No	Clear	None		30	3.8	5218	125	2.9	0.31	NA
2284	None	Clear	Greater than 100cm	No	TURBID	None		29	9.2	2284	106	1.4	0.3(BDL)	NA
1573	Municipal S	Cloudy	Less than 50cm	Yes	GREEN	Fishy		29	4.4	1573	1245	2.7	0.3(BDL)	NA
2338	Municipal S	Cloudy	Less than 50cm	Yes	Clear	Fishy		30	3	2338	92	2	0.3(BDL)	NA
5208	None	Clear	50-100cm	No	Clear	None		24	7.1	5208	56	1.6	0.32	NA
1565	None	Clear	Greater than 100cm	Yes	Clear	None		28	5.9	1565	64	2.2	0.3(BDL)	NA
2286	None	Clear	Greater than 100cm	No	Clear	None		29	5.8	2286	165	1.4	0.3(BDL)	NA
2285	None	Clear	Greater than 100cm	Yes	Clear	None		29	5.4	2285	207	1.3	0.3(BDL)	NA
1341	None	Clear	Greater than 100cm	Yes	Clear	None		29	4.5	1341	154	2.7	0.32	NA
5205	Municipal S	Clear	Greater than 100cm	Yes	Clear	None		29	5.8	5205	48	2.7	0.3(BDL)	NA
1156	None	Clear	Greater than 100cm	Yes	Clear	None		27	6	1156	48	1.3	0.3(BDL)	NA
10016	None	Clear	50-100cm	No	Clear	None		26	7.2	10016	62	1.9	0.3(BDL)	NA
10017	None	Cloudy	50-100cm	No	Clear	None		27	6.8	10017	79	1.9	0.3(BDL)	NA
1383	None	Clear	Greater than 100cm	Yes	TURBID	None		29	5	1383	369	4.7	0.3(BDL)	NA
20017	None	Clear	NO Information	No	Clear	None		NA		20017		45	NA	NA
2325	None	Clear	Greater than 100cm	Yes	TURBID	None		29	7.5	2325	337	3.6	0.46	NA
1442	None	Clear	Less than 50cm	No	Clear	None		29	5.6	1442	176	1(BDL)	0.3(BDL)	NA
1340	None	Clear	Less than 50cm	No	Clear	None		29	7.4	1340	260	6.2	0.65	NA
3470	None	Clear	Greater than 100cm	Yes	TURBID	None		29	5	3470	199	2.8	0.3(BDL)	NA

STN Code	Visible Effluent Discharge	Weather	ApproxDepth	Floating Matter	Colour	Odour	Flow (m3/sec)	Temperature	Dissolved O2 (mg/L)	STN Code	Conductivity (&micro;mho/cm)	BOD (mg/L)	NitrateN (mg/L)	NitriteN (mg/L)
3469	Industrial	Clear	Less than 50cm	No	Clear	None		30	2.1	3469	81	1.4	0.3(BDL)	NA
1579	None	Clear	Less than 50cm	No	Clear	None		30	7.6	1579	1825	4	0.48	NA
5196	None	Clear	Greater than 100cm	No	Clear	None		29	7.1	5196	45	1(BDL)	0.3(BDL)	NA
5197	None	Clear	Less than 50cm	No	Clear	None		29	6.6	5197	222	1.2	0.3(BDL)	NA
2312	None	Clear	Less than 50cm	No	Clear	None		30	5.9	2312	2100	3	0.67	NA
2329	None	Clear	Less than 50cm	No	Clear	None		29	7	2329	42	1(BDL)	0.3(BDL)	NA
5233								NA		5233		NA	NA	NA
2330	None	Clear	Greater than 100cm	No	Clear	None		29	6.5	2330	54	1.9	0.3(BDL)	NA
1578	None	Clear	Less than 50cm	No	Clear	None		29	4.5	1578	4065	2.9	0.3(BDL)	NA
1577	None	Clear	Greater than 100cm	No	Clear	None		30	4.9	1577	14080	1(BDL)	0.3(BDL)	NA
5234	None	Clear	Greater than 100cm	No	Clear	None		30	7.1	5234	74	1.2	0.3(BDL)	NA
1155	Municipal S	Clear	Greater than 100cm	Yes	TURBID			30	0.6	1155	5124	8.8	25.6	NA
5235	None	Clear	Greater than 100cm	No	Clear			30	5.5	5235	20000	3.1	0.3(BDL)	NA
2336	None	Clear	Greater than 100cm	No	Clear	None		30	5.2	2336	4133	2.1	0.3(BDL)	NA
5206	None	Clear	Less than 50cm	No	Clear	None		29	2.3	5206	365	1.1	0.3(BDL)	NA
5195	None	Clear	Greater than 100cm	No	TURBID	None		30	3.4	5195	9898	7.5	32.5	NA
5236	None	Clear	Greater than 100cm	No	Clear	None		30	3.9	5236	39100	1.7	0.3(BDL)	NA
5237	None	Clear	Greater than 100cm	No	Clear	None		30	6	5237	42600	4	0.3(BDL)	NA
5207	None	Clear	Less than 50cm	No	Clear	None		30	7.6	5207	385	3.2	0.65	NA
5238	None	Clear	Greater than 100cm	No	Clear	None		30	5.6	5238	3200	1.6	0.3(BDL)	NA
5239	None	Clear	Greater than 100cm	No	Clear	None		31	7.6	5239	88	5.9	0.3(BDL)	NA
5240	None	Raining	Greater than 100cm	No	Clear	None		31	7.9	5240	2512	1.2	0.3(BDL)	NA
5241	None	Raining	Greater than 100cm	No	Clear	H2s / Rotten Egg		31	3.9	5241	42300	4	0.3(BDL)	NA
5165	None	Clear	Greater than 100cm	No	Clear	None		31	7.5	5165	224	4.2	0.3(BDL)	NA
5166	None	Clear	Greater than 100cm	Yes	Clear	None		31	7.6	5166	140	6.3	0.3(BDL)	NA
5169	None	Clear	Greater than 100cm	No	Clear	None		31	5.3	5169	36400	4	0.3(BDL)	NA
1580	None	Clear	Greater than 100cm	No	Clear	None		30	6.6	1580	51	1(BDL)	0.3(BDL)	NA

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
5227	79	17	1(BDL)	5(BDL)	37	30	5(BDL)	1.5(BDL)	0.4	19	15	4(BDL)	5(BDL)	16.65
3458	40	13	1(BDL)	5(BDL)	54	25	5(BDL)	1.5(BDL)	0.4	40	22	18	5(BDL)	13.49
42	700	20	1(BDL)	5(BDL)	20(BDL)	12	5(BDL)	NA	0.4	36	23	13	20.38	6.37
1207	34	47	1(BDL)	5(BDL)	43	23	5(BDL)	1.5(BDL)	0.4	26	22	4(BDL)	5(BDL)	12.28
1342	840	20	1(BDL)	5(BDL)	20(BDL)	14	5(BDL)	NA	0.4	29	20	9	21.17	7.81
5228	110	17	1(BDL)	5(BDL)	56	20	5(BDL)	1.5(BDL)	0.4	36	28	8	5(BDL)	12.28
1441	1000	58	1(BDL)	5(BDL)	102	7700	6.1	NA	0.4	4300	1400	2900	441.6	4019
5230	63	27	4.01	5(BDL)	22	17	5(BDL)	1.5(BDL)	0.4	15	10	5	5(BDL)	9.75
5226	110	12	1(BDL)	5(BDL)	20(BDL)	12	5(BDL)	1.5(BDL)	0.4	10(BDL)	5(BDL)	4(BDL)	5(BDL)	9.3
3459	110	25	1(BDL)	5(BDL)	67	27	5(BDL)	1.5(BDL)	0.4	52	34	18	5(BDL)	15.59
1443	790	20	1(BDL)	5(BDL)	20(BDL)	13	5.8	NA	0.4	43	25	18	28.3	6.97
5229	33	3.6	1(BDL)	5(BDL)	20(BDL)	7	5(BDL)	1.5(BDL)	0.4	10(BDL)	5(BDL)	4(BDL)	5(BDL)	5(BDL)
1564	700	20	1.7	5(BDL)	38	1750	9.2	NA	0.4	600	350	250	74.3	990
1574	700	49	1(BDL)	5(BDL)	70	2700	6.1	NA	0.4	950	600	350	172.55	1710
2287	790	49	1(BDL)	5(BDL)	36	3900	6.3	NA	0.4	800	600	200	122.96	2061
20	3700	79	3.8	5(BDL)	34	24	5(BDL)	1.5(BDL)	0.4	36	20	16	5(BDL)	14.99
5171	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2288	630	20	1.3	5(BDL)	20(BDL)	11	5.1	NA	0.4	44	37	7	29.33	5.94
1567	3200	110	1.5	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	10(BDL)	5(BDL)	5	5(BDL)	6
1568	790	20	2.1	5(BDL)	21	21	6	1.5(BDL)	0.4	23	13	10	5(BDL)	12.5
3465	840	20	1(BDL)	5(BDL)	20(BDL)	12	5(BDL)	NA	0.4	37	28	9	19.22	6.65
2294	19000	1600	2.9	5(BDL)	120	14800	10	1.5(BDL)	0.54	3600	800	2800	1528.6	8587
2295	150	31	1.3	5(BDL)	90	13300	5(BDL)	1.5(BDL)	0.4	3300	900	2400	493	7490
3466	790	20	1(BDL)	5(BDL)	20(BDL)	11	5(BDL)	NA	0.4	41	20	21	25.63	5.95
3461	430	120	4.8	5(BDL)	120	14000	6	7.42	6.85	2500	1100	1400	1700	8274
5172	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3462	1400	10	5	5(BDL)	26	10	5(BDL)	1.5(BDL)	0.4	25	20	5	5(BDL)	5.51

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
5202	920	31	1(BDL)	5(BDL)	20(BDL)	11	5.6	NA	0.4	41	22	19	30.02	6.07
5173	NA	NA	4.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5174	NA	NA	4.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5203	790	20	1(BDL)	5(BDL)	38	2550	5(BDL)	NA	0.4	1300	500	800	170.32	1446
5176	NA	NA	4.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5204	700	31	2.6	5(BDL)	20(BDL)	11	7.8	NA	0.4	59	38	21	51.18	6.12
5177	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5178	NA	NA	3.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5179	NA	NA	6.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5180	NA	NA	3.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5181	NA	NA	2.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5190	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5191	NA	NA	1.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5192	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5193	NA	NA	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5194	NA	NA	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1563	3200	1.8(BDL)	2.4	5(BDL)	36	24	5(BDL)	1.5(BDL)	0.4	36	16	20	5(BDL)	13.8
5184	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5185	NA	NA	1(BDL)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5183	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5182	NA	NA	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
43	840	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	14	5(BDL)	1.5(BDL)	0.4	11	7	4(BDL)	5(BDL)	7.5
1339	490	1.8(BDL)	1(BDL)	5(BDL)	27	22	12.8	1.5(BDL)	0.4	22	12	10	5(BDL)	12.4
5210	540	540	1(BDL)	5(BDL)	20(BDL)	5.99	5(BDL)	1.5(BDL)	0.4	12	8	4(BDL)	5(BDL)	5(BDL)
1576	240	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	8	16	1.5(BDL)	0.4	13	7	6	5(BDL)	5(BDL)
5211	58	480	1(BDL)	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	12	8	4(BDL)	6.31	5(BDL)
5530	630	1.8(BDL)	1(BDL)	5(BDL)	27	49	16	1.5(BDL)	0.4	31	13	18	5(BDL)	26.2
1570	3300	1.8(BDL)	1(BDL)	5(BDL)	130	19100	5(BDL)	1.5(BDL)	0.4	7000	5600	1400	320	10390

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
1571	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5529	790	1.8(BDL)	3.8	5(BDL)	20(BDL)	3100	35.2	1.5(BDL)	0.4	590	130	460	36.96	1620
1572	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2303	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2304	31	1.8(BDL)	1(BDL)	5(BDL)	110	21300	5(BDL)	1.5(BDL)	0.4	6900	5100	1800	317	11200
2319	350	15	1(BDL)	5(BDL)	20(BDL)	46	5(BDL)	1.5(BDL)	0.4	24	17	7	19.89	30.5
2305	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2297	280	25	1(BDL)	5(BDL)	20(BDL)	17	5.4	1.5(BDL)	0.4	19	12	7	8.19	8.97
2306	3480	1.8(BDL)	1(BDL)	5(BDL)	85	21600	5(BDL)	1.5(BDL)	0.4	7700	1600	6100	325	11300
2307	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5221	2200	110	3.8	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.61	13	9	4(BDL)	5(BDL)	5.04
5222	5000	280	1.9	5(BDL)	20(BDL)	15	5(BDL)	1.5(BDL)	0.4	17	9	8	5(BDL)	9.7
5223	6000	350	4.9	5(BDL)	20(BDL)	8	6	1.5(BDL)	0.4	15	10	5	5(BDL)	5.02
5224	80000	3000	13.2	5(BDL)	120	9800	6	1.65	0.63	3900	900	3000	897.02	5480
5225	20000	790	1.7	5(BDL)	110	12800	8	1.5(BDL)	0.54	2900	800	2100	1400	7572
21	700	140	1.9	5(BDL)	100	12700	5(BDL)	6.32	5.75	2500	1000	1500	1530	8466
5164	3650	1.8(BDL)	7.3	5(BDL)	120	195	5(BDL)	1.5(BDL)	0.4	160	90	70	16.6	104
5242	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5243	2920	1.8(BDL)	1(BDL)	5(BDL)	117	20593	5(BDL)	1.5(BDL)	0.4	6700	5200	1500	275.99	11000
2290	790	1.8(BDL)	2.6	5(BDL)	60	75	20	1.5(BDL)	0.4	40	30	10	5(BDL)	46.5
1575	490000	210	1(BDL)	5(BDL)	107	14823	12.8	1.5(BDL)	0.4	6700	5200	1500	860	9000
5244	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2289	920	1.8(BDL)	1(BDL)	5(BDL)	50	25	60	1.5(BDL)	0.4	60	50	10	5(BDL)	13.5
5245	1600	1.8(BDL)	1(BDL)	5(BDL)	102	21593	5(BDL)	1.5(BDL)	0.4	3300	1500	1800	207.48	11910
2296	700	79	1(BDL)	5(BDL)	20(BDL)	22	5(BDL)	1.5(BDL)	0.4	19	11	8	13	14
5212	2700	63	6.8	18	35	15	20	1.5(BDL)	0.4	39	26	13	5(BDL)	8
5213	790	430	1(BDL)	5(BDL)	65	102	80	1.5(BDL)	0.4	70	57	13	5(BDL)	55.2
1569	350	20	1(BDL)	5(BDL)	200	10800	9	1.5(BDL)	0.4	4900	2600	2300	1790	5623

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
2299	630	20	1(BDL)	5(BDL)	200	14000	10	1.5(BDL)	0.4	5000	2700	2300	1350	7490
2293	1800	20	5.2	5(BDL)	43	15	9.7	1.5(BDL)	0.4	36	32	4(BDL)	5(BDL)	11.52
5214	790	110	2.9	5(BDL)	82	102	40	1.5(BDL)	0.4	85	80	5	5(BDL)	55.6
5198	1660	31	2.9	5(BDL)	103	9100	9.3	NA	0.4	4200	1800	2400	441.02	4839
5199	1710	20	2.1	5(BDL)	89	15300	9.1	NA	0.4	6000	2800	3200	426.07	8600
5170	630	1.8(BDL)	1(BDL)	5(BDL)	38	56	80	1.5(BDL)	0.4	45	40	5	5(BDL)	29.6
5200	630	20	1(BDL)	5(BDL)	85	12800	7.1	NA	0.4	5700	3200	2500	373.75	6961
2292	940	210	4.2	5(BDL)	46	12750	7.9	1.5(BDL)	0.4	2350	1550	800	5(BDL)	7467
2331	350	1.8(BDL)	1(BDL)	5(BDL)	47	39.99	7.8	1.5(BDL)	0.4	49	28	21	5(BDL)	21
5201	630	31	1(BDL)	5(BDL)	94	15300	5.2	NA	0.4	4700	2300	2400	398.47	7970
1385	540	10	1.1	5(BDL)	20(BDL)	18	5.1	NA	0.4	34	27	7	28.07	10.55
2332	210	20	1(BDL)	5(BDL)	95	48.99	11.1	1.5(BDL)	0.4	101	52	49	7.8	28
2326	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5527	920	1.8(BDL)	1(BDL)	5(BDL)	70	1250	5(BDL)	1.5(BDL)	0.4	120	40	80	5(BDL)	748.3
5220	2000	63	6.6	5(BDL)	59	16400	5.2	1.5(BDL)	0.4	3300	2350	950	5(BDL)	10030
3460	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1338	4000	310	1.2	5(BDL)	20(BDL)	5(BDL)	8	1.5(BDL)	0.4	15	9	6	5(BDL)	5(BDL)
5528	1600	1.8(BDL)	1.05	5(BDL)	60	90	5(BDL)	1.5(BDL)	0.4	100	50	50	5(BDL)	50.9
2328	350	63	1(BDL)	5(BDL)	52	28.98	11.1	1.5(BDL)	0.4	54	28	26	5(BDL)	17
3468	2600	140	1.1	5(BDL)	20(BDL)	5(BDL)	8.8	1.5(BDL)	0.4	15	11	4(BDL)	5(BDL)	5(BDL)
1208	210	1.8(BDL)	1(BDL)	5(BDL)	40	18.99	6.6	1.5(BDL)	0.4	45	25	20	5(BDL)	9.8
2301	790	20	1.2	5(BDL)	20(BDL)	24	9.2	1.5(BDL)	0.4	18	11	7	13.68	16
18	2700	400	1.6	5(BDL)	20(BDL)	5(BDL)	12.8	1.5(BDL)	0.4	10(BDL)	6	4(BDL)	5(BDL)	5(BDL)
2298	280	10	1(BDL)	5(BDL)	20(BDL)	20	9.2	1.5(BDL)	0.4	16	10	6	7.21	11.8
1154	2500	410	1.4	5(BDL)	20(BDL)	70	5.6	1.5(BDL)	0.53	50	43	7	5(BDL)	37
5215	430	40	1(BDL)	5(BDL)	98	36	7.2	1.5(BDL)	0.4	110	68	42	5(BDL)	20
2318	110	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	12	19	1.5(BDL)	0.4	15	9	6	8.7	7
3467	4700	220	2	5(BDL)	32	1577	8	1.5(BDL)	0.4	900	500	400	64	815

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
2334	2000	79	2	5(BDL)	28	4200	9.6	1.5(BDL)	0.4	2000	1800	200	249	2200
5216	430	40	1(BDL)	5(BDL)	158	41.99	6.9	1.5(BDL)	0.4	160	100	40	5(BDL)	22
5231	350	20	1.7	5(BDL)	20(BDL)	55	18	1.5(BDL)	0.4	42	33	9	23	32.3
2333	920	30	1.4	5(BDL)	20(BDL)	5(BDL)	6.4	1.5(BDL)	0.4	24	15	9	5(BDL)	5(BDL)
5232	630	31	1(BDL)	5(BDL)	300	14900	20	1.5(BDL)	0.4	5800	3200	2600	1790	7897
2335	2700	70	1.8	5(BDL)	20(BDL)	5(BDL)	9.6	1.5(BDL)	0.4	16	11	5	5(BDL)	5(BDL)
5217	350	20	1(BDL)	5(BDL)	59	5.99	8.7	1.5(BDL)	0.4	61	35	26	5(BDL)	5(BDL)
2337	1700	110	1.9	5(BDL)	24	14.29	8.8	1.5(BDL)	0.4	26	16	8	11.8	11
5209	700	350	1.5	5(BDL)	20(BDL)	6.28	16	1.5(BDL)	0.4	14	10	4(BDL)	5(BDL)	5(BDL)
5218	210	1.8(BDL)	1(BDL)	5(BDL)	45	13.99	8.7	1.5(BDL)	0.4	48	28	20	5(BDL)	7.6
2284	1800	1.8(BDL)	1.3	5(BDL)	28	20	5(BDL)	1.5(BDL)	0.4	32	20	12	5(BDL)	10.8
1573	2000	120	1(BDL)	5(BDL)	38	510	9.6	1.5(BDL)	0.4	300	200	100	5(BDL)	269
2338	3100	200	2.8	5(BDL)	24	9.36	8	1.5(BDL)	0.4	28	24	4(BDL)	5(BDL)	6.08
5208	100	100	1.2	5(BDL)	20(BDL)	6.92	15	1.5(BDL)	0.4	16	11	5	5(BDL)	5(BDL)
1565	430	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	15	6.4	1.5(BDL)	0.4	16	9	7	5(BDL)	9.5
2286	4000	1.8(BDL)	1(BDL)	5(BDL)	40	28	5(BDL)	1.5(BDL)	0.4	24	20	4(BDL)	5(BDL)	17.8
2285	3800	1.8(BDL)	1.3	5(BDL)	44	32	5(BDL)	1.5(BDL)	0.4	40	32	8	5(BDL)	18.3
1341	840	1.8(BDL)	1.5	5(BDL)	20(BDL)	72	6.4	1.5(BDL)	0.4	20	12	8	5(BDL)	51
5205	540	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	10	9.6	1.5(BDL)	0.4	17	12	5	5(BDL)	5.4
1156	350	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	22	15	7	6.4	5.2
10016	790	1.8(BDL)	2	5(BDL)	20(BDL)	10	5(BDL)	1.5(BDL)	0.4	18	12	6	5(BDL)	6.1
10017	540	1.8(BDL)	2.5	5(BDL)	20(BDL)	12	5(BDL)	1.5(BDL)	0.4	30	16	14	9	6.2
1383	7200	1.8(BDL)	4.8	5(BDL)	48	96	32	1.5(BDL)	0.4	84	64	20	5(BDL)	50
20017	NA	NA	NA	NA	NA	NA	224	NA	NA	NA	NA	NA	NA	NA
2325	6900	1.8(BDL)	4.2	5(BDL)	80	52	48	1.5(BDL)	0.95	60	48	12	5(BDL)	35.7
1442	1800	1.8(BDL)	1.2	5(BDL)	40	28	5(BDL)	1.5(BDL)	0.4	40	28	12	5(BDL)	15.1
1340	3900	1.8(BDL)	1(BDL)	5(BDL)	30	80	NA	NA	0.4	70	20	50	5(BDL)	42
3470	5000	1.8(BDL)	2.8	5(BDL)	32	40	8	1.5(BDL)	0.4	28	20	8	5(BDL)	25.3

STN Code	Total Coliform (MPN/100 ml)	Fecal Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)	Ca as CaCO <sub>3</sub> (mg/L)	Mg as CaCO <sub>3</sub> (mg/L)	Sulphate (mg/L)	Sodium (mg/L)
3469	4300	270	1.3	5(BDL)	23	7.39	6.6	1.5(BDL)	0.4	27	17	5	5(BDL)	5(BDL)
1579	6600	1.8(BDL)	1.31	5(BDL)	90	750	NA	NA	0.4	220	80	140	5(BDL)	405
5196	630	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	20	16	4(BDL)	5(BDL)	5(BDL)
5197	8700	1.8(BDL)	1.6	5(BDL)	64	32	5(BDL)	1.5(BDL)	0.4	44	32	12	5(BDL)	18.2
2312	920	1.8(BDL)	1(BDL)	5(BDL)	50	900	5(BDL)	1.5(BDL)	0.4	280	100	180	10	480
2329	210	20	1(BDL)	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	15	9	6	5(BDL)	5(BDL)
5233	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
2330	120	12	1(BDL)	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	19	10	9	5(BDL)	5(BDL)
1578	6800	1.8(BDL)	3.32	5(BDL)	90	1350	5(BDL)	1.5(BDL)	0.4	280	100	180	5(BDL)	750
1577	6300	260	1(BDL)	5(BDL)	41	5272.4	5(BDL)	1.5(BDL)	0.4	2600	1700	900	290	2800
5234	140	10	1.4	5(BDL)	20(BDL)	16	5(BDL)	1.5(BDL)	0.4	23	16	7	10.97	8.5
1155	13200	1.8(BDL)	5.8	5(BDL)	185	1310	208	1.5(BDL)	1.76	496	162	334	19.5	704
5235	490	10	1(BDL)	5(BDL)	200	6200	9.6	1.5(BDL)	0.4	3800	2200	1600	1888	3205
2336	400	84	1(BDL)	5(BDL)	20(BDL)	1800	6.4	1.5(BDL)	0.4	1000	600	400	60	960
5206	1200	1.8(BDL)	1.18	5(BDL)	50	100	5(BDL)	1.5(BDL)	0.4	80	20	60	5(BDL)	52
5195	7200	1.8(BDL)	4.7	5(BDL)	242	2886	320	1.5(BDL)	1.84	868	264	604	24.6	1489
5236	790	15	1(BDL)	5(BDL)	300	13000	5(BDL)	1.5(BDL)	0.4	5500	3100	2400	1625	6760
5237	150	15	1(BDL)	5(BDL)	300	15300	14	1.5(BDL)	0.4	5900	3100	2800	1475	7990
5207	920	1.8(BDL)	1(BDL)	5(BDL)	30	130	5(BDL)	1.5(BDL)	0.4	80	20	60	5(BDL)	68
5238	430	25	1(BDL)	5(BDL)	20(BDL)	1100	6.8	1.5(BDL)	0.4	92	57	35	144	750
5239	350	15	1(BDL)	5(BDL)	20(BDL)	22	18	1.5(BDL)	0.4	20	15	5	12.11	12.3
5240	540	20	1.4	5(BDL)	20(BDL)	900	5(BDL)	1.5(BDL)	0.4	126	84	42	97.6	569
5241	240	20	2.7	5(BDL)	400	14000	14	1.5(BDL)	0.4	5600	3000	2600	2810	7988
5165	2900	240	4.7	5(BDL)	20(BDL)	63	16	1.5(BDL)	0.4	43	36	7	24.15	35.02
5166	480	25	5.5	5(BDL)	20(BDL)	32	26	1.5(BDL)	0.4	33	25	8	18.26	18.4
5169	2200	210	4	5(BDL)	400	12400	25	1.5(BDL)	0.4	5900	3900	2000	2040	6400
1580	110	3.7	1(BDL)	5(BDL)	21	8	5(BDL)	1.5(BDL)	0.4	10(BDL)	6	4(BDL)	5(BDL)	6



STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
5227	69.37	10(BDL)	0.2(BDL)	0.5(BDL)	4.8	0.2(BDL)	59	5.7			Sampling		06-08-2024 11:28
3458	69.76	10(BDL)	0.2(BDL)	0.5(BDL)	4.7	0.2(BDL)	38.9	0.9			Sampling		06-08-2024 11:31
42	60.8	30.5	0.25	0.5(BDL)	1.79	0.2(BDL)	26.6	0.5			Sampling		24-07-2024 12:05
1207	58.36	10(BDL)	0.2(BDL)	0.5(BDL)	4.11	0.2(BDL)	46.1	1			Sampling		06-08-2024 11:33
1342	60	29.8	0.26	0.5(BDL)	3.18	0.2(BDL)	33.9	0.6			Sampling		24-07-2024 12:10
5228	69.22	10(BDL)	0.2(BDL)	0.5(BDL)	1.85	0.2(BDL)	41	0.9			Sampling		06-08-2024 11:36
1441	11440	10280	0.53	0.5(BDL)	327	0.2(BDL)	64.9	26.7			Sampling		24-07-2024 12:14
5230	42.33	10(BDL)	0.2(BDL)	0.5(BDL)	1.15	0.2(BDL)	56.3	1.1			Sampling		06-08-2024 11:39
5226	29.28	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	71.5	1.4			Sampling		06-08-2024 11:41
3459	85.92	10(BDL)	0.2(BDL)	0.5(BDL)	4.5	0.2(BDL)	37	0.9			Sampling		06-08-2024 11:46
1443	68	33	0.36	0.5(BDL)	3.12	0.2(BDL)	24.4	0.5			Sampling		24-07-2024 12:23
5229	20.41	10(BDL)	0.2(BDL)	0.5(BDL)	2.03	0.2(BDL)	45.1	0.6			Sampling		06-08-2024 11:50
1564	2464	1998	0.26	0.5(BDL)	22	0.2(BDL)	77.4	17.6			Sampling		24-07-2024 12:35
1574	4098.4	5893	0.39	0.5(BDL)	128	0.2(BDL)	77	24.1			Sampling		24-07-2024 12:39
2287	5958.4	1940	0.25	0.5(BDL)	127	0.2(BDL)	82.3	31.7			Sampling		24-07-2024 12:42
20	63	10(BDL)	0.2(BDL)	0.5(BDL)	2.95	0.2(BDL)	45	1.1			Sampling		02-08-2024 15:04
5171	NA	NA	NA	NA	NA	NA	NA	NA	Oil and Grease - BDL		Sampling		18-07-2024 14:55
2288	72.68	48.9	0.25	0.5(BDL)	1.47	0.2(BDL)	22	0.4			Sampling		24-07-2024 12:45
1567	14	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	55.8	0.8			Sampling		02-08-2024 15:08
1568	35	10(BDL)	0.2(BDL)	0.5(BDL)	1.02	0.2(BDL)	52.8	1.1			Sampling		02-08-2024 15:12
3465	73.6	31.8	0.25	0.5(BDL)	2.5	0.2(BDL)	26.5	0.5			Sampling		24-07-2024 12:48
2294	21000	10(BDL)	0.2(BDL)	0.5(BDL)	260.3	1.29	82.6	62.3			Sampling		02-08-2024 15:21
2295	18000	10(BDL)	0.2(BDL)	0.5(BDL)	231.5	1.12	81.9	56.7			Sampling		02-08-2024 15:36
3466	66.4	33.5	0.29	0.5(BDL)	2.97	0.2(BDL)	22.4	0.4			Sampling		24-07-2024 12:52
3461	20000	10(BDL)	0.2(BDL)	0.5(BDL)	309.6	1.51	86.1	72			Sampling		02-08-2024 16:06
5172	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	18-07-2024 15:15
3462	32	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	31.6	0.5			Sampling		02-08-2024 16:11

STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
5202	69.7	986	0.23	0.5(BDL)	2.27	0.2(BDL)	23.1	0.4			Sampling		24-07-2024 12:59
5173	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:21
5174	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:24
5203	3920	2030	0.29	0.5(BDL)	72	0.2(BDL)	69.3	17.4			Sampling		24-07-2024 13:03
5176	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:29
5204	108	1020	0.26	0.5(BDL)	6.59	0.2(BDL)	16.5	0.3			Sampling		24-07-2024 13:06
5177	NA	NA	NA	NA	NA	NA	NA	NA	OIL & GREASE -- 4.67		Sampling		18-07-2024 15:32
5178	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:37
5179	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:41
5180	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:44
5181	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:49
5190	NA	NA	NA	NA	NA	NA	NA	NA	Oil and Grease - BDL		Sampling		18-07-2024 15:53
5191	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 15:56
5192	NA	NA	NA	NA	NA	NA	NA	NA	Oil and Grease- BDL		Sampling		18-07-2024 15:59
5193	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 16:01
5194	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 16:04
1563	58	24	0.2(BDL)	0.5(BDL)	6	0.2(BDL)	40.7	1			Sampling		30-07-2024 14:14
5184	NA	NA	NA	NA	NA	NA	NA	NA	Oil and Grease- BDL		Sampling		18-07-2024 16:07
5185	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 16:09
5183	NA	NA	NA	NA	NA	NA	NA	NA	Oil and Grease- BDL		Sampling		18-07-2024 16:12
5182	NA	NA	NA	NA	NA	NA	NA	NA			Sampling		18-07-2024 16:14
43	36	30	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	57.8	1			Sampling		17-07-2024 11:49
1339	61	28	0.2(BDL)	0.5(BDL)	1.7	0.2(BDL)	52.7	1.2			Sampling		17-07-2024 11:54
5210	25.4	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.68	38	0.5			Sampling		12-07-2024 12:50
1576	26	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	42.2	0.5			Sampling		17-07-2024 11:59
5211	26.41	10(BDL)	0.2(BDL)	0.8	1(BDL)	0.41	25.6	0.3			Sampling		12-07-2024 12:54
5530	106	36	0.2(BDL)	0.5(BDL)	2.5	0.2(BDL)	62.5	2			Sampling		17-07-2024 12:03
1570	34900	10(BDL)	0.2(BDL)	1.51	75	0.2(BDL)	76.1	54			Sampling		19-07-2024 11:45

STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
1571	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 11:45
5529	5116	40	0.2(BDL)	0.5(BDL)	55	0.2(BDL)	84.2	29			Sampling		17-07-2024 12:12
1572	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 11:46
2303	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 11:50
2304	36200	10(BDL)	0.2(BDL)	2.45	545	0.48	76.2	58.7			Sampling		19-07-2024 11:58
2319	85.12	15	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	72.9	2.7			Sampling		01-08-2024 13:17
2305	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 11:59
2297	35.87	17	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	49.5	0.9			Sampling		01-08-2024 13:19
2306	36000	10(BDL)	0.2(BDL)	2.87	490	0.2(BDL)	74.7	56			Sampling		19-07-2024 12:08
2307	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 12:11
5221	25	10(BDL)	0.2(BDL)	0.5(BDL)	1.52	0.2(BDL)	42.3	0.6			Sampling		05-08-2024 10:57
5222	36	10(BDL)	0.2(BDL)	0.5(BDL)	1.45	0.2(BDL)	52.8	1			Sampling		05-08-2024 11:04
5223	23	10(BDL)	0.2(BDL)	0.5(BDL)	1.44	0.2(BDL)	39.3	0.6			Sampling		05-08-2024 11:08
5224	14100	10(BDL)	1.39	0.5(BDL)	202.4	0.96	74.1	38.2			Sampling		05-08-2024 11:14
5225	18370	10(BDL)	0.2(BDL)	0.5(BDL)	286.4	1.49	83.5	61.2			Sampling		05-08-2024 11:18
21	19000	10(BDL)	0.2(BDL)	0.5(BDL)	304.3	1.6	86.4	73.7			Sampling		05-08-2024 11:22
5164	460	10(BDL)	0.2(BDL)	0.5(BDL)	25	0.2(BDL)	51.4	3.6			Sampling		19-07-2024 12:21
5242	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 12:22
5243	35200	10(BDL)	0.2(BDL)	3.68	290	0.2(BDL)	77.2	58.5			Sampling		19-07-2024 12:25
2290	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	6.5	0.2(BDL)	67.7	3.2			Sampling		26-07-2024 11:17
1575	21855	101	0.2(BDL)	3.8	120	0.81	74.1	47.8			Sampling		15-07-2024 11:02
5244	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	19-07-2024 12:26
2289	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1.6	0.2(BDL)	32.1	0.8			Sampling		26-07-2024 11:21
5245	35700	10(BDL)	0.2(BDL)	2.89	380.3	0.2(BDL)	87.2	90.2			Sampling		19-07-2024 12:29
2296	45.6	17	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	60.5	1.4			Sampling		01-08-2024 15:09
5212	61.8	57.8	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	30.2	0.6			Sampling		15-07-2024 11:11
5213	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	13.6	0.2(BDL)	57.9	2.9			Sampling		26-07-2024 11:24
1569	15732	4312	0.2(BDL)	0.5(BDL)	95	0.2(BDL)	70.9	34.9			Sampling		01-08-2024 15:14

STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
2299	18848	4230	0.2(BDL)	0.5(BDL)	46	0.2(BDL)	76.3	46.1			Sampling		01-08-2024 15:18
2293	53.01	25.25	0.29	0.5(BDL)	3	0.2(BDL)	38.6	0.8			Sampling		24-07-2024 15:40
5214	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	10.4	0.2(BDL)	55.2	2.6			Sampling		26-07-2024 11:30
5198	13659	10546	0.56	0.5(BDL)	367	0.2(BDL)	69.3	32.5			Sampling		17-07-2024 15:19
5199	24720	11100	0.62	0.5(BDL)	582	0.2(BDL)	73.5	48.3			Sampling		17-07-2024 15:24
5170	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	5.7	0.2(BDL)	55.2	1.9			Sampling		26-07-2024 11:35
5200	21200	11170	0.26	0.5(BDL)	478	0.2(BDL)	70.6	40.1			Sampling		17-07-2024 15:29
2292	14911	7100.7	0.23	0.5(BDL)	241.6	0.2(BDL)	85.9	67			Sampling		24-07-2024 15:56
2331	71	10(BDL)	0.32	0.5(BDL)	4.5	0.28	45.48	1.31			Sampling		26-07-2024 11:39
5201	24159	13300	0.43	0.5(BDL)	523	0.2(BDL)	76.4	50.6			Sampling		17-07-2024 15:34
1385	71.2	44	0.26	0.5(BDL)	1.14	0.2(BDL)	39.3	0.8			Sampling		17-07-2024 15:39
2332	141	10(BDL)	0.25	0.5(BDL)	6	0.29	35.9	1.21			Sampling		26-07-2024 11:45
2326	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampling	RIVER DRY	26-07-2024 11:45
5527	1920	10(BDL)	0.2(BDL)	0.5(BDL)	8	0.2(BDL)	92.6	29.7			Sampling		17-07-2024 15:44
5220	19562	9315	0.2(BDL)	0.5(BDL)	308.4	0.64	85.5	76			Sampling		24-07-2024 16:00
3460	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampling	RIVER DRY	26-07-2024 11:46
1338	20	34.4	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	26.3	0.3			Sampling		15-07-2024 11:54
5528	185	10(BDL)	0.2(BDL)	0.5(BDL)	2.9	0.2(BDL)	51.596	2.213			Sampling		17-07-2024 15:58
2328	70	10(BDL)	0.32	0.5(BDL)	3	0.3	39	1.01			Sampling		26-07-2024 11:49
3468	26.4	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	28.9	0.3			Sampling		15-07-2024 12:00
1208	46	10(BDL)	2.04	0.5(BDL)	2	0.29	30.95	0.64			Sampling		26-07-2024 11:53
2301	56.2	23	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	64.4	1.6			Sampling		01-08-2024 16:20
18	13.52	23.4	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	20.2	0.2			Sampling		15-07-2024 12:07
2298	38	22	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	60.6	1.3			Sampling		01-08-2024 16:24
1154	116	25	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	61.4	2.3			Sampling		15-07-2024 12:13
5215	119	10(BDL)	0.25	0.5(BDL)	2	0.3	27.88	0.83			Sampling		26-07-2024 11:58
2318	28.3	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	49.7	0.8			Sampling		01-08-2024 16:29
3467	5246.4	14.6	0.2(BDL)	0.59	40	0.2(BDL)	65.1	11.8			Sampling		15-07-2024 12:35

STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
2334	7040	35.6	0.46	1.7	80	0.3	69.5	21.4			Sampling		15-07-2024 12:39
5216	138	10(BDL)	0.38	0.5(BDL)	3	0.3	22.61	0.76			Sampling		26-07-2024 12:04
5231	107.76	45	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	62.3	2.2			Sampling		01-08-2024 16:38
2333	27.2	25.8	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	17.9	0.2			Sampling		15-07-2024 12:43
5232	20462	6230	0.2(BDL)	0.5(BDL)	102	0.2(BDL)	74.3	45.1			Sampling		01-08-2024 16:42
2335	20.8	14.2	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	22.7	0.3			Sampling		15-07-2024 12:48
5217	53	10(BDL)	0.32	0.5(BDL)	1(BDL)	0.29	13.58	0.25			Sampling		26-07-2024 12:09
2337	60.8	37.8	0.2(BDL)	0.5(BDL)	4	0.2(BDL)	43.5	0.9			Sampling		15-07-2024 12:53
5209	27.2	10(BDL)	0.2(BDL)	0.5(BDL)	1.4	0.2(BDL)	31.5	0.4			Sampling		23-07-2024 10:45
5218	43	10(BDL)	0.25	0.5(BDL)	1.8	0.28	24.73	0.48			Sampling		26-07-2024 12:12
2284	44	28	0.2(BDL)	0.5(BDL)	3.5	0.2(BDL)	39.2	0.8			Sampling		31-07-2024 11:01
1573	735.2	40.6	4	0.5(BDL)	3	0.43	65.8	6.8			Sampling		15-07-2024 12:58
2338	44.8	44.8	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	31.1	0.5			Sampling		15-07-2024 13:03
5208	26.4	10(BDL)	0.2(BDL)	0.5(BDL)	1.6	0.2(BDL)	30.5	0.4			Sampling		23-07-2024 11:00
1565	36	29	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	55.8	1			Sampling		26-07-2024 12:16
2286	58	32	0.2(BDL)	0.5(BDL)	17.2	0.2(BDL)	45.7	1.6			Sampling		31-07-2024 11:10
2285	75	32	0.2(BDL)	0.5(BDL)	10.2	0.2(BDL)	42.9	1.3			Sampling		31-07-2024 11:14
1341	66	42	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	84.5	5			Sampling		26-07-2024 12:19
5205	24	18	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	40.4	0.6			Sampling		26-07-2024 12:31
1156	32	26	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.7	0.5			Sampling		26-07-2024 12:35
10016	28	12	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	42.1	0.6			Sampling		26-07-2024 12:38
10017	30	14	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	30.8	0.5			Sampling		26-07-2024 12:42
1383	168	72	0.2(BDL)	0.5(BDL)	9.4	0.2(BDL)	53.1	2.4			Sampling		31-07-2024 11:40
20017	NA	152	NA	NA	NA	NA	NA	NA			Sampling		26-07-2024 12:44
2325	102	59	0.2(BDL)	0.5(BDL)	19.2	0.2(BDL)	47.9	2			Sampling		31-07-2024 11:49
1442	72	48	0.2(BDL)	0.5(BDL)	9.8	0.2(BDL)	38.5	1			Sampling		31-07-2024 11:54
1340	110	10(BDL)	0.2(BDL)	NA	1(BDL)	0.2(BDL)	56.6	2.2			Sampling		18-07-2024 11:42
3470	82	46	0.2(BDL)	0.5(BDL)	5.1	0.2(BDL)	61.4	2.1			Sampling		31-07-2024 12:03

STN Code	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR	Any Other (General Parameters)	Any Other (Metals)	Sampling Status	Reason	Last Updated Date
3469	36	17.4	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	27.1	0.4			Sampling		15-07-2024 15:09
1579	1020	10(BDL)	0.2(BDL)	0.5(BDL)	8.1	0.2(BDL)	79.3	11.9			Sampling		18-07-2024 11:57
5196	24	12	0.2(BDL)	0.5(BDL)	2.4	0.2(BDL)	30.3	0.4			Sampling		31-07-2024 12:50
5197	68	42	0.2(BDL)	0.5(BDL)	14.2	0.2(BDL)	38.9	1.2			Sampling		31-07-2024 12:55
2312	1210	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	78.8	12.5			Sampling		18-07-2024 12:07
2329	22.4	30.2	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	29.5	0.4			Sampling		15-07-2024 16:06
5233	NA	NA	NA	NA	NA	NA	NA	NA			Not Sampled	RIVER DRY	02-08-2024 10:44
2330	24	24.2	0.2(BDL)	0.5(BDL)	1.4	0.2(BDL)	26.8	0.3			Sampling		15-07-2024 16:16
1578	2150	10(BDL)	0.2(BDL)	0.5(BDL)	6.4	0.2(BDL)	85	19.5			Sampling		18-07-2024 12:11
1577	7487.2	19.4	0.2(BDL)	1.46	70	0.3	69.4	23.9			Sampling		15-07-2024 16:20
5234	38	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	44.2	0.8			Sampling		02-08-2024 10:51
1155	1562	164	0.2(BDL)	0.5(BDL)	395	0.2(BDL)	60.5	13.8			Sampling		31-07-2024 13:07
5235	9766	1050	0.2(BDL)	38	1(BDL)	0.2(BDL)	64.4	22.6			Sampling		02-08-2024 10:58
2336	2635	11.8	0.2(BDL)	0.5(BDL)	35	0.2(BDL)	66.7	13.2			Sampling		15-07-2024 16:33
5206	195	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	58.2	2.5			Sampling		18-07-2024 12:18
5195	2251	178	0.2(BDL)	0.5(BDL)	924	0.2(BDL)	61.2	22			Sampling		31-07-2024 13:13
5236	18313	15670	0.2(BDL)	0.5(BDL)	49	0.2(BDL)	72.6	39.7			Sampling		02-08-2024 11:06
5237	20461	8826	0.2(BDL)	0.5(BDL)	96	0.2(BDL)	74.3	45.3			Sampling		02-08-2024 11:11
5207	220	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	64.7	3.3			Sampling		18-07-2024 12:22
5238	1554.2	62	0.2(BDL)	0.5(BDL)	6.66	0.2(BDL)	94.2	34			Sampling		02-08-2024 11:14
5239	47.79	22	0.2(BDL)	0.5(BDL)	3.33	0.2(BDL)	52.4	1.2			Sampling		02-08-2024 11:18
5240	1235.3	64	0.2(BDL)	0.5(BDL)	5.48	0.2(BDL)	90.3	22.1			Sampling		02-08-2024 11:21
5241	20513	9016	0.2(BDL)	0.5(BDL)	58	0.2(BDL)	75.4	46.4			Sampling		02-08-2024 11:24
5165	112.63	66	0.2(BDL)	0.5(BDL)	2.04	0.2(BDL)	62.5	2.3			Sampling		02-08-2024 11:28
5166	69.92	34	0.2(BDL)	0.5(BDL)	1.33	0.2(BDL)	53.6	1.4			Sampling		02-08-2024 11:31
5169	18002	4180	0.2(BDL)	0.5(BDL)	112	0.2(BDL)	69.7	36.2			Sampling		02-08-2024 11:34
1580	23.56	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	54.8	0.8			Sampling		06-08-2024 11:24