

KSPCB-NWMP DATA FOR TH MONTH OF NOVEMBER 2023

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
17	11/2/2023	12:35	RIVER PERIYAR AT ALUVA-ELOOR		RIVER	PERIYAR	ERNAKULAM
18	11/15/2023	11:30	RIVER PERIYAR AT KALADY		RIVER	PERIYAR	ERNAKULAM
20	11/9/2023	11:00	RIVER CHALIYAR AT KOOLIMADU		RIVER	CHALIYAR	KOZHIKODE
21	11/9/2023	11:40	RIVER CHALIYAR AT CHUNGAPALLY		RIVER	CHALIYAR	KOZHIKODE
42	11/8/2023	9:30	RIVER KALLADA AT PERUMTHOTTAMKADAVU, PUNALOOR		RIVER	KALLADA	KOLLAM
43	11/21/2023	1:20	RIVER MUVATTAPUZHA AT VETTIKATTUMUKKU		RIVER	MUVATTAPUZHA	KOTTAYAM
1154	11/15/2023	12:30	RIVER CHALAKUDY AT PULIKKAKADAVU, THRISSUR		RIVER	CHALAKUDY	THRISSUR
1155	11/21/2023	9:25	RIVER KARAMANA AT MOONNATTUMUKKU, KERALA		RIVER	KARAMANA	THIRUVANANTHAPURAM
1156	11/4/2023	7:30	RIVER PAMBA AT CHENGANNUR, ALAPPUZHA		RIVER	PAMBA	ALAPPUZHA
1207	11/9/2023	13:20	RIVER KABANI AT MUTHANKARA, WAYANAD		RIVER	KABANI	WAYANAD
1208	11/6/2023	1:50	RIVER BHAVANI AT ELACHIVAZHY, PALAKKAD		RIVER	BHAVANI	PALAKKAD
1338	11/15/2023	10:30	RIVER PERIYAR AT SEWAGE DISCHARGE POINT,ALUVA, ERNAKULAM		RIVER	PERIYAR	ERODE
1339	11/3/2023	12:30	RIVER MEENACHIL AT KIDANGOOR, KOTTAYAM		RIVER	MEENACHIL	KOTTAYAM
1340	11/2/2023	11:00	RIVER MANIMALA AT KALLOPARA, KERALA		RIVER	MANIMALA	PATHANAMTHITTA
1341	11/4/2023	9:00	RIVER PAMBA AT THAKAZHY, KERALA		RIVER	PAMBA	ALAPPUZHA
1342	11/10/2023	8:20	RIVER ACHANKOVIL AT THUMPAMON		RIVER	ACHANKOVIL	PATHANAMTHITTA
1383	11/24/2023	9:40	AKKULAM LAKE AT ORUVATHILKOTTA, THIRUVANANTHAPURAM		LAKE	AKKULAM	THIRUVANANTHAPURAM
1384	11/2/2023	10:30	RIVER MANIMALA AT THONDRA, KERALA		RIVER	MANIMALA	PATHANAMTHITTA
1385	11/4/2023	9:20	SASTHAMCOTTA LAKE, KERALA		LAKE	SASTHAMCOTTA	KOLLAM
1441	11/9/2023	9:20	ASHTHAMUDI LAKE AT QUILON, KERALA		LAKE	ASHTHAMUDI	KOLLAM
1442	11/15/2023	9:20	RIVER VAMANAPURAM AT VAMANAPURAM, THIRUVANANTHAPURAM		RIVER	VAMANAPURAM	THIRUVANANTHAPURAM
1443	11/10/2023	11:20	RIVER ACHANKOVIL AT CHENNITHALA, ALAPPUZHA		RIVER	ACHANKOVIL	ALAPPUZHA
1563	11/2/2023	8:10	RIVER NEYYAR AT AMARAVILA		RIVER	NEYYAR	THIRUVANANTHAPURAM
1564	11/6/2023	1:30	RIVER ITHIKKARA KERALA		RIVER	ITHIKKARA	KOLLAM
1565	11/4/2023	8:00	RIVER PAMBA DOWN, KERALA		RIVER	PAMBA	PATHANAMTHITTA
1566	11/2/2023	10:30	RIVER KADALUNDI AT THIRURANGADY, KERALA		RIVER	KADALUNDI	MALAPURAM
1567	11/4/2023	10:30	RIVER KUTTIYADY ESTATE, KERALA		RIVER	KUTTIYADY	KOZHIKODE
1568	11/4/2023	9:30	RIVER MAHE AT VALAYAM, KOZHIKODE		RIVER	MAHE	KOZHIKODE
1569	11/10/2023	11:05	RIVER KUPPAM THALIPARAMBA, KERALA		RIVER	KUPPAM	KANNUR

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
1570	11/1/2023	10:55	RIVER NILESWARAM NEAR NILESWARAM BRIDGE AT HOSDURG, KASARAGOD		RIVER	NILESWARAM	KASARAGOD
1571	11/1/2023	12:45	RIVER KARYANKODE AT KAKKADAVU		RIVER	KARYANKODE	KASARAGOD
1572	11/13/2023	12:00	RIVER CHANDRAGIRI AT PADIYATHADKA		RIVER	CHANDRAGIRI	KASARAGOD
1573	11/4/2023	10:20	RIVER CHITHRAPUZHA AT IRUMPANAM, KERALA		RIVER	CHITHRAPUZHA	ERNAKULAM
1574	11/6/2023	9:50	PARAVUR, KERALA		LAKE	PARAVUR	KOLLAM
1575	11/2/2023	10:15	VEMBANAD LAKE,KOCHI (OIL TANKER JETTY), KERALA		LAKE	VEMBANAD	ERNAKULAM
1576	11/6/2023	0:00	PERIYAR LAKE AT THEKKADY, KERALA		LAKE	PERIYAR	IDUKKI
1577	11/17/2023	11:15	KODUNGALLOOR, KERALA		LAKE	KODUNGALLOOR	THRISSUR
1578	11/4/2023	11:00	KAYAMKULAM, KERALA		LAKE	KAYAMKULA KAYA	ALAPPUZHA
1579	11/16/2023	10:30	ALAPPUZHA, KERALA		LAKE	PUNNAMADA KAYA	ALAPPUZHA
1580	11/4/2023	13:47	POOKODE LAKE AT POOKODE		LAKE	POOKODE	WAYANAD
2284	11/2/2023	8:45	RIVER NEYYAR AT ARUVIPURAM		RIVER	NEYYAR	THIRUVANANTHAPURAM
2285	11/15/2023	8:35	RIVER MAMOM AT MAMOM BRIDGE		RIVER	MAMOM	THIRUVANANTHAPURAM
2286	11/15/2023	9:25	RIVER AYIROOR AT AYIROOR BRIDGE		RIVER	AYIROOR	THIRUVANANTHAPURAM
2287	11/6/2023	9:30	RIVER ITHIKKARA AT ITHIKKARA		RIVER	ITHIKKARA	KOLLAM
2288	11/11/2023	10:04	RIVER PALLICKAL AT NELLIMUKAL		RIVER	PALLICKAL	PATHANAMTHITTA
2289	11/2/2023	11:35	RIVER KARUVANNUR AT KARUVANNUR BRIDGE		RIVER	KARUVANNUR	THRISSUR
2290	11/4/2023	2:45	RIVER PUZHAKKAL AT PUZHACKAL BRIDGE		RIVER	PUZHAKKAL	THRISSUR
2291	11/4/2023	10:00	RIVER KECHERI AT VADAKKANCHERY BRIDGE		RIVER	KECHERI	THRISSUR
2292	11/4/2023	1:15	RIVER TIRUR AT THALAKKADATHUR BRIDGE, MALAPPURAM		RIVER	TIRUR	MALAPPURAM
2293	11/2/2023	11:00	RIVER KADALUNDI AT HAJIRAPPALLY		RIVER	KADALUNDI	MALAPPURAM
2294	11/18/2023	11:30	RIVER KALLAYI AT KALLAYI BRIDGE, KOZHIKODE		RIVER	KALLAYI	KOZHIKODE
2295	11/10/2023	11:00	RIVER KORAPUZHA AT KANAYANKODE		RIVER	KORAPUZHA	KOZHIKODE
2296	11/2/2023	1:24	RIVER THALASSERRY AT PATHIPALAM		RIVER	THALASSERRY	KANNUR
2297	11/6/2023	12:25	RIVER ANCHARAKANDY AT MERUVAMBAYI		RIVER	ANCHARAKANDY	KANNUR
2298	11/8/2023	1:45	RIVER KUPPAM AT RAYAROM		RIVER	KUPPAM	KANNUR
2299	11/10/2023	3:30	RIVER RAMAPURAM AT RAMAPURAM BRIDGE		RIVER	RAMAPURAM	KANNUR
2300	11/10/2023	11:40	RIVER PERUVAMBA AT CHANDAPURA		RIVER	PERUVAMBA	KANNUR
2301	11/8/2023	1:45	RIVER KAVVAI AT KUTTIYOL PALAM		RIVER	KAVVAI	KANNUR

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
2302	11/4/2023	9:30	RIVER NILESWARAM AT NAMBIARKAL DAM		RIVER	NILESWARAM	KASARAGOD
2303	11/13/2023	9:45	RIVER PULLUR AT PULLUR BRIDGE		RIVER	PULLUR	KASARAGOD
2304	11/15/2023	9:45	RIVER MOGRAL AT MOGRAL BR.		RIVER	MOGRAL	KASARGODE
2305	11/13/2023	10:00	RIVER SHIRIYA AT ANGADIMOGARU		RIVER	SHIRIYA	KASARGODE
2306	11/15/2023	11:50	RIVER UPPALA AT UPPALA BR.		RIVER	UPPALA	KASARGODE
2307	11/15/2023	1:15	RIVER MANJESWAR AT BAJRAKKARA BR.		RIVER	MANJESWAR	KASARGODE
2312	11/16/2023	10:30	LAKE VEMBANAD AT PATHIRAMANAL (ALAPPUZHA)		LAKE	VEMBANAD	ALAPPUZHA
2318	11/6/2023	11:10	RIVER VALAPATTANAM AT PAZHASSI RESERVOIR, KANNUR		RIVER	VALAPATTANAM	KANNUR
2319	11/2/2023	1:57	RIVER ANCHARAKANDY AT ANCHARAKANDY		RIVER	ANCHARAKANDY	KANNUR
2325	11/30/2023	9:35	POND AT (PADMANABHA) SREE PADMANABHA SWAMY TEMPLE (TVPM)		POND	PADMANABHA SW	THIRUVANANTHAPURAM
2326	11/2/2023	11:35	RIVER KORAYAR NEAR NARAGAMPALLY BRIDGE AT KANJIKODE, PALAKKAD		RIVER	KORAYAR	PALAKKAD
2328	11/2/2023	10:47	RIVER BHARATHAPUZHA RSVR AT MALAMPUZHA		RIVER	BHARATHAPUZHA	PALAKKAD
2329	11/14/2023	11:40	RIVER PERIYAR RSVR AT BHOOOTHATHANKETU		RIVER	PERIYAR	ERNAKULAM
2330	11/14/2023	12:00	RIVER PERIYAR RSVR AT EDAMALAYAR		RIVER	PERIYAR	ERNAKULAM
2331	11/4/2023	2:05	RIVER BHARATHAPUZHA AT KUTTIPPURAM		RIVER	BHARATHAPUZHA	MALAPPURAM
2332	11/4/2023	12:00	RIVER BHARATHAPUZHA AT PATTAMBI		RIVER	BHARATHAPUZHA	PALLAKAD
2333	11/10/2023	10:45	RIVER PERIYAR AT MUPPATHADAM		RIVER	PERIYAR	ERNAKULAM
2334	11/10/2023	10:15	RIVER PERIYAR AT PATHALAM		RIVER	PERIYAR	ERNAKULAM
2335	11/10/2023	11:30	RIVER PERIYAR AT KALAMASSERY		RIVER	PERIYAR	ERNAKULAM
2336	11/17/2023	11:45	RIVER PERIYAR AT PURAPPALLIKADAVU		RIVER	PERIYAR	ERNAKULAM
2337	11/4/2023	10:30	RIVER KADAMBAYAR AT BRAHMAPURAM		RIVER	KADAMBAYAR	ERNAKULAM
2338	11/4/2023	11:10	RIVER KADAMBAYAR AT MANCKAKADAVU		RIVER	KADAMBAYAR	ERNAKULAM
3458	11/4/2023	15:04	RIVER KARAPUZHA DAM AT WAYANAD		RIVER	KARAPUZHA	WAYANAD
3459	11/9/2023	11:30	RIVER MANIYANKODE PUZHA AT MANIYANKODE BRIDGE, WAYANAD		RIVER	MANIYANKODE PU	WAYANAD
3460	11/2/2023	10:28	RIVER KALPATHI PUZHA AT KALPATHI, PALAKKAD		RIVER	KALPATHI PUZHA	PALAKKAD
3461	11/16/2023	10:30	CANOLI CANAL AT ERANJIKKAL		CANAL	CANOLI	KOZHICODE
3462	11/16/2023	9:30	MANANCHIRA POND AT KOZHEKODE		POND	MANANCHIRA	KOZHICODE
3464	11/8/2023	12:15	RIVER CHALIYAR AT NILAMBUR, MALAPPURAM		RIVER	CHALIYAR	MALAPPURAM
3465	11/10/2023	1:14	RIVER ACHANKOVIL AT KALLARAKADAVU, PATHANAMTHITTA		RIVER	ACHANKOVIL	PATHANAMTHITTA

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
3466	11/10/2023	1:10	RIVER ACHANKOVIL	AT PANDALAM	RIVER	ACHANKOVIL	PATHANAMTHITTA
3467	11/10/2023	9:45	UNTHITHODU	AT ELOOR, ERNAKULAM	CANAL	UNTHITHODU	ERNAKULAM
3468	11/15/2023	10:45	RIVER PERIYAR	AT KWA INTAKE, ALUVA	RIVER	PERIYAR	ERNAKULAM
3469	11/14/2023	10:05	PALAKKATTUTHAZHAMTHODU	AT PERUMBAVOOR, ERNAKULAM	CANAL	CANAL	ERNAKULAM
3470	11/2/2023	8:15	VELLAYANI LAKE	AT VANDITHADOM, THIRUVANANTHAPURAM	LAKE	VELLAYANI	THIRUVANANTHAPURAM
3471	11/10/2023	8:15	RIVER KARAMANA	AT ARUVIKARA, THIRUVANANTHAPURAM	RIVER	KARAMANA	THIRUVANANTHAPURAM
3473	11/6/2023	10:02	RIVER VALAPATTANAM	AT PARASSINIKADAVU, KANNUR	RIVER	VALAPATTANAM	KANNUR
5164	11/1/2023	10:05	THEERTHAMKARA POND	AT PADANNAKKAD, KANHANGAD MUNICIPALITY	POND	THEERTHAMKARA	KASARAGOD
5165	11/3/2023	10:40	CHIRAKKAL CHIRA	,KADALAYI, KANNUR	POND	CHIRAKKAL	KANNUR
5166	11/6/2023	1:02	THRIKAIKUNNU CHIRA	,KOOHUPARAMBA, KANNUR	POND	THRIKAIKUNNU	KANNUR
5169	11/3/2023	1:32	RIVER KAKKAD	AT KAKKAD, KANNUR	RIVER	KAKKAD	KANNUR
5170	11/13/2023	11:10	AALUMKULAM POND	AT KOORKKANCHERY, THRISSUR	POND	POND	THRISSUR
5171	11/1/2023	11:10	CHERUVATHUR - MADAKKARA HARBOUR	AT CHERUVATHUR PANCHAYATH KASARAGOD	RIVER	MADAKKARA	KASARAGOD
5172	11/9/2023	11:10	NELLIKUNNU BRIDGE	AT NELLIKUNNU, KASARAGOD	DRAIN	CHANDRAGIRI	KASARAGOD
5173	11/10/2023	2:40	RIVER PERUVAMBA	AT ETTIKULAM, KANNUR	BEACH	PERUVAMBA	KANNUR
5174	11/2/2023	12:03	R. ANCHARAKKANDY	AT MOIDUPALAM, DHARMADAM, KANNUR	BEACH	ANJARAKANDY	KANNUR
5176	11/2/2023	11:45	RIVER KANAMPUZHA	IN KANNUR MUNICIPALITY	RIVER	ANCHARAKANDY	KANNUR
5177	11/3/2023	10:55	RIVER VALAPATTANAM	AT AZHEEKAL PORT, AZHEEKODE, KANNUR	RIVER	VALAPATTANAM	KANNUR
5178	11/10/2023	1:00	KAVVAYI BACKWATERS	AT KAVVAYI, PAYYANUR	Sea	KAVVAYI	KANNUR
5179	11/30/2023	8:25	VELI BOAT CLUB	AT VELI LAKE, THIRUVANANTHAPURAM	LAKE	AKKULAM	THIRUVANANTHAPURAM
5180	11/30/2023	8:55	AKKULAM BRIDGE	AT AKKULAM LAKE, THIRUVANANTHAPURAM	LAKE	AKKULAM	THIRUVANANTHAPURAM
5181	11/15/2023	9:50	BEACH AT VARKALA	PAPANASAM, THIRUVANANTHAPURAM	BEACH	ARABIAN SEA	THIRUVANANTHAPURAM
5182	11/2/2023	10:50	KOCHI LAKE	AT GOSHREE BRIDGE, KOCHI	LAKE	SEMBANAD	ERNAKULAM
5183	11/7/2023	11:40	KOCHI LAKE	NEAR COCHIN PORT TRUST, KOCHI	LAKE	SEMBANAD	ERNAKULAM
5184	11/7/2023	10:45	KOCHI LAKE	NEAR THOPUMPADY, KOCHI	LAKE	SEMBANAD	ERNAKULAM
5185	11/7/2023	10:15	KOCHI LAKE	NEAR WELLINGTON ISLAND, KOCHI	LAKE	SEMBANAD	ERNAKULAM
5190	11/7/2023	11:00	VEMBANAD LAKE	AT ANDAKARANAZHI NEW BRIDGE, ALAPPUZHA	LAKE	VEMBANAD	ALAPPUZHA
5191	11/4/2023	11:00	RIVER PAMBA	NEAR THOTTAPPALLY HARBOUR, ALAPPUZHA	RIVER	PAMBA	ALAPPUZHA
5192	11/27/2023	3:30	RIVER CHALIYAR	BEYPORE PORT, KOZHIKODE	RIVER	CHALIYAR	KOZHIKODE

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
5193	11/16/2023	11:40	RIVER PERIYAR AZHIKODE FERRY, KODUNGALLUR,THRISSUR		RIVER	PERIYAR	THRISSUR
5194	11/30/2023	9:35	KMML CHAVARA, KOLLAM		Sea	ASHTAMUDI	KOLLAM
5195	11/21/2023	8:45	RIVER KARAMANA AT THIRUVALLOM, THIRUVANANTHAPURAM		RIVER	KARAMANA	THIRUVANANTHAPURAM
5196	11/10/2023	8:05	RIVER KARAMANA AT PEPPARA UPSTREAM, PEPPARA DAM, THIRUVANANTHAPURAM		RIVER	KARAMANA	THIRUVANANTHAPURAM
5197	11/24/2023	9:35	RIVER KILLIYAR AT MARUTHAMKUZHI BRIDGE, THIRUVANANTHAPURAM		RIVER	KILLIYAR RIVER	
5198	11/9/2023	9:40	ASHTAMUDI LAKE AT THOPPIKADAVU, KOLLAM		LAKE	ASHTAMUDI	KOLLAM
5199	11/9/2023	1:00	ASHTAMUDI LAKE NEAR KSRTC BUS DEPOT, KOLLAM		LAKE	ASHTAMUDI	KOLLAM
5200	11/9/2023	1:45	ASHTAMUDI LAKE AT PERUMON, KOLLAM		LAKE	ASHTAMUDI	KOLLAM
5201	11/9/2023	11:30	ASHTAMUDI LAKE NEAR M/S. KUNDARA CERAMICS, KOLLAM		LAKE	ASHTAMUDI	KOLLAM
5202	11/6/2023	1:00	RIVER KALLADA AT KULATHUPUZHA, KOLLAM		RIVER	KALLADA	KOLLAM
5203	11/9/2023	12:00	RIVER KALLADA AT MUNDROTHURUTH, KOLLAM		RIVER	KALLADA	KOLLAM
5204	11/6/2023	11:50	RIVER ITHIKKARA AT KALLADATHANNI, KOLLAM		RIVER	KAKKAD RIVER	KOLLAM
5205	11/4/2023	8:15	RIVER PAMBA AT MUNNAR, PATHANAMTHITTA		RIVER	PAMBA	PATHANAMTHITTA
5206	11/1/2023	10:30	RIVER VARATTAAR AT ARATTUKADAVU, ALAPPUZHA		RIVER	VARATTAAR	ALAPPUZHA
5207	11/3/2023	11:00	RIVER PAMBA AT VEEYAPURAM, ALAPPUZHA		RIVER	PAMBA	ALAPPUZHA
5208	11/7/2023	12:30	RIVER PERIYAR AT KULAMAVU RESEVOIR AT IDUKKI		RIVER	PERIYAR	IDUKKI
5209	11/7/2023	10:00	RIVER PERIYAR AT PANAMKUTTY BRIDGE, IDUKKI		RIVER	PERIYAR	IDUKKI
5210	11/28/2023	11:55	RIVER KOTHAMANGALAM AT KOOROR THODU, ERNAKULAM		RIVER	KOTHAMANGALAM	ERNAKULAM
5211	11/28/2023	11:10	RIVER MUVATTAPUZHA AT PERUVAMMUZHI BRIDGE, ERNAKULAM		RIVER	MUVATTAPUZHA	ERNAKULAM
5212	11/2/2023	12:35	POND NEAR HMT COLONY,NORTH KALAMASSERY PALAM, ERNAKULAM		POND	POND	ERNAKULAM
5213	11/13/2023	11:30	RIVER PUZHAKKAL AT PANCHIKKAL CANAL, THRISSUR		RIVER	PUZHAKKAL	THRISSUR
5214	11/4/2023	11:00	RIVER WADAKKANChERY AT WADAKKANChERY PALAM,THRISSUR		RIVER	WADAKKANChERY	THRISSUR
5215	11/2/2023	12:23	RIVER CHITTURPUZHA AT CHITTUR BRIDGE, PALAKKAD		RIVER	CHITHRAPPUZHA	PALAKKAD
5216	11/2/2023	10:04	RIVER KANNADIPPUZHA AT THIRUNELLAYI BRIDGE, PALAKKAD		RIVER	KANNADIPPUZHA	PALAKKAD
5217	11/6/2023	11:08	RIVER NELLIPUZHA AT NELLIPUZHA BRIDGE, MANNARKKAD, PALAKKAD		RIVER	RIVER NELLIPUZHA	PALAKKAD
5218	11/6/2023	11:25	RIVER KUNTHIPUZHA AT MANNARKKAD, PALAKKAD		RIVER	RIVER KUNTHIPUZHA	PALAKKAD
5220	11/4/2023	1:30	RIVER TIRUR AT NADUVILANGADI		RIVER	TIRUR	MALAPPURM
5221	11/15/2023	11:00	RIVER IRUVAZHINJI AT CHEPPIKANKODE, KOZHICODE		RIVER	RIVER IRUVAZHINJI	KOZHICODE
5222	11/15/2023	11:45	RIVER IRUVAZHINJI AT MUKKAM BRIDGE, KOZHICODE		RIVER	RIVER IRUVAZHINJI	KOZHICODE

STN Code	Sampling Date	Sampling Time	Name Of Monitoring Location	Inlet/Outlet	Type Water Body	Name Of WaterBody	District
5223	11/15/2023	12:15	RIVER IRUVAZHINJI AT KUTTIPALAKAL, KOZHIKODE		RIVER	RIVER IRUVAZHINJI	KOZHIKODE
5224	11/18/2023	11:00	RIVER KALLAYI AT MOORIYADU, KOZHIKODE		RIVER	KALLAYI	KOZHIKODE
5225	11/18/2023	11:55	RIVER KALLAYI AT KOTHI BRIDGE, KOZHIKODE		RIVER	KALLAYI	KOZHIKODE
5226	11/2/2023	12:28	RIVER PAPANASINI AT THIRUNELLY, WAYANAD		RIVER	RIVER PAPANASINI	WAYANAD
5227	11/2/2023	13:56	RIVER KALINDI AT BAVALI, WAYANAD		RIVER	RIVER KALINDI	WAYANAD
5228	11/1/2023	11:55	RIVER KABANI AT MUTHANGA, WAYANAD		RIVER	RIVER KABANI	WAYANAD
5229	11/6/2023	13:20	RIVER KABANI AT BANASURA SAGAR DAM AT KALPETTA, WAYANAD		RIVER	KABANI	WAYANAD
5230	11/6/2023	14:30	LAKE KARLAD AT WAYANAD		LAKE	KARLAD	WAYANAD
5231	11/10/2023	12:15	RIVER KAVVAYI AT KANKOL, KANNUR		RIVER	KAVVAYI RIVER	KANNUR
5232	11/10/2023	12:00	RIVER PERUVAMBA AT PERUMBA BRIDGE, KANNUR		RIVER	PERUVAMBA	KANNUR
5233	11/10/2023	11:20	RIVER RAMAPURAM AT KAPPUNGAL, KANNUR		RIVER	RAMAPURAM	KANNUR
5234	11/8/2023	12:35	RIVER KUPPAM AT UROOTERI, KANNUR		RIVER	KUPPAM RIVER	KANNUR
5235	11/6/2023	10:34	RIVER VALAPATTANAM AT PAVANNUR, KANNUR		RIVER	VALAPATTANAM	KANNUR
5236	11/2/2023	12:33	RIVER THALASSERRY AT ERANJOLI PALAM, KANNUR		RIVER	THALASSERRY	KANNUR
5237	11/3/2023	12:53	RIVER KAKKAD AT VARANAM KADAVU BRIDGE, KANNUR		RIVER	KAKKAD	KANNUR
5238	11/2/2023	1:50	RIVER ANCHARAKANDY AT UDAKADAVU BRIDGE, KANNUR		RIVER	KAKKAD RIVER	KANNUR
5239	11/6/2023	11:37	VALAPATTANAM RIVER AT IRRITY BRIDGE, KANNUR		RIVER	VALAPATTANAM	KANNUR
5240	11/2/2023	12:50	RIVER THALASSERY AT KUNDUCHIRA, KANNUR		RIVER	THALASSERRY	KANNUR
5241	11/2/2023	12:18	RIVER THALASSERY AT KODUVALLY, KANNUR		RIVER	THALASSERRY	KANNUR
5242	11/13/2023	1:15	PALLANGODE BRIDGE AT PUTHIYAMBALAM, KASARAGOD		RIVER	CHANDRAGIRI	KASARAGOD
5243	11/9/2023	10:05	CHANDRAGIRI RIVER AT CHANDRAGIRI BRIDGE, KASARAGOD		RIVER	CHANDRAGIRI	KASARAGOD
5244	11/9/2023	11:00	RIVER MOGRAL AT MADHUR BRIDGE NEAR MADHUR SRI SIDHIVINAYAKA TEMPLE, KASARAGOD		RIVER	MOGRAL	KASARAGOD
5245	11/15/2023	12:30	RIVER MANJESHWAR AT BANGRA-MANJESHWAR BRIDGE, HOSDURG, KASARAGOD		RIVER	MANJESHWAR	KASARAGOD
5527	11/16/2023	11:00	Vembanad lake At the U/S of Thanneermukkam bund		lake (Ra	Vembanad	Alappuzha
5528	11/16/2023	11:30	Vembanad lake at Padashekaram at Kainikkari		lake (Ra	Vembanad	Alappuzha
5529	11/2/2023	2:50	Vembanad lake at Kottayam Ferry		lake (Ra	Vembanad	Kottayam
5530	11/2/2023	1:45	Vembanad lake at Changanassery Ferry		lake (Ra	Vembanad	Kottayam
5531	11/10/2023	12:00	Vembanad lake at Vaikom Beach & Ferry		lake (Ra	Vembanad	Kottayam
10016	11/18/2023	10:15	RIVER PAMBA U/S		RIVER	PAMBA	PATHANAMTHITTA
10017	11/18/2023	10:40	RIVER PAMBA D/S		RIVER	PAMBA	PATHANAMTHITTA
20017	11/18/2023	10:20	STP NEAR PAMBA AT PATHANAMTHITTA KERALA		STP	STP	PATHANAMTHITTA

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
17	NONE	C (Drinking water source)	None
18	d/s of town or industrial area	C (Drinking water source)	None
20	d/s of town or industrial area	C (Drinking water source)	None
21	d/s of town or industrial area	B (Outdoor bathing(Organized))	None
42	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
43	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal Sewage
1154	d/s of town or industrial area	C (Drinking water source)	None
1155	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Municipal Sewage
1156	D/S of town or industrial area	B (Outdoor bathing(Organized))	None
1207	NONE	B (Outdoor bathing(Organized))	None
1208	none	B (Outdoor bathing(Organized))	None
1338	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
1339	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal Sewage
1340	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1341	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1342	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1383	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
1384	U/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
1385	NONE	C (Drinking water source)	None
1441	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal Sewage
1442	WATER INTAKE	C (Drinking water source)	None
1443	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial
1563	NONE	C (Drinking water source)	None
1564	D/s of town	C (Drinking water source)	None
1565	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1566	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
1567	u/s of town or industrial area	B (Outdoor bathing(Organized))	None
1568	pilgrim center/bathing ghat/water intake	A (Drinking Water source without conventional treatment but after disinfection)	None
1569	none	B (Outdoor bathing(Organized))	None

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
1570	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1571	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
1572	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1573	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial
1574	D/s of town	C (Drinking water source)	Municipal Sewage
1575	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Municipal Sewage
1576			
1577	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
1578	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
1579	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
1580	none	A (Drinking Water source without conventional treatment but after disinfection)	None
2284	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2285	NONE	C (Drinking water source)	None
2286	WATER INTAKE	C (Drinking water source)	None
2287	D/s of town	C (Drinking water source)	None
2288	D/s of town	C (Drinking water source)	None
2289	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2290	U/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2291	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2292	Pilgrim centre/Bathing Ghat/waterintake	C (Drinking water source)	None
2293	Pilgrim centre/Bathing Ghat/water intake	B (Outdoor bathing(Organized))	None
2294	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
2295	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2296	none	B (Outdoor bathing(Organized))	None
2297	None	B (Outdoor bathing(Organized))	None
2298	none	B (Outdoor bathing(Organized))	None
2299	none	B (Outdoor bathing(Organized))	None
2300	none	B (Outdoor bathing(Organized))	None
2301	none	C (Drinking water source)	None

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
2302	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	None
2303	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
2304	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2305	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2306	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
2307	u/s of town or industrial area	C (Drinking water source)	None
2312	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
2318	none	B (Outdoor bathing(Organized))	None
2319	D/s of town or industrial area	B (Outdoor bathing(Organized))	Industrial
2325	PILGRIM CENTER	C (Drinking water source)	None
2326	none	B (Outdoor bathing(Organized))	None
2328	none	B (Outdoor bathing(Organized))	None
2329	u/s of town or industrial area	C (Drinking water source)	None
2330	u/s of town or industrial area	B (Outdoor bathing(Organized))	None
2331	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
2332	none	C (Drinking water source)	Municipal Sewage
2333	d/s of town or industrial area	C (Drinking water source)	None
2334	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial
2335	d/s of town or industrial area	C (Drinking water source)	Municipal Sewage
2336	d/s of town or industrial area	C (Drinking water source)	None
2337	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Industrial
2338	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
3458	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
3459	none	A (Drinking Water source without conventional treatment but after disinfection)	None
3460	none	B (Outdoor bathing(Organized))	Municipal Sewage
3461	U/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
3462	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
3464	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
3465	D/s of town	C (Drinking water source)	None

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
3466	Pilgrim center/Bathing	C (Drinking water source)	None
3467	D/SW OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	Municipal Sewage
3468	d/s of town or industrial area	C (Drinking water source)	None
3469	d/s of town or industrial area	E (Irrigation, industrial cooling and controlled waste)	Industrial
3470	WATER INTAKE	C (Drinking water source)	None
3471	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
3473	none	B (Outdoor bathing(Organized))	None
5164	pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	None
5165	none	B (Outdoor bathing(Organized))	None
5166	none	B (Outdoor bathing(Organized))	None
5169	none	B (Outdoor bathing(Organized))	None
5170		A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5171	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5172	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5173	none	A (Drinking Water source without conventional treatment but after disinfection)	None
5174	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5176	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5177	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5178	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5179	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5180	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5181	PILGRIM CENTER/BATHING GHAT	A (Drinking Water source without conventional treatment but after disinfection)	None
5182	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Municipal Sewage
5183	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Municipal Sewage
5184	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Municipal Sewage
5185	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Municipal Sewage
5190	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5191	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5192	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
5193	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	None
5194	D/S OF TOWN OR INDUSTRIAL AREA	A (Drinking Water source without conventional treatment but after disinfection)	Industrial
5195	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Municipal Sewage
5196	WATER INTAKE	C (Drinking water source)	None
5197	PILGRIM CENTER/BATHING GHAT	C (Drinking water source)	None
5198	D/s of town	E (Irrigation, industrial cooling and controlled waste)	Industrial
5199	D/s of town	E (Irrigation, industrial cooling and controlled waste)	Industrial
5200	D/s of town	E (Irrigation, industrial cooling and controlled waste)	None
5201	D/s of town	E (Irrigation, industrial cooling and controlled waste)	Industrial
5202	Pilgrim centre/Bathing	C (Drinking water source)	None
5203	D/s of town	C (Drinking water source)	None
5204	D/s of town	C (Drinking water source)	None
5205	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal Sewage
5206	d/s of town or industrial area	C (Drinking water source)	None
5207	d/s of town or industrial area	C (Drinking water source)	None
5208	NONE	C (Drinking water source)	None
5209	NONE	C (Drinking water source)	None
5210	NONE	B (Outdoor bathing(Organized))	None
5211	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5212	none	C (Drinking water source)	None
5213	D/s of town or industrial area	C (Drinking water source)	Municipal Sewage
5214	D/s of town or industrial area	B (Outdoor bathing(Organized))	None
5215	none	B (Outdoor bathing(Organized))	None
5216	none	A (Drinking Water source without conventional treatment but after disinfection)	Municipal Sewage
5217	none	B (Outdoor bathing(Organized))	None
5218	none	B (Outdoor bathing(Organized))	None
5220	none	B (Outdoor bathing(Organized))	None
5221	PILGRIM CENTER/ BATHING GHAT /WATER INTAKE	C (Drinking water source)	None
5222	PILGRIM CENTER/ BATHING GHAT/WATER INTAKE	C (Drinking water source)	None

STN Code	Location Details	Use Based Class	Visible Effluent Discharge
5223	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
5224	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	Industrial
5225	D/S OF TOWN OR INDUSTRIAL AREA	E (Irrigation, industrial cooling and controlled waste)	None
5226	NONE	B (Outdoor bathing(Organized))	None
5227	NONE	B (Outdoor bathing(Organized))	None
5228	NONE	B (Outdoor bathing(Organized))	None
5229	NONE	B (Outdoor bathing(Organized))	None
5230	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None
5231	none	B (Outdoor bathing(Organized))	None
5232	none	B (Outdoor bathing(Organized))	None
5233	none	B (Outdoor bathing(Organized))	None
5234	none	B (Outdoor bathing(Organized))	None
5235	none	B (Outdoor bathing(Organized))	None
5236	none	B (Outdoor bathing(Organized))	None
5237	none	B (Outdoor bathing(Organized))	None
5238	none	B (Outdoor bathing(Organized))	None
5239	none	B (Outdoor bathing(Organized))	None
5240	none	B (Outdoor bathing(Organized))	None
5241	none	B (Outdoor bathing(Organized))	None
5242	U/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5243	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	Municipal Sewage
5244	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
5245	d/s of town or industrial area	B (Outdoor bathing(Organized))	None
5527	D/S OF TOWN OR INDUSTRIAL AREA	B (Outdoor bathing(Organized))	None
5528	D/S OF TOWN OR INDUSTRIAL AREA	C (Drinking water source)	None
5529	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	B (Outdoor bathing(Organized))	Industrial
5530	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	B (Outdoor bathing(Organized))	Municipal Sewage
5531	Pilgrim center/bathing ghat/water intake	B (Outdoor bathing(Organized))	Industrial
10016	PILGRIM CENTER/ BATHING GHAT/WATER INTAKE	B (Outdoor bathing(Organized))	None
10017	PILGRIM CENTER/BATHING GHAT/WATER INTAKE	C (Drinking water source)	None
20017	NONE	A (Drinking Water source without conventional treatment but after disinfection)	None

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µ mho/cm)
17	Greater than 100cm	Bathing	No	GREEN	None	30	5.4	6.6	400
18	Greater than 100cm	Others	No	Clear	None	29	7.7	7.3	49
20	Greater than 100cm	Fishing,Others	No	Clear	None	28	7.8	6.6	62
21	Greater than 100cm	Bathing	No	turbid	None	29	7.7	5.8	62
42	Greater than 100cm	Others	No	GREEN	None	25	8.3	7.1	109
43	Greater than 100cm	Bathing,Fishing	Yes	Clear	None	27	6.7	6.5	51
1154	Greater than 100cm	Others	No	turbid	None	29	6.2	6.9	88
1155	Greater than 100cm	Others	Yes	TURBID BROWN		28	0.6	6.9	646
1156	Greater than 100cm	Others	Yes	Clear	None	26	6.8	7.4	56
1207	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	24	6.7	6.6	100
1208	Greater than 100cm	Cattle Wading	No	Clear	None	23	7.7	7.7	112
1338	Greater than 100cm	Others	No	Clear	None	25	6.6	6.5	58
1339	50-100cm	Tourism Spot,Others	Yes	Clear	None	27	8	6.6	45
1340	Less than 50cm	Bathing,Fishing	No	Clear	None	30	7.5	7.1	171
1341	Greater than 100cm	Others	Yes	Clear	None	28	6.9	6.7	56
1342	Greater than 100cm	Bathing	No	Clear	None	26	6	6.9	83
1383	Greater than 100cm	Others	No	TURBID	None	28	4.3	6.7	316
1384	Less than 50cm	Bathing,Fishing	No	Clear	None	30	6.5	7	165
1385	Greater than 100cm	Others	No	Clear	None	26	8.1	7.1	104
1441	Greater than 100cm	Fishing,Others	Yes	Clear	None	26	5.3	7.2	35820
1442	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Turbid Gre	None	28	7.2	6.4	100
1443	Greater than 100cm	Bathing,Fishing,Cattle Wading,Others	Yes	Clear	None	26	5.6	7.2	115
1563	Greater than 100cm	Bathing,Fishing	No	TURBID	None	29	6.5	6.3	163
1564	Greater than 100cm	Bathing,Fishing	Yes	Turbid Gre	None	26	6.6	6.9	129
1565	Greater than 100cm	Others	Yes	Clear	None	27	6.5	6.9	54
1566	Greater than 100cm	Bathing	No	Clear	None	23	7	7	81
1567	Greater than 100cm	Tourism Spot,Others	No	Clear	None	29	7.7	6.5	30
1568	Greater than 100cm	Others	No	Clear	None	30	7.5	6.2	39
1569	Greater than 100cm	Fishing	No	Clear	None	28	7.7	6.8	245

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho/cm)
1570	Greater than 100cm	Others	No	Clear	None	30	7	7.4	368
1571	Less than 50cm	Others	No	Clear	None	30	6.3	7.4	101
1572	50-100cm	Others	No	Clear	None	31	7.7	7.2	90
1573	Greater than 100cm	Others	No	TURBID	None	28	1.2	6.4	192
1574	Greater than 100cm	Bathing,Fishing	Yes	Dark Green	Fishy	26	6.6	7.2	220
1575	Greater than 100cm	Others	Yes	Clear	None	28	3.7	7.4	14080
1576						NA			
1577	Greater than 100cm	Others	No	Clear	None	30	5.7	7.2	11600
1578	Less than 50cm	Bathing,Fishing	No	Clear	None	29	2.8	6.4	600
1579	Less than 50cm	Tourism Spot,Others	No	Clear	None	30	4.1	6.8	179
1580	Greater than 100cm	Tourism Spot,Others	No	Clear	None	24	7.2	7.1	36
2284	Greater than 100cm	Bathing,Fishing,Tourism Spot	No	TURBID	None	28	6.6	6.4	95
2285	Greater than 100cm	Bathing,Cattle Wading	No	Clear	None	28	7.8	6.6	117
2286	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	29	7.8	6.3	111
2287	Greater than 100cm	Bathing,Fishing	Yes	Clear	None	27	6.9	7.4	160
2288	Greater than 100cm	Bathing,Cattle Wading	Yes	Clear	None	26	6.4	7.2	110
2289	Greater than 100cm	Fishing,Others	No	Clear	None	29	4.8	6.6	108
2290	Greater than 100cm	Fishing,Others	No	Clear	None	26	3.4	7.1	103
2291	Greater than 100cm	Bathing,Fishing	No	Clear	None	25	5.1	6.9	106
2292	Greater than 100cm	Bathing	No	Clear	None	23	4.3	6.8	123
2293	Greater than 100cm	Bathing	No	Clear	None	23	6	6.8	95
2294	Greater than 100cm	Fishing	Yes	TURBID	Fishy	28	1.8	7.4	26530
2295	Greater than 100cm	Fishing	No	TURBID	None	30	5.7	5.9	422
2296	Greater than 100cm	Bathing,Fishing	No	Clear	None	28	7.8	6.5	228
2297	Greater than 100cm	Fishing	No	Clear	None	28	7.8	6.6	205
2298	Greater than 100cm	Bathing,Fishing	No	Clear	None	28	7.8	6.5	158
2299	Greater than 100cm	Bathing	No	Clear	None	28	6.7	6.6	309
2300	Greater than 100cm	Fishing	No	Clear	None	28	7.7	6.9	185
2301	Greater than 100cm	Bathing,Fishing	No	Clear	None	28	7.8	6.5	158

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho/cm)
2302	50-100cm	Others	No	Clear	None	30	5.6	7.4	4700
2303	Less than 50cm	Others	No	Clear	None	31	8	7	88
2304	Greater than 100cm	Others	No	Clear	None	30	6.2	7	900
2305	Less than 50cm	Others	No	Clear	None	31	7.9	7.3	74
2306	50-100cm	Others	No	Clear	None	30	7.4	7	116
2307	Less than 50cm	Others	No	Clear	None	30	7.4	7.5	110
2312	Less than 50cm	Fishing	No	Clear	None	30	7.6	7.2	182
2318	Greater than 100cm	Fishing	No	Clear	None	28	7.9	6.8	200
2319	Greater than 100cm	Fishing	Yes	Clear	None	28	7.8	6.6	205
2325	Greater than 100cm	Tourism Spot,Others	Yes	TURBID	None	28	7.8	8.1	287
2326	50-100cm	Bathing,Cattle Wading	No	Clear	None	31	6	8.1	690
2328	Greater than 100cm	Tourism Spot,Others	No	Clear	None	30	7.6	7.6	146
2329	Greater than 100cm	Others	No	Clear	None	28	7.8	6.1	51
2330	Greater than 100cm	Others	No	Clear	None	28	7.8	7.3	19
2331	Greater than 100cm	Bathing,Tourism Spot	No	Clear	None	26	7.3	7.4	162
2332	Greater than 100cm	Bathing	No	Clear	None	27	7.3	7.6	161
2333	Greater than 100cm	Others	Yes	turbid	None	29	5.6	6.9	63
2334	Less than 50cm	Others	Yes	TURBID	None	28	5.7	6.6	125
2335	Greater than 100cm	Others	Yes	turbid	None	29	6.7	6.6	66
2336	Greater than 100cm	Others	No	Clear	None	29	7.3	7	69
2337	Greater than 100cm	Others	No	TURBID	None	29	1	6.6	141
2338	Greater than 100cm	Others	No	TURBID	None	29	2	6.5	94
3458	Greater than 100cm	Tourism Spot,Others	Yes	Clear	None	26	7.5	6.6	159
3459	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	23	6.8	6.9	119
3460	Greater than 100cm	Bathing,Cattle Wading	No	Clear	None	30	5	8	401
3461	Greater than 100cm	Fishing	No	TURBID	None	27	4.9	6.6	8250
3462	Greater than 100cm	Tourism Spot,Others	Yes	TURBID	None	28	7.8	7.2	69
3464	50-100cm	Others	No	TURBID	None	30	7.6	6.7	64
3465	Greater than 100cm	Bathing,Fishing	Yes	Turbid Gre	None	26	7.4	6.8	79

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho/cm)
3466	Greater than 100cm	Bathing,Fishing,Tourism Spot	No	Clear	None	25	6.3	7.5	96
3467	Greater than 100cm	Others	Yes	TURBID	None	28	4.8	6.6	159
3468	Greater than 100cm	Others	No	Clear	None	29	6.6	6.6	42
3469	Greater than 100cm	Others	No	Clear	None	29	5.7	6.7	93
3470	Greater than 100cm	Bathing,Fishing,Tourism Spot,Cattle Wading	Yes	TURBID	None	29	6.8	6.6	210
3471	50-100cm	Bathing,Fishing,Tourism Spot	No	Clear	None	27	8	6.2	59
3473	Greater than 100cm	Bathing,Tourism Spot	No	Clear	None	28	7.5	6.5	290
5164	Greater than 100cm	Bathing,Fishing	Yes	Clear	None	29	7.4	7.9	230
5165	Greater than 100cm	Bathing	No	Clear	None	28	7	8.1	355
5166	Greater than 100cm	Bathing	No	Clear	None	28	7.2	6.6	290
5169	Greater than 100cm	Bathing	No	Clear	None	28	6.1	6.2	400
5170	Greater than 100cm	Others	Yes	Clear	None	28	3.9	7.4	160
5171	Less than 50cm	Fishing	No	Clear	None	NA	3.6	8.1	
5172	Less than 50cm	Others	No	Clear	None	NA	4.5	6.5	
5173	Greater than 100cm	Bathing,Fishing,Tourism Spot	Yes	TURBID	Fishy	NA	5.9	7.1	
5174	Greater than 100cm	Bathing,Fishing,Tourism Spot	Yes	TURBID	Fishy	NA	6.5	7.4	
5176	Greater than 100cm	Bathing,Fishing,Tourism Spot	Yes	TURBID	Fishy	NA	7.9	6.7	
5177	Greater than 100cm	Fishing,Tourism Spot	Yes	TURBID	Fishy	NA	6.8	6.9	
5178	Greater than 100cm	Bathing,Fishing,Tourism Spot	Yes	TURBID	Fishy	NA	5.1	7	
5179	Greater than 100cm	Tourism Spot,Others	Yes	TURBID	None	NA	4.3	6.9	
5180	Greater than 100cm	Tourism Spot,Others	Yes	TURBID,BR	None	NA	2.5	6.9	
5181	Greater than 100cm	Bathing,Fishing,Tourism Spot	No	Light Green	None	NA	7.1	7.9	
5182	Greater than 100cm	Tourism Spot,Others	Yes	TURBID	None	NA	4.7	8.8	
5183	Greater than 100cm	Tourism Spot,Others	Yes	TURBID	None	NA	4.8	7.2	
5184	Greater than 100cm	Fishing	Yes	TURBID	Fishy	NA	3.1	7.5	
5185	Greater than 100cm	Others	Yes	TURBID	None	NA	5	7.7	
5190	Less than 50cm	Fishing	No	Clear	None	NA	3.4	6.5	
5191	Less than 50cm	Fishing	No	Clear	None	NA	5.2	6.3	
5192	Greater than 100cm	Fishing,Tourism Spot	No	TURBID	None	NA	6.5	7.6	

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µmho/cm)
5193	Greater than 100cm	Fishing,Others	No	Clear	None	NA	5	7.4	
5194	Greater than 100cm	Others	Yes	TURBID		NA	3.4	8.5	
5195	Greater than 100cm	Bathing,Fishing	No	TURBID,BR	None	29	4.8	6.7	166
5196	Greater than 100cm	Tourism Spot,Others	No	TURBID	None	29	7.7	5.9	58
5197	Less than 50cm	Bathing,Fishing,Cattle Wading	No	TURBID	None	29	7.5	6.7	133
5198	Greater than 100cm	Others	Yes	Clear	Fishy	26	4.5	6.5	11250
5199	Greater than 100cm	Fishing,Tourism Spot	Yes	Clear	H2s / Rotte	25	2.5	7.5	8640
5200	Greater than 100cm	Fishing	Yes	Clear	None	25	6.6	7.3	11370
5201	Less than 50cm	Fishing,Cattle Wading	Yes	Clear	None	26	5.5	6.8	15820
5202	Greater than 100cm	Bathing,Tourism Spot	Yes	Clear	None	25	7	7.3	141
5203	Greater than 100cm	Bathing,Fishing,Tourism Spot,Cattle Wading	Yes	Clear	None	26	6.9	6.7	126
5204	Greater than 100cm	Tourism Spot,Cattle Wading	Yes	Clear	None	26	6.8	7.3	106
5205	Greater than 100cm	Others	Yes	Clear	None	28	6.8	6.9	50
5206	Less than 50cm	Others	No	Clear	None	29	3.1	6.8	205
5207	Less than 50cm	Others	No	Clear	None	29	5.5	6.5	185
5208	50-100cm	Bathing	No	Clear	None	24	6.3	6.3	48
5209	50-100cm	Bathing	No	Clear	None	25	7.1	6.8	41
5210	Greater than 100cm	Cattle Wading	No	Clear	None	27	6.2	6.3	83
5211	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	28	6.5	5.4	127
5212	Greater than 100cm	Others	No	Clear	None	28	7.8	9.4	86
5213	50-100cm	Fishing	Yes	Clear	None	28	6.7	7.9	299
5214	Greater than 100cm	Cultivation,Fishing,Others	No	Clear	None	25	5.3	7	133
5215	Greater than 100cm	Cattle Wading	No	Clear	None	30	7	7.9	435
5216	Less than 50cm	Cattle Wading	No	Clear	None	31	6	7.9	494
5217	Greater than 100cm	Cattle Wading	No	Clear	None	24	7.9	7.3	107
5218	Greater than 100cm	Cattle Wading	No	Clear	None	24	7.9	7.3	104
5220	Greater than 100cm	Fishing	Yes	Clear	None	23	3.7	6.8	171
5221	Greater than 100cm	Others	No	TURBID	None	28	7.8	6.1	40
5222	Greater than 100cm	Others	No	TURBID	None	28	7.8	6.3	44

STN Code	ApproxDepth	Human Activities	Floating Matter	Colour	Odour	Temperature	Dissolved O2 (mg/L)	pH	Conductivity (µ mho/cm)
5223	Greater than 100cm	Others	Yes	TURBID	None	28	7.8	6.4	39
5224	50-100cm	Others	Yes	TURBID	None	27	1.3	7	22100
5225	50-100cm	Others	Yes	TURBID	Fishy	27	1.9	7.1	28100
5226	Greater than 100cm	Bathing	No	Clear	None	28	7.3	6.7	69
5227	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	27	7.4	6.5	93
5228	Greater than 100cm	Bathing,Fishing,Cattle Wading	Yes	Clear	None	23	7	6.8	139
5229	Greater than 100cm	Tourism Spot,Others	No	Clear	None	27	7.6	6.9	28
5230	Greater than 100cm	Tourism Spot,Others	Yes	Clear	None	24	7.5	7.1	70
5231	Greater than 100cm	Bathing,Fishing,Cattle Wading	No	Clear	None	28	6.1	6.5	186
5232	Greater than 100cm	Fishing	No	Clear	None	28	7.5	6.5	450
5233	Greater than 100cm	Others	No	Clear	None	28	6.1	6.7	210
5234	Greater than 100cm	Bathing	No	Clear	None	28	7.4	6.5	175
5235	Greater than 100cm	Bathing	No	Clear	None	28	7.6	6.8	178
5236	Greater than 100cm	Fishing	No	Clear	None	28	6.1	6.7	1600
5237	Greater than 100cm	Fishing	No	Clear	None	28	6.8	6.7	2180
5238	Greater than 100cm	Fishing	No	Clear	None	28	6.8	6.5	172
5239	Greater than 100cm	Bathing	No	Clear	None	28	7.2	6.7	246
5240	Greater than 100cm	Fishing	No	Clear	None	28	6.5	6.8	259
5241	Greater than 100cm	Fishing	No	Clear	None	28	5.3	7.1	1200
5242	Less than 50cm	Others	No	Clear	None	30	7.8	7.3	88
5243	Greater than 100cm	Others	No	TURBID	None	30	7.8	7.2	103
5244	Less than 50cm	Others	No	TURBID	None	30	7.4	6.9	79
5245	Less than 50cm	Others	No	turbid	None	30	7.6	7.4	1175
5527	Less than 50cm	Others	No	Clear	None	29	7.5	7.2	221
5528	Less than 50cm	Others	No	Clear	None	29	4.7	7.1	202
5529	Greater than 100cm	Fishing,Gardening	Yes	Clear	None	28	2.4	7.1	68
5530	Greater than 100cm	Bathing,Fishing	Yes	Clear	None	28	6.4	7.2	157
5531	Less than 50cm	Tourism Spot,Cattle Wading,Others	Yes	turbid	None	28	5.7	6.9	150
10016	50-100cm	Bathing	No	Clear	None	26	7.6	7.5	45
10017	50-100cm	Bathing	No	Clear	None	26	7.4	7.4	49
20017	Less than 50cm	Others	No	Clear	None	NA		8.1	

STN Code	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Total Hardness (mg/L)
17	1.7	0.4	2200	1500	140	12.6	5(BDL)	25	105	5.6	1.5(BDL)	0.4	46
18	1(BDL)	0.3(BDL)	2500	210	120	18.9	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	15
20	1(BDL)	0.3(BDL)	700	400	20	29.2	5(BDL)	20(BDL)	7	5(BDL)	1.5(BDL)	0.4	21
21	1(BDL)	0.3(BDL)	490	310	20	41.3	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	19
42	1.8	3.5	700	130	20	4	5(BDL)	20(BDL)	11	5.8	NA	0.4	39
43	1.1	0.74	450	200	1.8(BDL)	1.7	5(BDL)	20(BDL)	6	12.8	1.5(BDL)	0.4	14
1154	1(BDL)	0.3(BDL)	1700	200	48	30.2	5(BDL)	26	13	5(BDL)	1.5(BDL)	0.4	26
1155	7.3	0.3(BDL)	33000	22000	1.8(BDL)	7.1	5(BDL)	88	136	24	1.5(BDL)	0.4	120
1156	1(BDL)	0.3(BDL)	210	70	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	10	5(BDL)	1.5(BDL)	0.4	18
1207	1(BDL)	0.3(BDL)	63	33	33	10.46	5(BDL)	27	11	5(BDL)	1.5(BDL)	0.4	28
1208	1(BDL)	0.46	490	200	40	1(BDL)	5(BDL)	30	1399	5(BDL)	1.5(BDL)	0.4	35
1338	1(BDL)	0.3(BDL)	31000	1400	340	15.4	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	14
1339	1.5	0.41	400	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	7	12.8	1.5(BDL)	0.4	13
1340	1(BDL)	0.3(BDL)	15000	580	1.8(BDL)	1(BDL)	5(BDL)	30	42	NA	1.5(BDL)	0.4	40
1341	1(BDL)	0.3(BDL)	170	58	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	10	5(BDL)	1.5(BDL)	0.4	20
1342	3	1.6	810	170	10	8	5(BDL)	20(BDL)	9	9	NA	0.4	25
1383	3.7	0.3(BDL)	7000	4900	1.8(BDL)	3.1	5(BDL)	58	64	16	1.5(BDL)	0.4	86
1384	1(BDL)	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1.2	5(BDL)	30	40	NA	1.5(BDL)	0.4	40
1385	2.7	2.5	540	120	1.8(BDL)	6.3	5(BDL)	20(BDL)	17	8.8	NA	0.4	24
1441	3.2	48	1100	380	49	7.1	5(BDL)	20(BDL)	9800	10	NA	0.4	5300
1442	1(BDL)	0.3(BDL)	2100	1600	1.8(BDL)	1.8	5(BDL)	20(BDL)	24	5(BDL)	1.5(BDL)	0.4	16
1443	1(BDL)	1.5	700	170	10	6.5	5(BDL)	20(BDL)	18	5(BDL)	NA	0.4	28
1563	1(BDL)	0.3(BDL)	1000	790	1.8(BDL)	1.7	5(BDL)	24	44	5(BDL)	1.5(BDL)	0.4	28
1564	2.4	2	700	160	1.8(BDL)	3.5	5(BDL)	20(BDL)	16	6.1	1.5(BDL)	0.4	30
1565	1(BDL)	0.3(BDL)	240	70	1.8(BDL)	1(BDL)	5(BDL)	20(BDL)	12	5(BDL)	1.5(BDL)	0.4	18
1566	1(BDL)	0.53	430	280	40	14.1	5(BDL)	22	10	5(BDL)	1.5(BDL)	0.4	22
1567	1(BDL)	0.3(BDL)	490	310	1.8(BDL)	1.1	5(BDL)	20(BDL)	6	5(BDL)	1.5(BDL)	0.4	10(BDL)
1568	1(BDL)	0.3(BDL)	8400	3200	1.8(BDL)	40.5	5(BDL)	20(BDL)	6	5(BDL)	1.5(BDL)	0.4	11
1569	2.5	0.3(BDL)	310	200	20	1(BDL)	5(BDL)	22	58	7	1.5(BDL)	0.4	28

STN Code	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)
1570	1(BDL)	0.3(BDL)	310	250	10	1.3	5(BDL)	95	39	5(BDL)	NA	0.4	95
1571	1(BDL)	0.3(BDL)	280	210	1.8(BDL)	1(BDL)	5(BDL)	35	19.1	5.1	NA	0.4	28
1572	1(BDL)	0.3(BDL)	540	380	10	1.3	5(BDL)	40	13	5(BDL)	NA	0.4	26
1573	3	0.3(BDL)	4900	1700	120	11.7	5(BDL)	25	22	9.6	2.15	2.1	53
1574	2.2	2.5	700	170	40	3.1	5(BDL)	20(BDL)	46	6.5	1.5(BDL)	0.4	40
1575	1.9	0.3(BDL)	32000	7900	790	5.6	5(BDL)	45	4900	5.6	1.5(BDL)	0.4	1800
1576	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1577	1(BDL)	0.3(BDL)	2600	940	700	10.1	5(BDL)	29	3650	5(BDL)	1.5(BDL)	0.4	1000
1578	6.8	0.3(BDL)	9200	2000	1.8(BDL)	1(BDL)	5(BDL)	150	120	NA	1.5(BDL)	0.4	180
1579	1(BDL)	0.3(BDL)	2200	920	1.8(BDL)	1(BDL)	5(BDL)	60	30	NA	1.5(BDL)	0.4	60
1580	1(BDL)	0.3(BDL)	22	6	12	1(BDL)	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	12
2284	1(BDL)	0.3(BDL)	1500	1100	1.8(BDL)	2.4	5(BDL)	24	24	5(BDL)	1.5(BDL)	0.4	28
2285	1(BDL)	0.3(BDL)	1000	790	1.8(BDL)	2.1	5(BDL)	22	24	5(BDL)	1.5(BDL)	0.4	30
2286	1.5	0.3(BDL)	2100	1600	1.8(BDL)	2.8	5(BDL)	20(BDL)	28	5(BDL)	1.5(BDL)	0.4	24
2287	2.9	3.5	700	220	40	4.8	5(BDL)	20(BDL)	20	6.9	1.5(BDL)	0.4	45
2288	1.3	5.5	600	130	1.8(BDL)	5.6	5(BDL)	20(BDL)	12	6.1	1.5(BDL)	0.4	23
2289	1.9	0.3(BDL)	350	150	1.8(BDL)	6	5(BDL)	26	19	5(BDL)	1.5(BDL)	0.4	29
2290	1.1	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	4.4	5(BDL)	29	18	8	1.5(BDL)	0.4	30
2291	1.1	0.3(BDL)	200	49	1.8(BDL)	4.6	5(BDL)	32	16	5(BDL)	1.5(BDL)	0.4	31
2292	1.7	0.3(BDL)	790	480	20	1.4	5(BDL)	35	15	6.5	1.5(BDL)	0.4	37
2293	1.3	0.7	430	250	31	2.4	5(BDL)	26	11.3	5(BDL)	1.5(BDL)	0.4	32
2294	3.3	0.79	3600	2100	210	4.2	5(BDL)	120	8200	12	3.04	2.02	2500
2295	1.3	0.3(BDL)	1000	310	1.8(BDL)	3.2	5(BDL)	20(BDL)	114	5(BDL)	1.5(BDL)	0.46	60
2296	1.8	0.3(BDL)	200	40	10	1.1	5(BDL)	20(BDL)	55	5.2	1.5(BDL)	0.4	28
2297	2.4	0.3(BDL)	260	130	10	1.9	5(BDL)	20(BDL)	45	6.9	1.5(BDL)	0.4	35
2298	1.8	0.3(BDL)	400	200	10	2	5(BDL)	20(BDL)	38	5.3	1.5(BDL)	0.4	28
2299	1.8	0.3(BDL)	400	200	20	2.1	5(BDL)	20(BDL)	98	5.1	1.5(BDL)	0.4	31
2300	1.2	0.3(BDL)	400	200	10	3.9	5(BDL)	20(BDL)	38	5(BDL)	1.5(BDL)	0.4	39
2301	1.8	0.3(BDL)	400	200	10	2	5(BDL)	20(BDL)	38	5(BDL)	1.5(BDL)	0.4	28

STN Code	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)
2302	1(BDL)	0.3(BDL)	280	240	10	1(BDL)	5(BDL)	20(BDL)	1600	5(BDL)	NA	0.4	295
2303	1(BDL)	0.3(BDL)	480	310	10	1.1	5(BDL)	38	12	5(BDL)	NA	0.4	27
2304	1(BDL)	0.31	700	310	10	1.1	5(BDL)	34	250	5(BDL)	NA	0.4	150
2305	1(BDL)	0.3(BDL)	540	460	15	1.5	5(BDL)	30	10	5(BDL)	NA	0.4	30
2306	1(BDL)	0.3(BDL)	790	380	10	1.6	5(BDL)	30	17	5(BDL)	NA	0.4	35
2307	1(BDL)	0.3(BDL)	580	310	10	1.2	5(BDL)	42	16	5(BDL)	NA	0.4	51
2312	5.8	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	60	30	NA	1.5(BDL)	0.4	65
2318	1.6	0.3(BDL)	310	120	10	2.3	5(BDL)	25	44	5(BDL)	1.5(BDL)	0.4	45
2319	2.4	0.3(BDL)	150	100	20	1.8	5(BDL)	20(BDL)	44	6.9	1.5(BDL)	0.4	33
2325	2.8	0.3(BDL)	1500	1000	1.8(BDL)	3.4	5(BDL)	96	36	8	1.5(BDL)	0.4	95
2326	1.5	0.3(BDL)	400	200	20	1(BDL)	5(BDL)	210	97.99	5(BDL)	1.5(BDL)	0.4	214
2328	2.9	0.59	490	310	1.8(BDL)	1(BDL)	5(BDL)	34	25.99	8.6	1.5(BDL)	0.4	36
2329	1.5	0.63	1000	170	63	18.8	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	16
2330	1(BDL)	0.3(BDL)	380	40	34	4.1	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	10(BDL)
2331	2.5	0.38	400	100	1.8(BDL)	1(BDL)	5(BDL)	47	25.99	7.6	1.5(BDL)	0.4	49
2332	1.9	0.4	600	400	20	1(BDL)	5(BDL)	46	24.5	5.8	1.5(BDL)	0.4	46
2333	1.1	0.3(BDL)	4100	1500	210	4.9	5(BDL)	20(BDL)	7	5(BDL)	1.5(BDL)	0.4	20
2334	1(BDL)	0.3(BDL)	4000	1100	170	8.8	5(BDL)	25	21	5(BDL)	1.5(BDL)	0.4	30
2335	1(BDL)	0.3(BDL)	630	170	120	8.3	5(BDL)	20(BDL)	7	5(BDL)	1.5(BDL)	0.4	18
2336	2.9	0.42	790	400	110	11.8	5(BDL)	20(BDL)	10	7.2	1.5(BDL)	0.4	16
2337	3.1	0.3(BDL)	1700	210	70	18.6	5(BDL)	25	18	8.8	1.5(BDL)	0.4	28
2338	1.5	0.3(BDL)	3800	1700	310	23.3	5(BDL)	23	11	5(BDL)	1.5(BDL)	0.4	23
3458	1.1	0.3(BDL)	49	26	22	1(BDL)	5(BDL)	50	17	5(BDL)	1.5(BDL)	0.4	50
3459	1.1	0.3(BDL)	22	8	1.8(BDL)	12.61	5(BDL)	33	12	5(BDL)	1.5(BDL)	0.4	35
3460	2.5	0.3(BDL)	600	200	20	1(BDL)	5(BDL)	112	59	7.4	1.5(BDL)	0.4	115
3461	2.4	0.33	1600	1100	40	4.7	5(BDL)	34	2600	7	1.5(BDL)	0.95	500
3462	1(BDL)	0.3(BDL)	2100	920	1.8(BDL)	6	5(BDL)	20(BDL)	9	5(BDL)	1.5(BDL)	0.4	23
3464	1(BDL)	0.3(BDL)	1600	600	10	15.1	5(BDL)	21	7	5(BDL)	1.5(BDL)	0.4	23
3465	1(BDL)	2.4	810	130	1.8(BDL)	5.8	5(BDL)	20(BDL)	8	6	1.5(BDL)	0.4	22

STN Code	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammonical-N (mg/L)	Total Hardness (mg/L)
5193	1(BDL)	NA	NA	1.8(BDL)	NA	1.6	NA	NA	NA	NA	NA	NA	NA
5194	NA	NA	NA	630	NA	3.5	NA	NA	NA	NA	NA	NA	NA
5195	4.1	0.3(BDL)	9100	7900	1.8(BDL)	3.6	5(BDL)	28	36	16	1.5(BDL)	0.4	30
5196	1.1	0.3(BDL)	600	310	1.8(BDL)	1.1	5(BDL)	20(BDL)	12	5(BDL)	1.5(BDL)	0.4	16
5197	1(BDL)	0.3(BDL)	2100	1800	1.8(BDL)	1.8	5(BDL)	32	28	5(BDL)	NA	0.4	40
5198	9.5	30	1600	540	92	4.6	5(BDL)	20(BDL)	3600	21	1.5(BDL)	0.4	1500
5199	6	15	1700	490	70	2.1	5(BDL)	35	2550	20.5	1.5(BDL)	0.4	1300
5200	3.1	8	630	150	31	4.3	5(BDL)	34	3410	6.9	1.5(BDL)	0.4	2110
5201	2.3	5.8	630	130	40	2.8	5(BDL)	26	4850	6.8	1.5(BDL)	0.4	2200
5202	2.2	1.7	840	470	40	4.4	5(BDL)	20(BDL)	12	6.1	1.5(BDL)	0.4	40
5203	1.1	3.2	700	250	40	5.3	5(BDL)	20(BDL)	17	5.4	1.5(BDL)	0.4	28
5204	1.9	0.8	700	140	20	6.6	5(BDL)	20(BDL)	14	5(BDL)	1.5(BDL)	0.4	25
5205	1(BDL)	0.3(BDL)	200	58	1.8(BDL)	1.1	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	18
5206	2.3	0.3(BDL)	1200	200	1.8(BDL)	1(BDL)	5(BDL)	75	50	NA	1.5(BDL)	0.4	75
5207	4.1	0.3(BDL)	2000	1200	1.8(BDL)	1(BDL)	5(BDL)	40	45	NA	1.5(BDL)	0.4	50
5208	1.5	0.3(BDL)	2000	1500	400	1(BDL)	5(BDL)	20(BDL)	5.5	12	1.5(BDL)	0.4	13
5209	2	0.3(BDL)	1800	1400	400	1.3	5(BDL)	20(BDL)	6.8	14	1.5(BDL)	0.4	14
5210	1(BDL)	0.3(BDL)	63	11	63	1(BDL)	5(BDL)	28	7.9	5(BDL)	1.5(BDL)	0.4	25
5211	1(BDL)	0.3(BDL)	33	6	84	1(BDL)	5(BDL)	25	12.8	5(BDL)	1.5(BDL)	0.4	35
5212	1.8	0.3(BDL)	1200	630	17	13.7	5(BDL)	20(BDL)	7	5(BDL)	1.5(BDL)	0.4	22
5213	2.6	0.3(BDL)	840	200	1.8(BDL)	1.6	5(BDL)	80	38	5(BDL)	1.5(BDL)	0.4	82
5214	1.4	0.3(BDL)	100	1.8(BDL)	1.8(BDL)	4.5	5(BDL)	30	22	5(BDL)	1.5(BDL)	0.4	35
5215	2.2	0.3(BDL)	400	100	1.8(BDL)	1(BDL)	5(BDL)	172	36	6.6	1.5(BDL)	0.4	180
5216	1.3	0.3(BDL)	1.8(BDL)	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	180	49	5(BDL)	1.5(BDL)	0.4	190
5217	1.1	0.56	310	100	40	1(BDL)	5(BDL)	28	15.99	5(BDL)	1.5(BDL)	0.4	32
5218	1.3	0.42	200	100	1.8(BDL)	1(BDL)	5(BDL)	26	17.99	5(BDL)	1.5(BDL)	0.4	27
5220	1.8	0.3(BDL)	100	40	20	2.4	5(BDL)	35	29	6.2	1.5(BDL)	0.4	39
5221	1(BDL)	0.33	920	700	70	1.3	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	14
5222	1(BDL)	0.37	1400	810	91	1.2	5(BDL)	20(BDL)	6	5(BDL)	1.5(BDL)	0.4	13

STN Code	BOD (mg/L)	NitrateN (mg/L)	Total Coliform (MPN/100 ml)	Fecal Coliform (MPN/100 ml)	Streptococci (MPN/100 ml)	Turbidity (mg/L)	Phenolphthalein Alkalinity (mg/L)	Total Alkalinity (mg/L)	Chlorides (mg/L)	COD (mg/L)	Total Kjeldahl Nitrogen (mg/L)	Ammoniacal-N (mg/L)	Total Hardness (mg/L)
5223	1(BDL)	0.39	1800	1100	10	1.5	5(BDL)	20(BDL)	5(BDL)	5(BDL)	1.5(BDL)	0.4	12
5224	3.5	0.7	2600	1300	180	4.2	5(BDL)	120	7000	12	2.88	1.58	1900
5225	3.4	0.9	1800	910	70	7	5(BDL)	150	8900	12	3.23	2.18	3100
5226	1(BDL)	0.3(BDL)	63	24	40	4.17	5(BDL)	20(BDL)	10	5(BDL)	1.5(BDL)	0.4	18
5227	1(BDL)	0.3(BDL)	84	33	43	3.75	5(BDL)	30	10	5(BDL)	1.5(BDL)	0.4	30
5228	1(BDL)	0.3(BDL)	70	24	22	12.87	5(BDL)	42	14	5(BDL)	1.5(BDL)	0.4	44
5229	1.4	0.3(BDL)	58	26	46	5.3	5(BDL)	20(BDL)	5(BDL)	5.6	1.5(BDL)	0.4	10(BDL)
5230	1(BDL)	0.3(BDL)	26	22	22	2.51	5(BDL)	20(BDL)	9	5(BDL)	1.5(BDL)	0.4	21
5231	1.1	0.3(BDL)	400	200	10	2.5	5(BDL)	20(BDL)	52	5(BDL)	1.5(BDL)	0.4	25
5232	2.9	0.3(BDL)	490	250	20	3.1	5(BDL)	20(BDL)	132	7.9	1.5(BDL)	0.4	38
5233	1.1	0.3(BDL)	400	200	10	3	5(BDL)	21	49	5(BDL)	1.5(BDL)	0.4	28
5234	1.3	0.3(BDL)	250	120	10	2.9	5(BDL)	22	43	5(BDL)	1.5(BDL)	0.4	31
5235	1.7	0.3(BDL)	200	100	10	2.1	5(BDL)	20(BDL)	49	5.1	1.5(BDL)	0.4	27
5236	2	1.8	400	200	10	2.9	5(BDL)	75	495	5.7	1.5(BDL)	0.4	138
5237	2.9	0.3(BDL)	400	220	10	4.9	5(BDL)	89	698	8.5	1.5(BDL)	0.4	182
5238	1.1	0.3(BDL)	200	100	10	4	5(BDL)	20(BDL)	46	5(BDL)	1.5(BDL)	0.4	23
5239	1.8	0.3(BDL)	250	130	10	1(BDL)	5(BDL)	24	53	5.3	1.5(BDL)	0.4	42
5240	1.5	0.3(BDL)	490	200	20	1(BDL)	5(BDL)	20(BDL)	67	5(BDL)	1.5(BDL)	0.4	38
5241	2.3	0.3(BDL)	400	250	10	1(BDL)	5(BDL)	180	265	6.7	1.5(BDL)	0.4	182
5242	1.7	0.3(BDL)	540	430	4	1(BDL)	5(BDL)	25	11	5(BDL)	NA	0.4	25
5243	1(BDL)	0.3(BDL)	310	100	1.8(BDL)	1(BDL)	5(BDL)	23	17	5(BDL)	NA	0.4	24
5244	1(BDL)	0.3(BDL)	260	210	10	2	5(BDL)	20(BDL)	20	5(BDL)	NA	0.4	18
5245	1(BDL)	0.4	490	260	4	1(BDL)	5(BDL)	86	265	5(BDL)	NA	0.4	133
5527	3.5	0.3(BDL)	200	1.8(BDL)	1.8(BDL)	1(BDL)	5(BDL)	50	50	NA	1.5(BDL)	0.4	60
5528	1.7	0.3(BDL)	1200	490	1.8(BDL)	1(BDL)	5(BDL)	50	50	NA	1.5(BDL)	0.4	60
5529	1(BDL)	0.82	350	49	1.8(BDL)	2.85	5(BDL)	20(BDL)	13	6.4	1.5(BDL)	0.4	16
5530	1(BDL)	0.36	490	100	1.8(BDL)	1(BDL)	5(BDL)	48	26	6.4	1.5(BDL)	0.4	41
5531	1(BDL)	0.3(BDL)	450	1.8(BDL)	1.8(BDL)	1.53	5(BDL)	26	35	5(BDL)	1.5(BDL)	0.4	29
10016	1(BDL)	0.3(BDL)	350	120	1.8(BDL)	1.1	5(BDL)	20(BDL)	8	5(BDL)	1.5(BDL)	0.4	18
10017	1(BDL)	0.3(BDL)	540	170	1.8(BDL)	1.3	5(BDL)	20(BDL)	10	5(BDL)	1.5(BDL)	0.4	18
20017	28	NA	NA	NA	NA	NA	NA	NA	NA	80	NA	NA	NA

STN Code	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR
17	28	18	9.5	67.3	235	170	12	0.2(BDL)	0.5(BDL)	3.19	0.2(BDL)	74.5	4.3
18	7	8	5(BDL)	5(BDL)	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.16	0.2(BDL)	27.7	0.3
20	11	10	6.8	5(BDL)	35	18	10(BDL)	0.2(BDL)	0.5(BDL)	1.05	0.2(BDL)	29.3	0.4
21	13	6	6.52	5(BDL)	38	19	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.1	0.5
42	22	17	7.1	5.86	74	61	30	0.2(BDL)	0.5(BDL)	1.56	0.2(BDL)	23.7	0.4
43	9	5	5(BDL)	5(BDL)	31	27	10(BDL)	0.2(BDL)	0.5(BDL)	1.17	0.2(BDL)	33.1	0.4
1154	21	5	5(BDL)	6.8	50	38	10(BDL)	0.2(BDL)	0.5(BDL)	1.26	0.2(BDL)	34.9	0.6
1155	96	24	5(BDL)	73.5	356	112	75	0.2(BDL)	0.5(BDL)	14.9	0.2(BDL)	53.5	2.9
1156	10	8	5(BDL)	5.3	32	27	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	38.7	0.5
1207	17	11	5(BDL)	6.61	56	43	36	0.2(BDL)	0.5(BDL)	2.19	0.2(BDL)	32.4	0.6
1208	20	15	5.46	9.5	67	41	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	36.29	0.7
1338	8	6	5(BDL)	5(BDL)	32	22	10(BDL)	0.2(BDL)	0.5(BDL)	1.34	0.2(BDL)	36.8	0.5
1339	8	5	5(BDL)	5(BDL)	29	25	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	38	0.5
1340	20	20	5(BDL)	22	115	88	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	54.4	1.5
1341	10	10	5(BDL)	5.2	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	35.7	0.5
1342	16	9	11.04	5(BDL)	56	48	28	0.2(BDL)	0.5(BDL)	1.36	0.2(BDL)	28.3	0.4
1383	75	11	5(BDL)	33.1	181	113	91	0.2(BDL)	0.5(BDL)	6.3	0.2(BDL)	43.4	1.6
1384	20	20	5(BDL)	21	115	97	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	0.2(BDL)	52.4	1.4
1385	11	13	9.8	9.24	65	53	30	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	44.5	0.8
1441	2700	2600	275.08	5100	20145	16430	90	0.2(BDL)	0.5(BDL)	246	0.2(BDL)	66.4	30.5
1442	12	4(BDL)	5(BDL)	12.6	58	36	25	0.2(BDL)	0.5(BDL)	3.2	0.2(BDL)	57.7	1.4
1443	10	18	12.42	10	70	58	35	0.2(BDL)	0.5(BDL)	1.35	0.2(BDL)	42.3	0.8
1563	24	4(BDL)	5(BDL)	22.8	101	52	27	0.2(BDL)	0.5(BDL)	7.1	0.2(BDL)	57.2	1.9
1564	17	7	11.2	8.59	75	62.4	34.1	0.2(BDL)	0.5(BDL)	2.63	0.2(BDL)	35.9	0.7
1565	10	8	5(BDL)	6.2	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	42.3	0.6
1566	10	12	6.2	6.9	48	33	14	0.2(BDL)	0.5(BDL)	1.3	0.2(BDL)	38.8	0.6
1567	5(BDL)	4(BDL)	5(BDL)	5(BDL)	18	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	44.3	0.5
1568	7	4(BDL)	5(BDL)	5(BDL)	24	12	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	40	0.5
1569	18	10	14	38	137	104	11	0.2(BDL)	0.5(BDL)	1.8	0.2(BDL)	73.2	3.1

STN Code	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR
1570	43	52	45	29	210	190	11	0.2(BDL)	0.5(BDL)	7	0.2(BDL)	37	1.3
1571	12	16	5(BDL)	10.2	70	55	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	43.5	0.8
1572	10	16	5(BDL)	6.9	66	54	10(BDL)	0.2(BDL)	0.5(BDL)	2.37	0.2(BDL)	34.1	0.6
1573	27	26	51.5	17	128	98	10(BDL)	3.3	0.5(BDL)	2.74	0.2(BDL)	39.6	1
1574	20	12	19.78	24.3	150	122.5	54.2	0.2(BDL)	0.5(BDL)	3.5	0.2(BDL)	54.3	1.7
1575	1100	700	325	2568	9650	7690	22	0.2(BDL)	0.5(BDL)	79	0.5	74.6	26.3
1576	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1577	500	500	35	2067	6452	5120	12	0.2(BDL)	0.5(BDL)	263	0.2(BDL)	77.1	28.4
1578	120	60	13.08	64	355	201	10(BDL)	0.2(BDL)	0.5(BDL)	2.1	0.2(BDL)	43.2	2.1
1579	40	20	10.06	22	126	72	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	44.1	1.2
1580	8	4(BDL)	5(BDL)	5(BDL)	20	16	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.4	0.4
2284	20	8	5(BDL)	12.5	64	38	15	0.2(BDL)	0.5(BDL)	2.2	0.2(BDL)	46.9	1
2285	16	14	5(BDL)	12.7	65	35	14	0.2(BDL)	0.5(BDL)	2.9	0.2(BDL)	45	1
2286	16	8	5(BDL)	14.5	70	41	20	0.2(BDL)	0.5(BDL)	5.1	0.2(BDL)	50.8	1.3
2287	25	12	29.5	12.02	103	82.6	32.5	0.2(BDL)	0.5(BDL)	2.93	0.2(BDL)	34.9	0.8
2288	13	10	5(BDL)	6.5	68	55.7	35.6	0.2(BDL)	0.5(BDL)	2.44	0.2(BDL)	35.1	0.6
2289	25	4(BDL)	10.06	10.01	69	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.49	0.2(BDL)	40.4	0.8
2290	24	6	5(BDL)	9.56	62	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.96	0.2(BDL)	38.1	0.8
2291	25	6	8.61	8.34	67	10(BDL)	10(BDL)	0.33	0.5(BDL)	2.75	0.2(BDL)	34.4	0.7
2292	14	23	5(BDL)	7.8	68	59.86	13	0.2(BDL)	0.5(BDL)	1.6	0.2(BDL)	30.3	0.6
2293	17	15	5(BDL)	6	56	41	21	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	28.2	0.5
2294	1200	1300	850.12	4540	14700	9800	10(BDL)	0.2(BDL)	0.5(BDL)	162	0.42	78.5	39.5
2295	34	26	19	62.12	233	120	10(BDL)	0.2(BDL)	0.5(BDL)	4.9	0.2(BDL)	67.1	3.5
2296	21	7	14.1	32	128	97	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	0.2(BDL)	68.5	2.6
2297	20	15	6.1	25	115	87	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	0.2(BDL)	58.3	1.8
2298	12	16	5(BDL)	21	89	68	11	0.2(BDL)	0.5(BDL)	1.9	0.2(BDL)	60	1.7
2299	18	13	6	52	174	132	12	0.2(BDL)	0.5(BDL)	1.4	0.2(BDL)	77.5	4.1
2300	17	22	8	20	104	79	11	0.2(BDL)	0.5(BDL)	1.3	0.2(BDL)	51.7	1.4
2301	12	16	5(BDL)	21	89	68	11	0.2(BDL)	0.5(BDL)	1.9	0.2(BDL)	60	1.7

STN Code	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR
2302	128	167	256	1010	3500	2700	16	0.2(BDL)	2.27	1.45	0.2(BDL)	88.1	25.6
2303	17	10	5(BDL)	6.45	61	43	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.9	0.5
2304	70	80	23.7	136	550	490	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	0.2(BDL)	66.1	4.8
2305	11	19	5(BDL)	5.23	55	42	10(BDL)	0.2(BDL)	0.5(BDL)	2.82	0.2(BDL)	25.3	0.4
2306	23	12	5(BDL)	8.8	68	39	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	34.8	0.6
2307	19	32	5(BDL)	8.43	82	65	12	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	26.2	0.5
2312	40	25	5(BDL)	15.5	125	84	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.9	0.8
2318	20	25	5(BDL)	23	113	86	11	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	51.9	1.5
2319	18	15	6.1	23	113	86	11	0.2(BDL)	0.5(BDL)	3.1	0.2(BDL)	57.5	1.7
2325	80	15	5(BDL)	18.7	158	72	55	0.2(BDL)	0.5(BDL)	3.9	0.2(BDL)	28.9	0.8
2326	135	79	10.43	56	450	292	10(BDL)	0.2(BDL)	0.5(BDL)	13.4	0.2(BDL)	34.51	1.67
2328	26	10	5(BDL)	15	85	51	10(BDL)	0.2(BDL)	0.5(BDL)	3.3	0.2(BDL)	44.79	1.09
2329	8	8	5(BDL)	5(BDL)	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.12	0.2(BDL)	25.1	0.3
2330	5(BDL)	4(BDL)	5(BDL)	5(BDL)	10(BDL)	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	14.1	0.1
2331	30	19	5(BDL)	15	95	57	10(BDL)	0.2(BDL)	0.5(BDL)	3	0.3	38.1	0.93
2332	29	17	5(BDL)	14	105	67	10(BDL)	0.2(BDL)	0.5(BDL)	3.1	0.2(BDL)	37.87	0.9
2333	10	10	5(BDL)	5(BDL)	35	25	10(BDL)	0.2(BDL)	0.5(BDL)	1.66	0.2(BDL)	27.2	0.4
2334	26	4(BDL)	5(BDL)	11	72	55	10(BDL)	0.2(BDL)	0.5(BDL)	1.84	0.2(BDL)	42.5	0.9
2335	12	6	5(BDL)	5(BDL)	36	25	10(BDL)	0.2(BDL)	0.5(BDL)	1.61	0.2(BDL)	30.3	0.4
2336	7	9	5(BDL)	6.15	38	30	10(BDL)	0.2(BDL)	0.5(BDL)	1.52	0.2(BDL)	42.7	0.7
2337	23	5	7	11.23	77	58	10(BDL)	0.2(BDL)	0.5(BDL)	2.64	0.2(BDL)	43.8	0.9
2338	11	12	5(BDL)	6.4	52	38	10(BDL)	0.2(BDL)	0.5(BDL)	3.26	0.2(BDL)	33.9	0.6
3458	31	19	5(BDL)	9	89	71	10(BDL)	0.2(BDL)	0.5(BDL)	2.36	0.2(BDL)	27	0.6
3459	20	15	5(BDL)	6.61	67	52	47	0.2(BDL)	0.5(BDL)	4.16	0.2(BDL)	26.3	0.5
3460	66	49	12.54	36	235	148	10(BDL)	0.2(BDL)	0.5(BDL)	6.4	0.3	38.86	1.46
3461	300	200	170.97	1524	4550	2300	10(BDL)	0.2(BDL)	0.5(BDL)	52	0.2(BDL)	85.4	29.6
3462	18	5	5(BDL)	5.2	39	20	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.4	0.5
3464	17	6	5(BDL)	5(BDL)	37	20	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	27.4	0.4
3465	15	7	8.5	5(BDL)	50	42	25.4	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	28.1	0.4

STN Code	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR
5193	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5194	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
5195	26	4(BDL)	5(BDL)	19.2	92	64	31	0.2(BDL)	0.5(BDL)	3.6	0.2(BDL)	54.7	1.5
5196	10	6	5(BDL)	6.5	37	21	10(BDL)	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	44.8	0.7
5197	28	12	5(BDL)	15.1	80	46	40	0.2(BDL)	0.5(BDL)	2.4	0.2(BDL)	43.3	1
5198	800	700	106.7	1900	7250	5850	72.5	0.44	0.5(BDL)	49	0.2(BDL)	72.6	21.3
5199	400	900	100.5	1330	5110	4100	72.5	0.42	0.5(BDL)	50	0.2(BDL)	68	16
5200	1160	950	160	1760	7100	5700	82.5	0.2(BDL)	0.5(BDL)	79	0.2(BDL)	63.4	16.7
5201	700	1500	179.4	2523	8780	7100	53	0.2(BDL)	0.5(BDL)	116	0.2(BDL)	70	23.4
5202	17	23	19.09	7.36	80	67	25.4	0.2(BDL)	0.5(BDL)	2.52	0.2(BDL)	27	0.5
5203	22	6	11.5	9.56	85	69.2	30.4	0.2(BDL)	0.5(BDL)	2.16	0.2(BDL)	40.3	0.8
5204	15	10	12.45	8.59	62	51	28.6	0.2(BDL)	0.5(BDL)	2.55	0.2(BDL)	39.8	0.7
5205	12	6	5(BDL)	5(BDL)	30	25	20	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.2	0.4
5206	40	35	5(BDL)	30	162	86	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	46.2	1.5
5207	20	30	5(BDL)	23.5	130	94	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	49.6	1.4
5208	8	5	5(BDL)	5(BDL)	27	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.67	0.2(BDL)	32.2	0.4
5209	10	4(BDL)	5(BDL)	5(BDL)	28	20	10(BDL)	0.2(BDL)	0.5(BDL)	1.91	0.2(BDL)	34	0.5
5210	21	4(BDL)	5(BDL)	5(BDL)	50	40	10(BDL)	0.2(BDL)	NA	1(BDL)	0.2(BDL)	28.6	0.4
5211	30	5	9.1	6.73	71	56	10(BDL)	0.2(BDL)	NA	2.54	0.2(BDL)	27.7	0.5
5212	15	7	8.8	6	48	35	10(BDL)	0.2(BDL)	0.5(BDL)	2.31	0.2(BDL)	34.3	0.6
5213	76	6	11.35	19.74	180	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	7.69	0.2(BDL)	31.9	0.9
5214	28	7	14.54	11.37	83	10(BDL)	10(BDL)	0.2(BDL)	0.5(BDL)	2.9	0.2(BDL)	39	0.8
5215	108	72	11.3	19	280	173	10(BDL)	0.2(BDL)	0.5(BDL)	6	0.2(BDL)	18.05	0.62
5216	120	70	16.51	26	320	195	10(BDL)	0.2(BDL)	0.5(BDL)	195	0.2(BDL)	22.25	0.82
5217	20	12	5(BDL)	9.6	67	41	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	38.5	0.74
5218	15	12	5(BDL)	10.7	60	39	10(BDL)	0.2(BDL)	0.5(BDL)	2	0.2(BDL)	44.05	0.9
5220	21	18	5(BDL)	16.2	98	89	40	0.2(BDL)	0.5(BDL)	2.48	0.2(BDL)	45.5	1.1
5221	10	4(BDL)	5(BDL)	5(BDL)	23	11	10(BDL)	0.2(BDL)	0.5(BDL)	1.08	0.2(BDL)	28.9	0.3
5222	9	4(BDL)	5(BDL)	5(BDL)	25	13	10(BDL)	0.2(BDL)	0.5(BDL)	1.09	0.2(BDL)	35.1	0.4

STN Code	Ca as CaCo3 (mg/L)	Mg as CaCo3 (mg/L)	Sulphate (mg/L)	Sodium (mg/L)	Total Dissolved Solids (mg/L)	Total Fixed Solids (mg/L)	Total Suspended Solids (mg/L)	Phosphate (mg/L)	Boron (mg/L)	Potassium (mg/L)	Fluoride (mg/L)	Sodium Percentage	SAR
5223	8	4(BDL)	5(BDL)	5(BDL)	22	11	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	34.6	0.4
5224	1200	700	843	4047	12800	9300	10(BDL)	0.2(BDL)	0.5(BDL)	141	0.35	80.9	40.4
5225	1900	1200	1000.12	4788	16100	10800	10(BDL)	0.2(BDL)	0.5(BDL)	188	0.36	75.7	37.4
5226	10	8	5(BDL)	5.6	40	32	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	0.2(BDL)	38.4	0.6
5227	16	14	5(BDL)	5.32	52	41	10(BDL)	0.2(BDL)	0.5(BDL)	1.04	0.2(BDL)	27	0.4
5228	24	20	5.03	7.54	77	61	58	0.2(BDL)	0.5(BDL)	1.96	0.2(BDL)	26.1	0.5
5229	5(BDL)	4(BDL)	5(BDL)	5(BDL)	17	13	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	39.5	0.4
5230	13	8	5(BDL)	5(BDL)	39	31	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	32.2	0.5
5231	10	15	5(BDL)	29	104	79	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	70.1	2.5
5232	15	23	20	76	281	213	11	0.2(BDL)	0.5(BDL)	5.2	0.2(BDL)	78.7	5.4
5233	12	16	5(BDL)	26	115	87	11	0.2(BDL)	0.5(BDL)	1.2	0.2(BDL)	65.7	2.1
5234	13	18	5(BDL)	23	98	75	10(BDL)	0.2(BDL)	0.5(BDL)	1.3	0.2(BDL)	60.5	1.8
5235	12	15	5(BDL)	26	100	76	10(BDL)	0.2(BDL)	0.5(BDL)	1.5	0.2(BDL)	66.2	2.2
5236	70	68	53	280	1008	766	10(BDL)	0.2(BDL)	0.5(BDL)	6.1	0.2(BDL)	80.7	10.4
5237	89	93	65	380	1445	1098	12	0.2(BDL)	0.5(BDL)	5.1	0.2(BDL)	81.4	12.3
5238	14	9	5(BDL)	24	107	81	13	0.2(BDL)	0.5(BDL)	1.1	0.2(BDL)	68.1	2.2
5239	21	21	5(BDL)	28	138	104	10(BDL)	0.2(BDL)	0.5(BDL)	1.2	0.2(BDL)	58.3	1.9
5240	19	19	12.5	35	145	110	11	0.2(BDL)	0.5(BDL)	4.5	0.2(BDL)	63.5	2.5
5241	115	67	50	148	672	510	12	0.2(BDL)	0.5(BDL)	12.5	0.2(BDL)	61.8	4.8
5242	12	13	5(BDL)	5.68	50	38	10(BDL)	0.2(BDL)	0.5(BDL)	2.4	0.2(BDL)	30.6	0.5
5243	13	11	5.2	8.94	61	39	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	43.8	0.8
5244	10	8	5(BDL)	10.34	58	34	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	54.4	1.1
5245	34	99	32.5	144	642	500	12	0.2(BDL)	0.5(BDL)	6.31	0.2(BDL)	68.9	5.4
5527	30	30	5(BDL)	30	152	101	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	51.8	1.7
5528	20	40	5(BDL)	26	143	84	10(BDL)	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	48.4	1.5
5529	12	4(BDL)	5(BDL)	6.8	44	40	10(BDL)	0.2(BDL)	0.5(BDL)	1.04	0.2(BDL)	46	0.7
5530	35	6	5(BDL)	13.76	95	91	10(BDL)	0.2(BDL)	0.5(BDL)	4.99	0.2(BDL)	38.7	0.9
5531	15	14	5(BDL)	18.13	89	85	10(BDL)	0.2(BDL)	0.5(BDL)	3.73	0.2(BDL)	53.9	1.5
10016	10	8	5(BDL)	5(BDL)	32	27	22	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	33.9	0.4
10017	14	4(BDL)	5(BDL)	5.2	34	29	24	0.2(BDL)	0.5(BDL)	1(BDL)	0.2(BDL)	38.2	0.5
20017	NA	NA	NA	NA	NA	NA	66	NA	NA	NA	NA	NA	NA

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
17		NA	NA	Sampling	
18		NA	NA	Sampling	
20		NA	NA	Sampling	
21		NA	NA	Sampling	
42		NA	NA	Sampling	
43		NA	NA	Sampling	
1154		NA	NA	Sampling	
1155		NA	NA	Sampling	
1156		NA	NA	Sampling	
1207		NA	NA	Sampling	
1208		NA	NA	Sampling	
1338		NA	NA	Sampling	
1339		NA	NA	Sampling	
1340		NA	NA	Sampling	
1341		NA	NA	Sampling	
1342		NA	NA	Sampling	
1383		NA	NA	Sampling	
1384		NA	NA	Sampling	
1385		NA	NA	Sampling	
1441		NA	NA	Sampling	
1442		NA	NA	Sampling	
1443		NA	NA	Sampling	
1563		NA	NA	Sampling	
1564		NA	NA	Sampling	
1565		NA	NA	Sampling	
1566		NA	NA	Sampling	
1567		NA	NA	Sampling	
1568		NA	NA	Sampling	
1569		NA	NA	Sampling	

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
1570		NA	NA	Sampling	
1571		NA	NA	Sampling	
1572		NA	NA	Sampling	
1573		NA	NA	Sampling	
1574		NA	NA	Sampling	
1575		NA	NA	Sampling	
1576		NA	NA	Not Sampling	NON AVAILABILITY OF MOTOR BOAT FROM FOREST DEPARTMENT
1577		NA	NA	Sampling	
1578		NA	NA	Sampling	
1579		NA	NA	Sampling	
1580		NA	NA	Sampling	
2284		NA	NA	Sampling	
2285		NA	NA	Sampling	
2286		NA	NA	Sampling	
2287		NA	NA	Sampling	
2288		NA	NA	Sampling	
2289		NA	NA	Sampling	
2290		NA	NA	Sampling	
2291		NA	NA	Sampling	
2292		NA	NA	Sampling	
2293		NA	NA	Sampling	
2294		NA	NA	Sampling	
2295		NA	NA	Sampling	
2296		NA	NA	Sampling	
2297		NA	NA	Sampling	
2298		NA	NA	Sampling	
2299		NA	NA	Sampling	
2300		NA	NA	Sampling	
2301		NA	NA	Sampling	

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
2302		NA	NA	Sampling	
2303		NA	NA	Sampling	
2304		NA	NA	Sampling	
2305		NA	NA	Sampling	
2306		NA	NA	Sampling	
2307		NA	NA	Sampling	
2312		NA	NA	Sampling	
2318		NA	NA	Sampling	
2319		NA	NA	Sampling	
2325		NA	NA	Sampling	
2326		NA	NA	Sampling	
2328		NA	NA	Sampling	
2329		NA	NA	Sampling	
2330		NA	NA	Sampling	
2331		NA	NA	Sampling	
2332		NA	NA	Sampling	
2333		NA	NA	Sampling	
2334		NA	NA	Sampling	
2335		NA	NA	Sampling	
2336		NA	NA	Sampling	
2337		NA	NA	Sampling	
2338		NA	NA	Sampling	
3458		NA	NA	Sampling	
3459		NA	NA	Sampling	
3460		NA	NA	Sampling	
3461		NA	NA	Sampling	
3462		NA	NA	Sampling	
3464		NA	NA	Sampling	
3465		NA	NA	Sampling	

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
3466		NA	NA	Sampling	
3467		NA	NA	Sampling	
3468		NA	NA	Sampling	
3469		NA	NA	Sampling	
3470		NA	NA	Sampling	
3471		NA	NA	Sampling	
3473		NA	NA	Sampling	
5164		NA	NA	Sampling	
5165		NA	NA	Sampling	
5166		NA	NA	Sampling	
5169		NA	NA	Sampling	
5170		NA	NA	Sampling	
5171	OIL AND GREASE	NA	NA	Sampling	
5172	OIL AND GREASE	NA	NA	Sampling	
5173		NA	NA	Sampling	
5174		NA	NA	Sampling	
5176		NA	NA	Sampling	
5177	OIL AND GREASE	NA	NA	Sampling	
5178		NA	NA	Sampling	
5179		NA	NA	Sampling	
5180		NA	NA	Sampling	
5181		NA	NA	Sampling	
5182		0.00067(BL)	0.004	Sampling	
5183	OIL AND GREASE	NA	NA	Sampling	
5184	OIL AND GREASE	NA	NA	Sampling	
5185		0.385	0.067	Sampling	
5190	OIL AND GREASE	NA	NA	Sampling	
5191		0.0314	0.00043(BL)	Sampling	
5192	OIL AND GREASE	NA	NA	Sampling	

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
5193		NA	NA	Sampling	
5194		140	0.00043(B)	Sampling	
5195		NA	NA	Sampling	
5196		NA	NA	Sampling	
5197		NA	NA	Sampling	
5198		NA	NA	Sampling	
5199		NA	NA	Sampling	
5200		NA	NA	Sampling	
5201		NA	NA	Sampling	
5202		NA	NA	Sampling	
5203		NA	NA	Sampling	
5204		NA	NA	Sampling	
5205		NA	NA	Sampling	
5206		NA	NA	Sampling	
5207		NA	NA	Sampling	
5208		NA	NA	Sampling	
5209		NA	NA	Sampling	
5210		NA	NA	Sampling	
5211		NA	NA	Sampling	
5212		NA	NA	Sampling	
5213		NA	NA	Sampling	
5214		NA	NA	Sampling	
5215		NA	NA	Sampling	
5216		NA	NA	Sampling	
5217		NA	NA	Sampling	
5218		NA	NA	Sampling	
5220		NA	NA	Sampling	
5221		NA	NA	Sampling	
5222		NA	NA	Sampling	

STN Code	Other (General Parameters)	Iron (mg/L)	Manganese (mg/L)	Sampling Status	Reason
5223		NA	NA	Sampling	
5224		NA	NA	Sampling	
5225		NA	NA	Sampling	
5226		NA	NA	Sampling	
5227		NA	NA	Sampling	
5228		NA	NA	Sampling	
5229		NA	NA	Sampling	
5230		NA	NA	Sampling	
5231		NA	NA	Sampling	
5232		NA	NA	Sampling	
5233		NA	NA	Sampling	
5234		NA	NA	Sampling	
5235		NA	NA	Sampling	
5236		NA	NA	Sampling	
5237		NA	NA	Sampling	
5238		NA	NA	Sampling	
5239		NA	NA	Sampling	
5240		NA	NA	Sampling	
5241		NA	NA	Sampling	
5242		NA	NA	Sampling	
5243		NA	NA	Sampling	
5244		NA	NA	Sampling	
5245		NA	NA	Sampling	
5527		NA	NA	Sampling	
5528		NA	NA	Sampling	
5529		NA	NA	Sampling	
5530		NA	NA	Sampling	
5531		NA	NA	Sampling	
10016		NA	NA	Sampling	
10017		NA	NA	Sampling	
20017		NA	NA	Sampling	